AOC

AOC V5 Q32V5CE/BK computer monitor 80 cm (31.5") 2560 x 1440 pixels Quad HD LED Black

Brand : AOC	**Product family:** V5	**Product code:** Q32V5CE/BK
Product name : Q32V5CE/BK		

Screen size (inch) 31.5, Panel resolution 2560x1440, Refresh rate 75 Hz, Response time MPRT 1 ms, Panel type VA, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 2.0 x 1, Display Port DisplayPort 1.4 x 1, D-SUB (VGA) 0x, DVI 0x, Sync technology (VRR) Freesync

AOC V5 Q32V5CE/BK computer monitor 80 cm (31.5") 2560 x 1440 pixels Quad HD LED Black:

32" VA QHD panel for maximum productivity and great free time, USB-C and PD65W
The AOC Q32V5CE is a 32" VA panel with QHD resolution for comfortable and outstanding viewing experience in a three-side frameless chassis. Ready to boost your productivity with USB-C with Power Delivery up to 65W, 4 USB ports & HDMI, while also offering everything you need for your free time.

Display

Display diagonal *	80 cm (31.5")
Display resolution *	2560 x 1440 pixels
HD type *	Quad HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	VA
Backlight type	W-LED
Touchscreen *	✘
Display brightness (typical)	300 cd/m²
Response time	1 ms
Anti-glare screen	✔
Screen shape *	Flat
Contrast ratio (typical) *	3000:1
Contrast ratio (dynamic)	20000000:1
Maximum refresh rate *	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.2724 x 0.2724 mm
Pixel density	93 ppi
Display diagonal (metric)	80 cm
Surface hardness	6H
sRGB coverage (typical)	118%
NTSC coverage (typical)	97%
Adobe RGB coverage	96%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✔
AMD FreeSync type	FreeSync
Fast charging	✔
Flicker-free technology	✔
Low Blue Light technology	✔

Ports & interfaces

USB Power Delivery up to	65 W
DVI port	✘
HDMI *	✔
HDMI ports quantity	1
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✔
Headphone outputs	1
Headphone connectivity	3.5 mm
HDCP	✔
HDCP version	2.2
AC (power) in	✔
Mobile High-Definition Link (MHL)	✘

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Wall mountable	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Pivot	✘
Tilt adjustment	✔
Tilt angle range	3 - 21°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Number of OSD languages	19
LED indicators	✔

Performance

Brand-specific features	False

Multimedia

Built-in speaker(s) *	✔
Built-in camera *	✘
Number of speakers	2
RMS rated power	10 W
Built-in microphone	✘

Design

Market positioning *	Home
Product colour *	Black
Frameless design	✔
Front bezel colour	Black
Detachable stand	✔
Feet colour	Black
Certification	True

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Type-C DisplayPort Alternate Mode	✔
USB Power Delivery	✔

Power

Power consumption (typical) *	50 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal

Packaging content

Stand included	✔
Cables included	AC
HDMI cable length	1.5 m

Weight & dimensions

Width (with stand)	714 mm
Depth (with stand)	215 mm
Height (with stand)	517.1 mm
Weight (with stand)	8.52 kg
Width (without stand)	714 mm
Depth (without stand)	46.1 mm
Height (without stand)	418.7 mm

Packaging data

Package width	980 mm
Package depth	162 mm
Package height	513 mm
Package weight	10.9 kg
USB cable length	1.8 m

Other features

DCI-P3 coverage	89%
Exterior finish type	Matt
Mean time between failures (MTBF)	50000 h
Light effects	✘

4038986110181