

## Viewsonic LS751HD data projector Standard throw projector 5000 ANSI lumens 1080p (1920x1080) White

**Brand :** Viewsonic

**Product code:** LS751HD

**Product name :** LS751HD




- 2nd generation laser phosphor technology with up to 30,000 hours lifespan
  - 5,000 ANSI Lumens offering bright images in any environment
  - Up to 300" ultra large screen with lower cost-per-inch
  - Installation flexibility: V lens shift, 1.6x optical zoom, H/V keystone
  - Versatile application: 360° projection, portrait mode
  - HDMI 2.0b for accessibility of 4K contents with HDR/HLG support
- Full HD, 5000 ANSI, 3000000:1, 1.07 B, 2, 15W x2, RJ45, HDMI, Audio-out, RS232, USB, 100-240 V, 4.5 kg

Projector		Network	
Smart projector *	✗	Ethernet LAN (RJ-45) ports	1
Screen size compatibility *	762 - 7620 mm (30 - 300")	Wi-Fi *	✗
Projection distance	0.93 - 14.88 m	Storage	
Projector brightness *	5000 ANSI lumens	Card reader integrated *	✗
Projector native resolution *	1080p (1920x1080)	Features	
Contrast ratio (typical) *	3000000:1	Interactive *	✗
Native aspect ratio *	16:9	Noise level (economic mode)	29 dB
Number of colours	1.07 billion colours	HDCP	✓
Horizontal scan range	15 - 102 kHz	On Screen Display (OSD)	✓
Vertical scan range	23 - 120 Hz	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Slovak, Swedish, Thai, Turkish, Vietnamese
Keystone correction, horizontal	-30 - 30°	Number of OSD languages	27
Keystone correction, vertical	-30 - 30°	HDCP version	1.4/2.2
Light source		Noise level *	32 dB
Light source type *	Laser	Multimedia	
Service life of light source *	20000 h	Built-in speaker(s) *	✓
Service life of light source (economic mode)	30000 h	RMS rated power	30 W
Lens system		Number of built-in speakers	2
Focus *	Manual	Design	
Focal length range	20.911 - 32.62 mm	Market positioning *	Business
Aperture range (F-F)	2.5 - 3.26	Product type *	Standard throw projector
Zoom capability	✓	Product colour *	White
Zoom type	Manual	Cable lock slot	✓
Digital zoom	2x	Cable lock slot type	Kensington
Optical zoom	1.6x	Display	
Throw ratio	1.4 - 2.24	Built-in display *	✗
Vertical lens shift range	0 - 18%	Power	
Offset	136%	Power source *	AC
Video		Power consumption (typical) *	245 W
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (standby) *	0.5 W
Full HD *	✓	AC input voltage	100 - 240 V
3D *	✗	AC input frequency	50 - 60 Hz
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	0 - 40 °C
HDMI connector type	Full-size		
HDMI version	2.0		
Service port type	USB Type-A		
USB 2.0 ports quantity *	1		
USB 2.0 Type-A ports quantity	1		
Serial interface type *	RS-232		

Ports & interfaces	
PC Audio out	✓
HDMI ports quantity *	2
DVI port *	✗
AC (power) in	✓
Network	
Smart TV *	✗
Ethernet LAN *	✓

Weight & dimensions	
Width	337 mm
Depth	265 mm
Height	131.5 mm
Weight *	4.5 kg
Package width	496 mm
Package depth	195 mm
Package height	387 mm
Package weight	6.6 kg
Packaging content	
Remote control included *	✓
Quick start guide	✓
Warranty card	✓
Technical details	
Image lag time	49.9 ms
Logistics data	
Quantity per pack	1 pc(s)



0766907019940



766907019940

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.