



## DELL E Series 27 Monitor - E2724HS

Brand : DELL

Product family: E Series

Product code: DELL-E2724HS

Product name : Dell 27  
Monitor - E2724HS

- 68.6cm (27") Full HD 1920 x 1080 LED VA
- 8ms, 16:9, 3000:1
- VGA, HDMI, DisplayPort
- 68.6cm (27") Full HD 1920 x 1080 LED VA, 16:9, 16.7M, 8ms, 178°/178°, 3000:1

### DELL E Series 27 Monitor - E2724HS:

Get outstanding value with this 27 inch FHD monitor featuring new three-sided narrow bezel, height adjustable stand with DP, HDMI and VGA ports.  
DELL E Series 27 Monitor - E2724HS. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Pivot	✗
Display resolution *	1920 x 1080 pixels	Swivelling	✓
HD type *	Full HD	Swivel angle range	-173 - 173°
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LCD	Tilt angle range	-5 - 21°
Panel type *	VA	On Screen Display (OSD)	✓
Backlight type	LED	Plug and Play	✓
Touchscreen *	✗	Power	
Display brightness (peak)	300 cd/m <sup>2</sup>	Energy efficiency class (SDR) *	D
Display brightness (typical)	300 cd/m <sup>2</sup>	Energy efficiency class (HDR) *	Not available
Response time	8 ms	Energy consumption (SDR) per 1000 hours *	17 kWh
Anti-glare screen	✓	Power consumption (typical) *	17 W
Screen shape *	Flat	Power consumption (standby) *	0.3 W
Contrast ratio (typical) *	3000:1	Power consumption (max)	30 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	16.7 million colours	Input current	1.5 A
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.3114 x 0.3114 mm	Operational conditions	
Pixel density	81.57 ppi	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	59.8 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size, vertical	33.6 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size diagonal	68.6 cm	Storage relative humidity (H-H)	5 - 90%
Digital horizontal frequency	30 - 85 kHz	Operating altitude	0 - 5000 m
Digital vertical frequency	48 - 75 Hz	Non-operating altitude	5000 - 12192 m
Display diagonal (metric)	68.6 cm		
High Dynamic Range (HDR) supported	✗		

<b>Display</b>		<b>Packaging content</b>	
RGB colour space	NTSC	Stand included	✓
Colour gamut	83%	Cables included	AC, HDMI
<b>Performance</b>		Quick start guide	✓
NVIDIA G-SYNC *	✗	<b>Weight &amp; dimensions</b>	
AMD FreeSync *	✗	Width (with stand)	613 mm
<b>Multimedia</b>		Depth (with stand)	217.2 mm
Built-in speaker(s) *	✓	Height (with stand)	535.2 mm
Built-in camera *	✗	Weight (with stand)	5.36 kg
Number of speakers	2	Width (without stand)	613 mm
RMS rated power	2 W	Depth (without stand)	51 mm
<b>Design</b>		Height (without stand)	364.3 mm
Market positioning *	Office	Weight (without stand)	3.89 kg
Product colour *	Black	Bezel width (side)	7.56 mm
Front bezel colour	Black	Bezel width (top)	7.54 mm
Detachable stand	✓	Bezel width (bottom)	2.05 cm
Feet colour	Black	<b>Packaging data</b>	
Heavy metals free	Hg (mercury)	Package weight	7.73 kg
<b>Ports &amp; interfaces</b>		<b>Sustainability</b>	
Built-in USB hub *	✗	Sustainability certificates	ENERGY STAR, RoHS, TCO
VGA (D-Sub) ports quantity	1	Doesn't contain	PVC/BFR
HDMI *	✓	European Product Registry for Energy Labelling (EPREL) code	1271851
HDMI ports quantity	1	<b>Carbon footprint</b>	
HDMI version	1.4	Total carbon footprint	482 kg of CO2e
DisplayPorts quantity	1	Total carbon emissions (Standard deviation)	128 kg of CO2e
DisplayPort version	1.2	Carbon emissions (Manufacturing)	299 kg of CO2e
Headphone out *	✗	Carbon emissions (Logistics)	38 kg of CO2e
AC (power) in	✓	Carbon emissions (Use)	140 kg of CO2e
<b>Network</b>		Carbon emissions (End-of-Life)	4 kg of CO2e
Wi-Fi	✗	Total carbon emissions (w/o Use phase)	342 kg of CO2e
<b>Ergonomics</b>		PAIA version	1.3.1
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Height adjustment	13 cm		



5397184657102

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-MAY-2024. Prints or copies of Information are only valid on the printed Publication date