



DELL OptiPlex 7010 Intel® Core™ i3 i3-13100T 8 GB DDR4-SDRAM 256 GB SSD Windows 11 Pro MFF Mini PC Black



Brand : DELL

Product family: OptiPlex

Product code: VF1XH

Product name : 7010

- Windows 11 Pro 64-bit
 - Intel Core i3-13100T (12MB Cache)
 - 8GB (3200MHz) DDR4-SDRAM (1 x 8) & 256GB SSD
- Intel Core i3-13100T (12MB Cache), 8GB DDR4-SDRAM, 256GB SSD, Intel UHD Graphics 730, LAN, WLAN, Bluetooth, Windows 11 Pro 64-bit

[DELL OptiPlex 7010 Intel® Core™ i3 i3-13100T 8 GB DDR4-SDRAM 256 GB SSD Windows 11 Pro MFF Mini PC Black:](#)

Micro desktop with ultra-compact design. Optional single-cable type-C power delivery and 13th Gen Intel Core™ processors.

DELL OptiPlex 7010. Processor family: Intel® Core™ i3, Processor model: i3-13100T. Internal memory: 8 GB, Internal memory type: DDR4-SDRAM, Memory clock speed: 3200 MHz. Total storage capacity: 256 GB, Storage media: SSD. On-board graphics card model: Intel UHD Graphics 730. Wi-Fi. Operating system installed: Windows 11 Pro, Operating system architecture: 64-bit. Power supply: 65 W. Chassis type: MFF. Product type: Mini PC. Product colour: Black

Processor		Ports & interfaces	
Processor manufacturer *	Intel	Combo headphone/mic port	✓
Processor family *	Intel® Core™ i3	Design	
Processor generation	Intel Core i3-13xxx	Chassis type *	MFF
Processor model *	i3-13100T	Placement supported	Horizontal/Vertical
Processor cores	4	Cable lock slot	✓
Processor boost frequency	4.2 GHz	Cable lock slot type	Kensington
Performance-core base frequency	2.5 GHz	Product colour *	Black
Performance-core boost frequency	4.2 GHz	Performance	
Processor cache	12 MB	Motherboard chipset	Intel Q670
Processor cache type	Smart Cache	Audio chip	Realtek ALC3246
Bus type	DMI4	Audio system	High Definition Audio
Number of processors installed	1	Product type *	Mini PC
Memory		Software	
Internal memory *	8 GB	Operating system installed *	Windows 11 Pro
Maximum internal memory *	64 GB	Operating system architecture	64-bit
Internal memory type	DDR4-SDRAM	Operating system language	Multilingual
Memory layout (slots x size)	1 x 8 GB	Trial software	No Microsoft Office License Included 30 day Trial Offer Only
Memory slots	2x SO-DIMM	Processor special features	
Memory clock speed	3200 MHz	CPU configuration (max)	1
Storage		Power	
Total storage capacity *	256 GB	Power supply *	65 W
Storage media *	SSD	Power supply input voltage	100 - 240 V
Optical drive type *	✗	Power supply input frequency	50 - 60 Hz
Number of storage drives installed	1	Operational conditions	
Total SSDs capacity	256 GB	Operating temperature (T-T)	10 - 35 °C
Number of SSDs installed	1		
SSD capacity	256 GB		
SSD interface	PCI Express		

Storage		Operational conditions	
NVMe	✓	Storage temperature (T-T)	-40 - 65 °C
SSD form factor	M.2	Operating relative humidity (H-H)	20 - 80%
SSD performance class	35	Storage relative humidity (H-H)	5 - 95%
Graphics		Operating altitude	-15.2 - 3048 m
Discrete graphics card *	✗	Non-operating altitude	-15.2 - 10668 m
On-board graphics card *	✓	Operating vibration	0.26 G
Discrete graphics card model *	Not available	Non-operating vibration	1.37 G
On-board GPU manufacturer	Intel	Non-operating shock	105 G
On-board graphics card model *	Intel UHD Graphics 730	Weight & dimensions	
Network		Width *	36 mm
Ethernet LAN *	✓	Depth *	178 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Height *	182 mm
Cabling technology	10/100/1000Base-T(X)	Packaging content	
Wi-Fi *	✓	Display included *	✗
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)	Mouse included on selected markets	Dell Optical Mouse-MS116 - Black
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)	Keyboard included on selected markets	Dell Multimedia Keyboard-KB216 - UK (QWERTY) - Black
WLAN controller manufacturer	Intel	Cables included	AC
WLAN controller model	Intel Wi-Fi 6E AX211	Power cable length	1.8 m
Antenna type	2x2	Carbon footprint	
Bluetooth	✓	Total carbon footprint	250 kg of CO2e
Ports & interfaces		Total carbon emissions (Standard deviation)	57 kg of CO2e
USB 2.0 ports quantity *	2	Carbon emissions (Manufacturing)	188 kg of CO2e
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Carbon emissions (Logistics)	7 kg of CO2e
HDMI ports quantity *	1	Carbon emissions (Use)	54 kg of CO2e
HDMI version	1.4b	Carbon emissions (End-of-Life)	1 kg of CO2e
DisplayPorts quantity	1	Total carbon emissions (w/o Use phase)	196 kg of CO2e
DisplayPort version	1.4a	PAIA version	1.3.2
Ethernet LAN (RJ-45) ports	1		



5397184781616

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-MAY-2024. Prints or copies of Information are only valid on the printed Publication date