

Epson TM-T20III 203 x 203 DPI Wired Thermal POS printer

Brand : Epson

Product code: C31CH51012

Product name : TM-T20III

- Economical: Automatic paper reduction function
- Reliable: Mechanism life of 15 million lines
- Fast print speed: Print speed of 250mm/sec
- Flexible connectivity: Two models: 1) USB + Serial 2) Ethernet
- Peace of mind: Epson is Europe's number one POS printer manufacturer

Thermal Line, 250 mm/sec, 80 mm, 203 dpi, Ethernet, 55 dB, 1.7 kg

Epson TM-T20III. Print technology: Thermal, Type: POS printer, Maximum resolution: 203 x 203 DPI.

Maximum roll diameter: 8.3 cm, Supported paper width: 48, 64, 80 mm. Connectivity technology: Wired,

Standard interfaces: Ethernet. Sound pressure level (printing): 55 dB, Mean time between failures

(MTBF): 360000 h, Autocutter durability: 1.5 million cuts. Product colour: Black



Printing		Operational conditions	
Maximum resolution	203 x 203 DPI	Operating relative humidity (H-H)	10 - 90%
Print speed	250 mm/sec	Storage relative humidity (H-H)	10 - 90%
Character density	22.6 cpi	Weight & dimensions	
Character sets	ANK	Width	140 mm
Print technology *	Thermal	Depth	199 mm
Type *	POS printer	Height	146 mm
Paper handling		Weight	1.7 kg
Maximum roll diameter	8.3 cm	Packaging data	
Supported paper width	48, 64, 80 mm	Cables included	AC
Ports & interfaces		Quantity per pack	1 pc(s)
Connectivity technology *	Wired	Package width	192 mm
Standard interfaces	Ethernet	Package depth	235 mm
Network		Package height	280 mm
Ethernet LAN *	✓	Package weight	2.49 kg
Wi-Fi *	✗	Packaging content	
Features		Drivers included	✓
Sound pressure level (printing)	55 dB	Quick start guide	✓
Mean time between failures (MTBF)	360000 h	AC adapter included	✓
Cutter	✓	Logistics data	
Autocutter durability	1.5 million cuts	Harmonized System (HS) code	84433210
Print head life	150 km	Products per master (outer) case	4 pc(s)
Country of origin	Philippines	Master (outer) case width	400 mm
Built-in sensors details	Roll paper cover open sensor, Paper End Sensor, Paper Near End Sensor	Master (outer) case length	490 mm
Certification	FCC class A, CE marking, EN55022 Class A, UL, CSA, TÜV	Master (outer) case height	295 mm
Design		Products per pallet	112 pc(s)
Product colour *	Black	Products per pallet layer	16 pc(s)
		Products per pallet (UK)	168 pc(s)
Power		Products per pallet layer (UK)	24 pc(s)
Power source type *	AC	Other features	
AC input voltage	24 V	Buffer size	45 KB
Operational conditions		Mean cycles between failures (MCBF)	6000000
		Print head life	150 million characters

Operational conditions

Operating temperature (T-T)	5 - 45 °C
Storage temperature (T-T)	-10 - 50 °C



8715946669656

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-MAY-2024. Prints or copies of Information are only valid on the printed Publication date