



## DELL P Series 24 USB-C Hub Monitor - P2422HE

**Brand :** DELL

**Product family:** P Series

**Product code:** DELL-P2422HE

**Product name :** Dell 24 USB-C Hub Monitor - P2422HE

- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 250cd/m<sup>2</sup>, 1000:1
- USB, VGA, HDMI, DisplayPort
- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1000:1

[DELL P Series 24 USB-C Hub Monitor - P2422HE:](#)

Stay productive, no matter where you work. Reduce harmful blue light with this sleek 23.8-inch FHD hub monitor with ComfortView Plus.

DELL P Series 24 USB-C Hub Monitor - P2422HE. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Height adjustment *	✓
Native aspect ratio *	16:9	Height adjustment	15 cm
Display technology *	LCD	Pivot	✗
Panel type *	IPS	Pivot angle	-90 - 90°
Backlight type	LED	Swivelling	✓
Touchscreen *	✗	Swivel angle range	-45 - 45°
Display brightness (typical)	250 cd/m <sup>2</sup>	Tilt adjustment	✓
Response time	8 ms	Tilt angle range	-5 - 21°
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Flat	Plug and Play	✓
Supported graphics resolutions	1920 x 1080 (HD 1080)	LED indicators	Power
Supported video modes	480p, 576p, 720p, 1080i, 1080p	<b>Power</b>	
Aspect ratio	16:9	Energy efficiency class (SDR) *	D
Contrast ratio (typical) *	1000:1	Energy efficiency class (HDR) *	Not available
Maximum refresh rate *	60 Hz	Energy consumption (SDR) per 1000 hours *	15 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	14.5 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.3 W
Display number of colours *	16.7 million colours	Power consumption (max)	118 W
Response time (fast)	5 ms	Power consumption (off)	0.2 W
Pixel pitch	0.2745 x 0.2745 mm	AC input voltage	100 - 240 V
Pixel density	93 ppi	AC input frequency	50 - 60 Hz
Horizontal scan range	30 - 83 kHz	Power supply type	Internal
Vertical scan range	50 - 76 Hz	Energy efficiency scale	A to G
Viewable size, horizontal	52.7 cm	<b>Operational conditions</b>	
Viewable size, vertical	29.6 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size diagonal	60.5 cm		
Display diagonal (metric)	60.47 cm		

<b>Display</b>		<b>Operational conditions</b>	
High Dynamic Range (HDR) supported	✘	Storage temperature (T-T)	-20 - 60 °C
Colour depth	6 bit	Operating relative humidity (H-H)	10 - 80%
sRGB coverage (typical)	99%	Storage relative humidity (H-H)	5 - 90%
<b>Performance</b>		Operating altitude	0 - 5000 m
Flicker-free technology	✓	Non-operating altitude	0 - 12192 m
Low Blue Light technology	✓	<b>Packaging content</b>	
<b>Multimedia</b>		Stand included	✓
Built-in speaker(s) *	✘	Cables included	AC, DisplayPort, USB Type-C
Built-in camera *	✘	Quick start guide	✓
<b>Design</b>		<b>Weight &amp; dimensions</b>	
Market positioning *	Business	Width (with stand)	537.8 mm
Product colour *	Black	Depth (with stand)	179.6 mm
Front bezel colour	Black	Height (with stand)	496.1 mm
Detachable stand	✓	Weight (with stand)	5.15 kg
Feet colour	Silver	Width (without stand)	537.8 mm
Heavy metals free	Hg (mercury)	Depth (without stand)	52.1 mm
<b>Ports &amp; interfaces</b>		Height (without stand)	318.5 mm
Built-in USB hub *	✓	Weight (without stand)	3.39 kg
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Bezel width (side)	5.38 mm
USB upstream port type	USB Type-C	Bezel width (top)	5.38 mm
Number of upstream ports	1	Bezel width (bottom)	1.67 cm
Number of USB Type-C upstream ports quantity	1	<b>Sustainability</b>	
USB Type-A downstream ports quantity	4	Sustainability certificates	ENERGY STAR, EPEAT Gold, RoHS
USB Type-C DisplayPort Alternate Mode	✓	Doesn't contain	PVC/BFR
USB Power Delivery up to	65 W	European Product Registry for Energy Labelling (EPREL) code	549713
HDMI *	✓	<b>Carbon footprint</b>	
HDMI ports quantity	1	Total carbon footprint	542 kg of CO2e
HDMI version	1.4	Total carbon emissions (Standard deviation)	96 kg of CO2e
DisplayPorts quantity	2	Carbon emissions (Manufacturing)	347 kg of CO2e
DisplayPort version	1.2	Carbon emissions (Logistics)	42 kg of CO2e
Headphone out *	✘	Carbon emissions (Use)	151 kg of CO2e
HDCP	✓	Carbon emissions (End-of-Life)	2 kg of CO2e
Charging port type	USB Type-C	Total carbon emissions (w/o Use phase)	391 kg of CO2e
AC (power) in	✓	PAIA version	1.2.15, 2021
<b>Network</b>		<b>Logistics data</b>	
Wi-Fi	✘	Harmonized System (HS) code	85285210
<b>Ergonomics</b>			
VESA mounting *	✓		



5397184505205



5704174872092

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.