



## DELL P Series 22 Monitor - P2222H Without Stand

**Brand :** DELL

**Product family:** P Series

**Product code:** DELL-P2222HWOS



**Product name :** Dell 22 Monitor - P2222H Without Stand

- 54.6cm (21.5") Full HD 1920 x 1080 LED IPS
  - 8ms, 16:9, 250cd/m<sup>2</sup>, 1000:1
  - USB, VGA, HDMI, DisplayPort
- 54.6cm (21.5") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1000:1

### DELL P Series 22 Monitor - P2222H Without Stand:

Stay productive no matter where you work. Reduce harmful blue light with this sleek 21.5-inch FHD monitor featuring ComfortView Plus technology.

DELL P Series 22 Monitor - P2222H Without Stand. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	54.6 cm (21.5")	HDCP	✓
Display resolution *	1920 x 1080 pixels	<b>Network</b>	
HD type *	Full HD	Wi-Fi	✗
Native aspect ratio *	16:9	<b>Ergonomics</b>	
Display technology *	LCD	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Backlight type	LED	Cable lock slot *	✗
Touchscreen *	✗	Height adjustment *	✗
Display brightness (typical)	250 cd/m <sup>2</sup>	Pivot	✗
Response time	8 ms	Swivelling	✗
Anti-glare screen	✓	Tilt adjustment	✗
Screen shape *	Flat	Tilt angle range	0 - 0°
Supported graphics resolutions	1920 x 1080 (HD 1080)	On Screen Display (OSD)	✓
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Plug and Play	✓
Aspect ratio	16:9	LED indicators	Power
Contrast ratio (typical) *	1000:1	<b>Power</b>	
Maximum refresh rate *	60 Hz	Energy efficiency class (SDR) *	D
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	Not available
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	12 kWh
Display number of colours *	16.7 million colours	Power consumption (typical) *	11.8 W
Response time (fast)	5 ms	Power consumption (standby) *	0.3 W
Pixel pitch	0.248 x 0.248 mm	Power consumption (max)	46 W
Pixel density	102 ppi	Power consumption (off)	0.2 W
Horizontal scan range	30 - 83 kHz	AC input voltage	100 - 240 V
Vertical scan range	56 - 76 Hz	AC input frequency	50 - 60 Hz
Viewable size, horizontal	47.6 cm	Power supply type	Internal
Viewable size, vertical	26.8 cm	Energy efficiency scale	A to G
Viewable size diagonal	54.6 cm		
Display diagonal (metric)	54.61 cm		

Display		Operational conditions	
High Dynamic Range (HDR) supported	✗	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	99%	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	10 - 80%
Flicker-free technology	✓	Storage relative humidity (H-H)	5 - 90%
Low Blue Light technology	✓	Operating altitude	0 - 5000 m
Multimedia		Non-operating altitude	0 - 12192 m
Built-in speaker(s) *	✗	Packaging content	
Built-in camera *	✗	Cables included	AC, DisplayPort, HDMI, USB, VGA
Design		Quick start guide	✓
Market positioning *	Business	Weight & dimensions	
Product colour *	Black	Width (with stand)	487.3 mm
Front bezel colour	Black	Width (without stand)	487.3 mm
Heavy metals free	Hg (mercury)	Depth (without stand)	52.1 mm
Ports & interfaces		Height (without stand)	290 mm
Built-in USB hub *	✓	Weight (without stand)	2.82 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Bezel width (side)	5.6 mm
USB upstream port type	USB Type-B	Bezel width (top)	5.6 mm
Number of upstream ports	1	Bezel width (bottom)	1.66 cm
USB Type-A downstream ports quantity	4	Sustainability	
VGA (D-Sub) ports quantity	1	Sustainability certificates	ENERGY STAR, EPEAT Gold, RoHS
HDMI *	✓	Doesn't contain	PVC/BFR
HDMI ports quantity	1	European Product Registry for Energy Labelling (EPREL) code	549695
HDMI version	1.4	Logistics data	
DisplayPorts quantity	1	Harmonized System (HS) code	85285210
DisplayPort version	1.2		
Headphone out *	✗		



5397184505151

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-MAY-2024. Prints or copies of Information are only valid on the printed Publication date