



HP LaserJet Managed MFP E826dn, Black and white, Printer for Enterprise, Print, copy, scan, fax (optional), Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security

Brand : HP

Product family: LaserJet

Product code: 5QK09A

Product name : HP LaserJet Managed MFP E826dn, Black and white, Printer for Enterprise, Print, copy, scan, fax (optional), Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security

- Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security
 - Print, copy, scan, fax (optional)
 - Print speed up to 50 ppm; Print speed up to 60 ppm (with 8EP63AAE); Print speed up to 70 ppm (with 8EP64AAE)
- LaserJet Managed MFP E826dn

HP LaserJet Managed MFP E826dn, Black and white, Printer for Enterprise, Print, copy, scan, fax (optional), Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security:

Fast scanning, flexible solutions and world's most secure printer^[1] to keep business moving forward Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers^[1] you'll stay secure and simplify fleet management for busy IT pros.



Printing		Ports & interfaces	
Duplex printing mode	Auto	Direct printing *	✓
Print resolution black	1200 x 1200 DPI	USB port	✓
Print technology *	Laser	USB connector	USB Type-A
Printing *	Colour printing	USB 2.0 ports quantity	1
Duplex printing *	✓	USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	1
Maximum resolution *	1200 x 1200 DPI	Optional connectivity	USB 2.0, Wireless LAN
Print speed (black, normal quality, A4/US Letter) *	50 ppm	Network	
Print speed (black, normal quality, A3)	25 ppm	Wi-Fi *	✓
Warm-up time	100 s	Ethernet LAN *	✓
N-in-1 print function	✓	Cabling technology	10/100/1000Base-T(X)
Watermark printing	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Secure printing	✓	Wi-Fi Direct	✓
Copying		Security algorithms	EAP-PEAP, EAP-TLS, HTTPS, IPsec, SNMPv3, SSL/TLS
Duplex copying *	✓	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Copying *	Mono copying	Performance	
Maximum copy resolution *	600 x 600 DPI	Maximum internal memory	6144 MB
Copy speed (black, normal quality, A4)	50 cpm	Internal storage capacity	500 GB
Maximum number of copies	9999 copies	Internal memory *	6144 MB
Copier resize	25 - 400%	Built-in processor	✓
N-in-1 copy function	✓	Sound pressure level (printing)	53 dB
Auto fit function	✓	Sound pressure level (scanning)	54 dB
Edge erase function	✓	Sound power level (printing)	6.85 dB

Copying		Design	
Stamp function	✓	Product colour *	Blue, White
Watermark copying	✓	Market positioning *	Enterprise
Scanning		Built-in display *	✓
Duplex scanning *	✓	Display	CGD
Scanning *	Colour scanning	Display diagonal	25.6 cm (10.1")
Optical scanning resolution *	600 x 600 DPI	Control type	Touch
Maximum scan resolution	600 x 600 DPI	Colour display	✓
Maximum scan area	297 x 432 mm	Power	
Scanner type *	Flatbed & ADF scanner	Power consumption (PowerSave)	0.2 W
Scan technology	CIS/CCD	Power consumption (printing)	870 W
Scan to	E-mail, Network folder, USB, Fax	Power consumption (ready)	36 W
Scan speed (colour)	90 ppm	Power consumption (sleep)	0.9 W
Scan speed (black)	90 ppm	Power consumption (off)	0.2 W
Duplex scan speed (colour)	180 ppm	Energy Star Typical Electricity Consumption (TEC)	0.699 kWh/week
Duplex scan speed (black)	180 ppm	AC input voltage	110 - 240 V
Image formats supported	JPEG, MTIFF, TIFF	AC input frequency	50/60 Hz
Document formats supported	PDF, XPS	Brand-specific features	
Input colour depth	24 bit		(697) 197192511060; (ABT) 196188057100; (ABY) 196188057117; (ACQ) 196188057155; (B09) 196188057179; (B13) 196188057186; (B19) 193905950249; (BAZ) 196188057193
Greyscale levels	256	HP GTIN (EAN/UPC) with options	197192511060, 196188057100, 196188057117, 196188057155, 196188057179, 196188057186, 193905950249, 196188057193
Scan drivers	TWAIN	HP GTIN (EAN/UPC)	
Fax		System requirements	
Faxing *	✗	Windows operating systems supported	Windows 7, Windows 10, Windows 11
Fax resolution (black)	300 x 300 DPI	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 10.15 Catalina, Mac OS X 12.0 Monterey
Fax transmission speed	3 sec/page	Mobile operating systems supported	Android, iOS
Modem speed	33.6 Kbit/s	Other operating systems supported	ChromeOS, Android, iOS
Fax memory	500 pages	Operational conditions	
Auto-redialing	✓	Operating relative humidity (H-H)	20 - 80%
Speed dialling	✓	Recommended humidity operating range	20 - 80%
Fax forwarding	✓	Operating temperature (T-T)	15 - 30 °C
Fax delayed sending	✗	Certificates	
Auto reduction	✓	Certification	CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032:2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019, EN 55024:2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries
Features		Sustainability	
Recommended duty cycle	0 - 60000 pages per month	Sustainability compliance	✓
Maximum duty cycle *	200000 pages per month	Sustainability certificates	Blue Angel, ENERGY STAR, Post-Consumer Recycled Plastic
Duplex functions *	Print, Copy, Scan	Sustainable technologies and materials	10% post-consumer recycled plastic; Recyclable through HP Planet Partners; ENERGY STAR® certified; EPEAT® registered
Digital sender	✓		
Number of print cartridges *	1		
Printing colours *	Black		
Page description languages	PCL 5e, PCL 6, PDF 1.7, PostScript 3		
Printer fonts	Scalable, TrueType		
All-In-One-multitasking	✓		
Country of origin	China, Mexico		
Replacement cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 30,000) W9084MC, HP Black Managed LJ Toner Cartridge (ISO Yield 60,000) W9085MC		
HP segment	Enterprise		
Input & output capacity			
Total number of input trays *	3		
Total input capacity *	1140 sheets		
Total output capacity *	500 sheets		
Paper tray 1 input capacity	100 sheets		
Paper tray 2 input capacity	520 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	200 sheets		
Maximum number of input trays	6		

Input & output capacity		Weight & dimensions	
Maximum input capacity	6140 sheets	Width	585 mm
Maximum output capacity	3250 sheets	Depth	694.7 mm
Paper handling		Height	907.7 mm
Maximum ISO A-series paper size *	A3	Weight	78.2 kg
Maximum print size	311.5 x 448.7 mm	Packaging data	
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Heavy paper, Labels, Letterhead, Matte paper, Plain paper, Recycled paper, Thick paper, Transparencies	Package width	830 mm
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Package depth	890 mm
ISO B-series sizes (B0...B9)	B5	Package height	1118 mm
ISO C-series sizes (C0...C9)	C5, C6	Package weight	100.6 kg
Non-ISO print media sizes	Oficio, 16K	Packaging content	
JIS B-series sizes (B0...B9)	B4, B5, B6	Cables included	AC
Envelopes sizes	B5, C5, C6, DL	Logistics data	
Photo paper sizes	10x15 cm	Harmonized System (HS) code	8443310000
Custom media width	98 - 320 mm	Pallet gross weight	100.56 g
Custom media length	139.7 - 457.2 mm	Layers per pallet	1 pc(s)
Paper tray media weight	60 - 325 g/m ²	Products per pallet	1 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	1 pc(s)
		Other features	
		Number of users	25 user(s)
		Pallet dimensions (W x D x H)	830 x 890 x 1118 mm
		Recommended system requirements	2 GB available hard disk space, Internet connection, or USB port, Internet browser.
		Pallet dimensions (W x D x H) (imperial)	830.6 x 889 x 1117.6 mm (32.7 x 35 x 44")
		Pallet weight (imperial)	100.6 kg (221.7 lbs)



0196188057155




196188057155



0196188057131



196188057131



0196188057124



196188057124



0196188057117



196188057117



0196188057100



196188057100



0195161606106



195161606106



0196188057094




196188057094



0196188057087



196188057087



0196188057070



196188057070



0196188057193



196188057193



0196188057209




196188057209



0193905950355



193905950355



0196188057216




196188057216




0196188057162



196188057162



0196188057179



196188057179



0196188057148



196188057148



0197029799050



197029799050



0197192511060



197192511060



0193905950249



193905950249



0196188057186



196188057186

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.