

HP LaserJet Color Managed MFP E877z, Color, Printer for Business, Print, copy, scan, fax (optional), Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security

Brand: HP Product family: LaserJet Product code: 5QK08A

Product name: HP Color LaserJet Managed MFP E877z, Color, Printer for Business, Print, copy, scan, fax (optional), Twosided printing; Two-sided scanning; Scan to email/PDF; Strong Security



- Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security
- Print, copy, scan, fax (optional)
- Print speed up to 40 ppm; Print speed up to 50 ppm (with 8EP60AAE); Print speed up to 60 ppm (with 8EP61AAE); Print speed up to 70 ppm (with 8EP62AAE)

 Color LaserJet Managed MFP E877z

HP LaserJet Color Managed MFP E877z, Color, Printer for Business, Print, copy, scan, fax (optional), Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security:

Fast scanning, flexible solutions and world's most secure printer^[1] to keep business moving forward Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers^[1] you'll stay secure and simplify fleet management for busy IT pros.









Printing		Paper handling	
Duplex printing mode	Auto	Photo paper sizes	10x15 cm
Print resolution colour	1200 x 1200 DPI	Custom media width	98 - 320 mm
Print resolution black	1200 x 1200 DPI	Custom media length	139.7 - 457.2 mm
Print technology *	Laser	Paper tray media weight	60 - 325 g/m²
Printing *	Colour printing	Ports & interfaces	
Duplex printing *	1	Direct printing *	√
Maximum resolution *	1200 x 1200 DPI	USB port	1
Print speed (black, normal quality, A4/US Letter) *	40 ppm	USB 2.0 ports quantity	1
Print speed (colour, normal quality, A4/US Letter)	40 ppm	USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	1
Print speed (black, normal quality, A3)	21 ppm	Network	
Print speed (colour, normal quality,	24	Wi-Fi *	√
A3)	21 ppm	Ethernet LAN *	✓
Warm-up time	100 s	Cabling technology	10/100/1000Base-T(X)
N-in-1 print function	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Watermark printing	✓	Wi-Fi Direct	✓
Secure printing	✓	Security algorithms	EAP-PEAP, EAP-TLS, HTTPS, IPSec, SNMPv3, SSL/TLS
Copying		Mobile printing technologies	Apple AirPrint, Mopria Print Service
Duplex copying *	1	Performance	
Copying *	Colour copying	Maximum internal memory	6144 MB
Maximum copy resolution st	600 x 600 DPI	Internal storage capacity	500 GB
Copy speed (black, normal quality, A4)	60 cpm	Card reader integrated	×

Conving		Performance	
Copying			C1.44 MP
Copy speed (colour, normal quality, A4)	60 cpm	Internal memory * Built-in processor	6144 MB
Time to first copy (black, normal)	5.2 s	Sound pressure level (printing)	52 dB
Time to first copy (colour, normal)	6.2 s	Sound pressure level (scanning)	54 dB
Maximum number of copies	9999 copies	, , ,	3.45
Copier resize	25 - 400%	Design	
N-in-1 copy function	✓	Product colour *	Blue
Auto fit function	1	Market positioning *	Business
Edge erase function	1	Built-in display *	✓ CGD
Stamp function	✓	Display diagonal	25.6 cm (10.1")
Watermark copying	✓	Display diagonal Control type	Touch
Scanning		Colour display	√
Duplex scanning *	✓	Power	•
	Colour scanning		
Optical scanning resolution *	600 x 600 DPI	Power consumption (average operating)	1020 W
Maximum scan resolution	600 x 600 DPI	Power consumption (PowerSave)	0.2 W
Maximum scan area	297 x 432 mm	Power consumption (printing)	820 W
Scanner type *	Flatbed & ADF scanner	Power consumption (ready)	41.5 W
Scan technology	CIS/CCD	Power consumption (sleep)	0.8 W
Scan to Scan speed (colour)	E-mail, Network folder, USB, Fax	Power consumption (off)	0.2 W
Scan speed (black)	150 ppm 150 ppm	Energy Star Typical Electricity	0.578 kWh/week
Image formats supported	JPEG, MTIFF, TIFF	Consumption (TEC)	
	CSV, HTML, PDF, RTF, UNICODE,	AC input voltage	110 - 240 V
Document formats supported	XPS	AC input frequency	50/60 Hz
Input colour depth	24 bit	Brand-specific features	
Greyscale levels	256		(697) 197192511046; (ABT)
Scan drivers	TWAIN		196188056950; (ABY) 196188056967; (ACQ)
Fax		HP GTIN (EAN/UPC) with options	196188057001; (B09)
Faxing *	×		196188057025; (B13) 196188057032; (B19)
Fax resolution (black)	300 x 300 DPI		193905950232; (BAZ)
Fax transmission speed	3 sec/page		196188057049
Modem speed	33.6 Kbit/s		197192511046, 196188056950, 196188056967, 196188057001,
Fax memory	500 pages	HP GTIN (EAN/UPC)	196188057025, 196188057032,
Auto-redialing	√		193905950232, 196188057049
Speed dialling	√	System requirements	
Fax forwarding Fax delayed sending	V	Windows operating systems	Windows 7, Windows 10, Windows
Auto reduction	×	supported	11
Features	•	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 10.15 Catalina, Mac OS X 12.0
Recommended duty cycle	0 - 60000 pages per month		Monterey Debian 7.0, Debian 8.0, Fedora 22,
Maximum duty cycle *	180000 pages per month		Fedora 23, Fedora 24, Linux Mint
Duplex functions *	Print, Copy, Scan	Linux operating systems supported	17, Linux Mint 17.1, Linux Mint 17.2,
Digital sender	✓		Red Hat Enterprise Linux WS 6.0, Red Hat Enterprise Linux WS 7.0
Number of print cartridges *	4	Mobile operating systems supported	•
Printing colours *	Black, Cyan, Magenta, Yellow	Other operating systems supported	
Page description languages	PCL 5c, PCL 6, PDF 1.7, PostScript 3	Operational conditions	
Printer fonts	Scalable, TrueType ✓ China, Mexico	Operating relative humidity (H-H)	20 - 80%
All-In-One-multitasking		Recommended humidity operating	
Country of origin		range	20 - 80%
		Storage temperature (T-T)	-10 - 40 °C
		Operating temperature (T-T)	15 - 30 °C
		Storage relative humidity (H-H)	10 - 80%

Factoria		Cartification	
Features		Certificates	
Replacement cartridges	HP Black Managed LaserJet Toner Cartridge (ISO Yield 25,000) W9160MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9161MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9162MC; HP Magenta Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9163MC; HP Black Managed LaserJet Toner Cartridge (ISO Yield 50,000) W9170MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9171MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9172MC; HP Magenta Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9173MC	Certification	CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries
		Sustainability	
		Sustainability compliance	√
		Sustainability certificates	Blue Angel, ENERGY STAR, Post-
HP segment	Business	Sustainability Certificates	Consumer Recycled Plastic
Input & output capacity			Outside box and corrugated cushions are 100% sustainably
	2	Sustainable technologies and	sourced and recyclable; Recyclable
Total number of input trays *	3	materials	through HP Planet Partners;
Total output capacity *	1140 sheets		Compatible with Accessibility Accessories; Contains at least 10%
Total output capacity *	500 sheets		post-consumer recycled plastic
Paper tray 1 input capacity Multi-Purpose tray	100 sheets	Weight & dimensions	
Multi-Purpose tray input capacity	100 sheets	Width	638.8 mm
Auto document feeder (ADF)	✓	Depth	745.9 mm
Auto document feeder (ADF) input	•	Height	933.9 mm
capacity	300 sheets	Weight	104.6 kg
Maximum number of input trays	6	Packaging data	3
Maximum input capacity	6140 sheets		020
Maximum output capacity	3250 sheets	Package width	830 mm
Paper handling		Package depth Package height	890 mm 1149 mm
Maximum ISO A-series paper size *	A3	Package weight	124.9 kg
Maximum print size	311.5 x 448.7 mm	5 5	124.9 Kg
	Bond paper, Envelopes, Glossy paper, Heavy paper, Labels,	Packaging content	
Paper tray media types *		Cables included	AC
raper tray media types	Letterhead, Matte paper, Plain paper, Recycled paper, Thick paper,	Logistics data	
	Transparencies	Harmonized System (HS) code	8443310000
ISO A-series sizes (A0A9) *	A3, A4, A5, A6	Pallet gross weight	124.87 g
ISO B-series sizes (B0B9)	B5	Layers per pallet	1 pc(s)
ISO C-series sizes (C0C9)	C5, C6	Products per pallet	1 pc(s)
Non-ISO print media sizes	Oficio, 16K	Technical details	
JIS B-series sizes (B0B9)	B4, B5, B6	Master (outer) cases per pallet layer	1 nc(s)
Envelopes sizes	B5, C5, C6, DL		τ ρε(3)
		Other features	
		Pallet dimensions (W x D x H)	830 x 890 x 1149 mm
		Recommended system requirements	2 GB available hard disk space, Internet connection, or USB port, Internet browser.
		Pallet dimensions (W \times D \times H) (imperial)	830.6 x 889 x 1148.1 mm (32.7 x 35 x 45.2")
		Pallet weight (imperial)	124.9 kg (275.3 lbs)























































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.