

**Philips 3000 series 16B1P3302/00 LED display 39.6 cm (15.6")
1920 x 1080 pixels Full HD Black**

Brand : Philips **Product family:** 3000 series **Product code:** 16B1P3302/00
Product name : 16B1P3302/00



Business Monitor 16B1P3302 Portable monitor

Philips 3000 series 16B1P3302/00 LED display 39.6 cm (15.6") 1920 x 1080 pixels Full HD Black:


The brand-new, lightweight, portable Philips monitor supports your daily productivity. One USB dual-mesh cable with DisplayLink allows you to share and present, as well as run a dual-screen productivity-enhancing on-the-go workstation.

Philips 3000 series 16B1P3302/00. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 170°, Viewing angle, vertical: 170°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	39.6 cm (15.6")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Pivot	✓
HD type *	Full HD	Pivot angle	0 - 90°
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LED	Tilt angle range	0 - 90°
Panel type *	IPS	On Screen Display (OSD)	✓
Backlight type	W-LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Touchscreen *	✗	Plug and Play	✓
Display brightness (peak)	250 cd/m ²	LED indicators	Operation, Stand-by
Display brightness (typical)	250 cd/m ²		
Response time	4 ms		
Anti-glare screen	✓		
Screen shape *	Flat		
Contrast ratio (typical) *	700:1		
Contrast ratio (dynamic)	50000000:1		
Dynamic contrast ratio marketing name	SmartContrast		
Maximum refresh rate *	75 Hz		
Viewing angle, horizontal	170°		
Viewing angle, vertical	170°		
Display number of colours *	16.2 million colours		
Response time (fast)	4 ms		
Pixel pitch	0.17925 x 0.17925 mm		
Pixel density	141 ppi		
Vertical scan range	48 - 75 Hz		
Viewable size, horizontal	34.4 cm		
Viewable size, vertical	19.4 cm		
Display diagonal (metric)	39.6 cm		
DDC/CI	✓		
Haze rate	25%		
		Power	
		Energy efficiency class (SDR) *	D
		Energy consumption (SDR) per 1000 hours *	9 kWh
		Power consumption (typical) *	5.8 W
		Power consumption (standby) *	0.1 W
		Power consumption (off)	0.1 W
		Power consumption (PowerSave)	6 W
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	20 - 80%
		Operating altitude	0 - 3658 m
		Non-operating altitude	0 - 12192 m

Display		Packaging content	
Surface hardness	3H	Stand included	✓
Display scanning frequency	Landscape mode: USB-A 30-140 kHz (H), USB-C 30-85 kHz (H) / 48-75 Hz (V); Portrait mode: 30-150 kHz (H) / 48-75 Hz (V)	Cables included	USB Type-C
sRGB coverage (typical)	64%	Quick start guide	✓
NTSC coverage (typical)	46%	Manual	✓
Display sRGB	✓	Bundled software	SmartControl
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	359 mm
AMD FreeSync *	✗	Depth (with stand)	119 mm
Component video sync	Separate sync	Height (with stand)	232 mm
Flicker-free technology	✓	Weight (with stand)	1.03 kg
Compatible operating systems	Mac OS X Windows 11 / 10 / 8.1 / 8 / 7	Packaging data	
Multimedia		Package width	400 mm
Built-in camera *	✗	Package depth	103 mm
Design		Package height	281 mm
Market positioning *	Business	Package weight	1.99 kg
Product colour *	Black	Sustainability	
Front bezel colour	Black	Sustainability certificates	ENERGY STAR, RoHS
Feet colour	Black	Doesn't contain	Mercury, PVC/BFR
Heavy metals free	Hg (mercury)	European Product Registry for Energy Labelling (EPREL) code	1223926
Certification	CB TUV/GS TUV Ergo CU-EAC EAEU RoHS CE Mark FCC Class B ICES-003	Recycling data	
Ports & interfaces		Post-consumer recycled plastic	60%
USB Type-C DisplayPort Alternate Mode	✓	Other features	
USB Power Delivery	✓	Exterior finish type	Textured
USB Power Delivery up to	15 W	Picture enhancement	SmartImage
Audio output	✓	Recyclable packaging material	100%
Headphone out *	✓	Regulatory Approvals	CB; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; CE Mark; FCC Class B; ICES-003
HDCP	✓	EasyRead mode	✓
HDCP version	1.4/2.2	LowBlue mode	✓
		Mean time between failures (MTBF)	70000 h



8712581788803

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAY-2024. Prints or copies of Information are only valid on the printed Publication date