



LG 65UH5J-H Signage Display Digital signage flat panel 165.1 cm (65") LED Wi-Fi 500 cd/m² 4K Ultra HD Black Web OS 24/7



Brand : LG

Product code: 65UH5J-H

Product name : 65UH5J-H

New High Haze UHD Standard Signage 65"

LG 65UH5J-H Signage Display Digital signage flat panel 165.1 cm (65") LED Wi-Fi 500 cd/m² 4K Ultra HD Black Web OS 24/7:

Proper Display Brightness

With a recommend brightness of 500 cd/m² for an indoor display, the UH5J-H series clearly deliver content and attract public attention, making it the most suitable display for marketing in meeting rooms, airports, retail, shopping malls etc.

High-Performance with webOS

LG webOS platform enhances user convenience with intuitive GUI and simple app development tools.



Conformal Coating

In various places the UH5J-H series is unable to avoid exposure to environments containing dust, humidity, etc. which may hamper performance over time. The conformal coating on power board reduces these risks by protecting UH5J-H series from salt, dust, iron powder, humidity, etc.

Mobile Content Management

You can create a store profile and get template recommendations using the Promota* app. Users can customize templates for all industries and easily create and manage content not only on PCs but also on mobile devices.

Display		Performance	
LED backlighting type	Edge-LED	On Screen Display (OSD)	✓
Display diagonal *	165.1 cm (65")	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Portuguese, Russian, Swedish, Turkish
Display technology *	LED	Ambient light sensor	✓
Display resolution *	3840 x 2160 pixels	Operating hours (hours/days)	24/7
Display brightness *	500 cd/m ²	HDCP	✓
HD type *	4K Ultra HD	International Protection (IP) code	IP5X
Touchscreen *	✗	HDCP version	1.4/2.2
Native aspect ratio	16:9	Power	
Response time	8 ms	Power consumption (typical) *	130 W
Contrast ratio (typical)	1100:1	Power consumption (off)	0.5 W
Contrast ratio (dynamic)	1000000:1	Energy efficiency class (SDR)	G
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours	120 kWh
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Panel life	50000 h	AC input frequency	50 - 60 Hz
Native refresh rate	60 Hz	Heat dissipation	444 BTU/h
Haze rate	28%	Energy efficiency scale	A to G
Ports & interfaces		Computer system	
HDMI ports quantity *	3	Internal memory	16 GB
DVI port *	✓	Operating system installed	Web OS
DVI-D ports quantity	1	Weight & dimensions	
DisplayPorts quantity *	1	Display width	1453.3 mm
USB port *	✓	Display depth	39.9 mm
USB ports quantity	1	Display height	844 mm
USB version	2.0	Display weight	28.2 kg
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1		
Wi-Fi *	✓		
Audio (L/R) in	1		
Audio (L/R) out	1		
RS-232C	✓		

Ports & interfaces		Weight & dimensions	
Infrared data port	✓	Width (with stand)	1453.3 mm
Remote (IR) input	1	Depth (with stand)	290 mm
Audio		Height (with stand)	893.1 mm
Built-in speaker(s) *	✓	Packaging data	
Design		Package width	1600 mm
Product design *	Digital signage flat panel	Package depth	175 mm
Placement supported *	Indoor/outdoor	Package height	1095 mm
Orientation	Horizontal/Vertical	Package weight	35 kg
Product colour *	Black	Packaging content	
VESA mounting *	✓	Remote control included	✓
Panel mounting interface	300 x 300 mm	Batteries included	✓
Bezel width (bottom)	1.44 cm	Cables included	AC
Bezel width (side)	9.9 mm	Tilt adjustment	✓
Bezel width (top)	9.9 mm	Operational conditions	
Performance		Operating temperature (T-T)	0 - 40 °C
Purpose *	Commercial	Operating relative humidity (H-H)	10 - 80%
		Features	
		Heat dissipation (max)	649 BTU/h



0195174033807



195174033807



8806091657176



8806091655141

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.