## j5create JCA351-N USB-C® to 4K HDMI™ Ethernet Adapter

**Brand :** j5create **Product code:** JCA351-N

**Product name :** JCA351-N USB-C® to 4K HDMI<sup>™</sup> Ethernet Adapter

- Plug and play No software or drivers required
- Power delivery 3.0 provides up to 100W of power passthrough
- Reversible and symmetrical USB-C® connector
- DisplayPort™ Alt Mode for HDMI™
- Supports up to 4K resolution
- Reliable network connectivity via the Gigabit Ethernet port j5create JCA351 USB-C® to 4K HDMI  $^{™}$  Ethernet Adapter, White

## j5create JCA351-N USB-C® to 4K HDMI™ Ethernet Adapter:

"Add extra functionality to your laptop with the JCA351 USB-C® to 4K HDMI™ Ethernet Adapter. This adapter allows you to add an additional 4K HDMI™ monitor, connect to a Gigabit Ethernet network, and includes a USB-C® Power Delivery port that can be used to charge your laptop when a USB-C® power adapter is connected.



Display Alt Mode for HDMI™ supports a resolution up to 4K with Primary, Extended, and Mirrored display modes. The JCA351 supports upstream charging and Power Delivery 3.0 100W to keep your connected laptop powered up while in use."

Ports & interfaces		Operational conditions	
Connectivity technology *	Wired	Operating relative humidity (H-H)	0 - 85%
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Storage relative humidity (H-H)	0 - 85%
USB Power Delivery	<b>√</b>	Weight & dimensions	
USB Power Delivery revision USB Power Delivery up to	3.0 100 W	Width	80 mm
HDMI ports quantity *	100 W	Depth	14 mm
Microphone in *	X	Height	50 mm
USB connector type	USB Type-C	Weight	52 g
DC-in jack	×	Packaging data	
Network		Quantity per pack	1 pc(s)
Ethernet LAN *	1	Package width	145 mm
Ethernet LAN (RJ-45) ports	1	Package depth	95 mm
Performance		Package height	25 mm
	U .	Package weight	89.5 g
Card reader integrated * Number of displays supported	<b>X</b>	Packaging content	
Product colour *	White	AC adapter included	×
High Dynamic Range (HDR)		Manual	×
supported	×	Packaging content	1 - JCA351 USB-C® to 4K HDMI™ Ethernet Adapter 1 - Quick
Country of origin	Taiwan	r dekaging content	Installation Guide (QIG)
Graphics		Drivers included	×
Maximum resolution	3840 x 2160 pixels	Technical details	
Power		Warranty period	2 year(s)
Power source type	USB	Logistics data	
Power plug type	Type C	Products per master (outer) case	20 pc(s)
USB cable length	0.2 m	Master (outer) case width	225 mm
Software		Master (outer) case length	321 mm
Windows operating systems	1	Master (outer) case height	180 mm
supported	,	Master (outer) case gross weight	2.6 kg
Mac compatibility	<b>V</b>	Products per shipping (inner) case	5 pc(s)
Mac operating systems supported	ChromoOS	Export Control Classification Number (ECCN)	EAR99
Other operating systems supported	CHIOHEUS		

Operational conditions		Logistics data	
Operating temperature (T-T)	0 - 47 °C	Shipping (inner) case width	10.5 cm
Storage temperature (T-T)	-10 - 65 °C	Shipping (inner) case length	15 cm
		Shipping (inner) case height	16 cm







(01)24712795086472

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.