KYOCERA PA5000x 1200 x 1200 DPI A4

Brand: KYOCERA Product code: 110C0X3NL0

Product name: PA5000x

- Up to 6 ways of paper input for max. 2,600 sheet capacity
- Strenghen affinity with Microsoft Universal Print
- Optional SSD hard disk with Data Security Kit
- Environmentally friendly: long-life components, low energy consumption

A4, 50 PPM, 1200 x 1200 DPI, LCD, Coretex-A53 1.4 GHz, 512 MB, RJ-45, USB 2.0, 220-240 V, 50/60 Hz

KYOCERA PA5000x 1200 x 1200 DPI A4:

Top performance of ECOSYS PA5000x and embedded the data protection solutions meet the needs of every small and mid-sized workgroups. Up to 50 pages per minute in excellent 1,200 dpi resolution and fast time to first print of only 5.4 seconds boast productivity, while ECOSYS technology contributes to cost savings.

KYOCERA PA5000x. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 150000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 50 ppm, Duplex printing. Display: LCD. Network ready. Product colour: White







Printing		Network	
Duplex printing mode Print resolution black Colour * Print technology * Duplex printing * Maximum resolution * Print speed (black, normal quality, AA/US Letter) *	Auto 1200 x 1200 DPI	Cabling technology Ethernet LAN data rates Near Field Communication (NFC) Bluetooth Security algorithms Mobile printing technologies	10/100/1000Base-T(X) 10,100,1000 Mbit/s
Duplex print speed (black, normal	35.5 ppm	Performance	
quality, A4/US Letter) Warm-up time Time to first page (black, normal)	20 s 5.4 s	Internal memory * Maximum internal memory	512 MB 2500 MB
Features		Compatible memory cards Built-in processor	SD, SDHC ✓
Maximum duty cycle * Recommended duty cycle Printing colours * Number of print cartridges * Page description languages *	150000 pages per month 10000 - 20000 pages per month Black 1 Epson LQ, IBM ProPrinter, JPEG, OpenXPS, PCL 5e, PCL 6, PCL XL, PCLm, PDF, PWG, PostScript 3, TIFF,	Processor family Processor model Processor frequency Processor cores Sound pressure level (printing) Sound power level (standby)	ARM Cortex Cortex-A53 1400 MHz 2 55 dB 30 dB
	URF, XPS	Design	
Printer fonts Number of printer fonts Replacement cartridges	Barcode, Bitmap, PCL 93 TK-3410	Market positioning * Product colour * Built-in display *	Business White ✓
Input & output capacity		Display	LCD
Total number of input trays * Total input capacity * Total output capacity * Paper tray 1 input capacity Paper input type	1 500 sheets 500 sheets 500 sheets Cassette, Paper tray	Colour display Touchscreen Display number of lines Control type Certification	X 5 lines Buttons GS, TÜV, CE
Multi-Purpose tray	✓	Power	
Multi-Purpose tray input capacity Maximum number of input trays Maximum input capacity Maximum output capacity	100 sheets 5 2600 sheets 500 sheets	Power consumption (printing) * Power consumption (standby) Power consumption (PowerSave) AC input voltage	625 W 9 W 0.5 W 220 - 240 V
Paper handling		AC input frequency	50 - 60 Hz

Paper handling		System requirements	
Maximum ISO A-series paper size * Maximum print size Paper tray media types * Multi-purpose tray media types ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes Custom media width Custom media length Paper tray media weight	A4 216 x 356 mm Plain paper Legal, Letter A4, A5 B5 Legal, Letter 140 - 216 mm 210 - 356 mm 60 - 120 g/m²	Windows operating systems supported Mac operating systems supported Linux operating systems supported Other operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Multi-Purpose Tray media weight Duplex media weight	60 - 220 g/m ² 60 - 120 g/m ²	Sustainability	Cilionicos
Ports & interfaces	00 - 120 g/III-	Sustainability Sustainability certificates	Blue Angel, ENERGY STAR
Standard interfaces Direct printing * USB port * USB 2.0 ports quantity USB connector Optional connectivity	RJ-45, USB 2.0	Weight & dimensions Width Depth Height Weight	390 mm 416 mm 343 mm 16.1 kg
Network		Packaging data	549 mm
Network ready Wi-Fi * Ethernet LAN *	×	Package width Package depth Package height Package weight	494 mm 438 mm 20 kg
		Packaging content	
		Cartridge(s) included Included cartridge capacity (black) Cables included	√ 6000 pages AC





632983080009

0632983080009

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.