QNAP

QNAP TVS-h674 NAS Tower Ethernet LAN Black i5-12400

Brand: QNAP **Product code**: TVS-H674-I5-16G/48TB IW

Product name: TVS-h674

Internal memory *

16 GB

- Enable NVMe SSD caching or Edge TPU empowered AI image recognition
- 2.5GbE ports provide higher transmission speeds with existing Cat 5e cables
- PCIe slots allow for installing 2.5/5/10/25GbE adapters, QM2 cards, or entry-level graphics cards to increase application performance
- Host multiple virtual machines and containers with optimized resource utilization
- Directly view creative works on an HDMI display. Enjoy smooth full HD media playback and real-time transcoding
- The built-in Intel® OpenVINO™ and Intel® UHD Graphics help boost AI image recognition and offload CPU workloads

48TB (Seagate IronWolf), Intel Core i5-12400 (2.5/4.4GHz), 16GB DDR4, 2.5 Gigabit LAN







| Storage | | Performance | |
|--|---|------------------------------|---|
| Storage drive interface * | Serial ATA | Type * | NAS |
| Supported storage drive interfaces | M.2, Serial ATA | Device class * | Small & Medium Business |
| Number of M.2 (M & B) slots | 2 | Backup function * | ✓ |
| RAID support * | ✓ | Backup features | Cloud, USB drive, iSCSI LUN |
| RAID levels | 0, 1, 5, 6, 10, 50, 60 | Buzzer | ✓ |
| Online RAID migration | ✓ | Snapshot | ✓ |
| Online RAID expansion | ✓ | Management protocols | SNMP |
| RAID rebuild | ✓ | Share folder access right | ✓ |
| Hot-swap drive bays | ✓ | management | |
| Supported file systems | FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4 | Security algorithms | FIPS 140-2, HTTPS, SNMPv2, SNMPv3, SSH |
| Storage drives installed * | ✓ | Access Control List (ACL) | ✓ |
| Total installed storage capacity * | 48 TB | Reset button | ✓ |
| Number of storage drives supported | ^d 6 | On/off switch | ✓ |
| * | | Built-in FTP server | ✓ |
| Installed storage drive type * Supported storage drive types * | HDD & SSD | Browser supported | Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox |
| Disk roaming | √ | System log | ✓ |
| | • | Hot spare | ✓ |
| Processor | | S.M.A.R.T. support | ✓ |
| Processor manufacturer * | Intel | Backup button | ✓ |
| Processor generation | 12th gen Intel® Core™ i5 | USB copy function | ✓ |
| Processor family * Processor model * | Intel® Core™ i5 i5-12400 | Software | |
| Processor frequency * | 2.5 GHz | Operating system installed * | QuTS hero |
| Processor boost frequency | 4.4 GHz | Operating system version | h5.0.1 |
| Processor cores | 6 | | |
| Processor threads | 12 | | |
| Bus type | DMI4 | | |
| CPU configuration (max) | 1 | | |
| Number of processors supported | 1 | | |
| On-board graphics card model | Intel UHD Graphics 730 | | |
| Memory | , | | |
| Internal memory type | DDR4 | | |
| Maximum RAM supported | 64 GB | | |
| Memory slots | 2x SODIMM | | |
| | | | |

| Memory | | Software | |
|---|--------------------------|--|---|
| Memory form factor | SO-DIMM | | Windows 10, Windows 10 |
| Flash memory | 5120 MB | | Education, Windows 10 Education x64, Windows 10 Enterprise, |
| Network | | | Windows 10 Enterprise x64, Windows 10 Home, Windows 10 |
| Ethernet LAN * | ✓ | | ome x64, Windows 10 Pro, |
| Ethernet LAN data rates DHCP server | 10,100,1000,2500 Mbit/s | | Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, |
| Jumbo frames support | V | | Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows |
| iSCSI support | ✓ | Windows operating systems | 7 Home Basic, Windows 7 Home |
| Wake-on-LAN ready | ✓ | supported | Basic x64, Windows 7 Home Premium, Windows 7 Home |
| Ports & interfaces | | | Premium x64, Windows 7 Professional, Windows 7 |
| USB port * | ✓ | Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, | Professional x64, Windows 7 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity | 2 | | |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C | 1 | | |
| ports quantity HDMI ports quantity | 1 | | Windows 8 Enterprise x64, Windows |
| HDMI version | 1.4b | | 8 Pro, Windows 8 Pro x64, Windows 8 x64 |
| Ethernet LAN (RJ-45) ports * | 2 | Linux operating systems supported | Ubuntu 14.04 |
| Design | | | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 |
| Chassis type * | Tower | Mac operating systems supported | Sierra, Mac OS X 10.13 High Sierra, |
| Cooling type * | Active | nuc operating systems supported | Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 |
| Product colour Number of fans | Black 3 fan(s) | | Catalina |
| Fan diameter | 9.2 cm | Communication and the second and the | Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 |
| Fan diameter 2 | 6 cm | Server operating systems supported | R2, Windows Server 2016, Windows Server 2019 |
| Drive bay locking | ✓ | Other operating systems supported | |
| LED indicators | HDD, LAN, Status, USB ✓ | Power | |
| Built-in display Display type | LCD | Power supply location | Built-in |
| Cable lock slot | √ | Power supply unit (PSU) capacity | 250 W |
| Cable lock slot type | Kensington | Number of power supply units | 1 |
| | | Power consumption (typical) | 79.363 W |
| | | Power consumption (sleep) AC input voltage | 39.911 W 100 - 240 V |
| | | Fan voltage | 12 V |
| | | Weight & dimensions | |
| | | Width * | 264.3 mm |
| | | Depth * | 280.8 mm |
| | | Height * | 188 mm 6.32 kg |
| | | Weight Package weight | 7.89 kg |
| | | Packaging content | |
| | | Cables included | AC, LAN (RJ-45) |
| | | Number of screws | 42 |
| | | Drive tray key included | ✓ |
| | | Processor special features | |
| | | Embedded options available | X |
| | | Enhanced Intel SpeedStep Technology | ✓ |
| | | Execute Disable Bit | ✓ |
| | | Idle States | ✓ |
| | | Intel 64 Intel Virtualization Technology (VT- | ✓ |
| | | x) | ✓ |
| | | Intel Virtualization Technology for Directed I/O (VT-d) | ✓ |
| | | Intel VT-x with Extended Page | , |
| | | Tables (EPT) | √ |

Operational conditions

Operating temperature (T-T) $0 - 40 \,^{\circ}\text{C}$ Operating relative humidity (H-H) -20 - 70%Storage temperature (T-T) $5 - 95 \,^{\circ}\text{C}$

