



## EIZO ColorEdge CG2420 LED display 61.2 cm (24.1") 1920 x 1200 pixels WUXGA Black

**Brand :** EIZO

**Product family:** ColorEdge

**Product code:** CG2420

**Product name :** CG2420

24.1" IPS, 1920 x 1200, 16:10, 400 cd/m<sup>2</sup>, CR 1500:1, 10ms, DVI-D 24 pin (w / HDCP), DisplayPort (w / HDCP), HDMI, 3-Port USB 3.0 Hub

[EIZO ColorEdge CG2420 LED display 61.2 cm \(24.1"\) 1920 x 1200 pixels WUXGA Black:](#)

### Hassle-free maintenance and optimal color reproduction for professionals to express their vision

Let your imagination soar with this professional-level model for use in photography, design, print, and post production. It features a built-in self calibration sensor for hassle-free monitor maintenance, vivid colors reproduced to industry standards, and exceptionally high contrast for producing true blacks. EIZO ColorEdge CG2420. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA. Display: LED. Response time: 10 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Network	
Display diagonal *	61.2 cm (24.1")	Ethernet LAN	✗
Display resolution *	1920 x 1200 pixels	Ergonomics	
HD type *	WUXGA	VESA mounting *	✓
Native aspect ratio *	16:10	Panel mounting interface	100 x 100 mm
Panel type *	IPS	Cable lock slot *	✗
Touchscreen *	✗	Height adjustment *	✓
Display brightness (typical)	400 cd/m <sup>2</sup>	Height adjustment	15.5 cm
Response time	10 ms	Pivot angle	0 - 90°
Screen shape *	Flat	Swivelling	✓
Supported graphics resolutions	1920 x 1200 (WUXGA)	Swivel angle range	-172 - 172°
Contrast ratio (typical) *	1500:1	Tilt adjustment	✓
Maximum refresh rate *	60 Hz	Tilt angle range	-5 - 35°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	Number of OSD languages	9
Display number of colours *	1.073 billion colours	LED indicators	✓
Pixel pitch	0.27 x 0.27 mm	Power	
Pixel density	94 ppi	Energy efficiency class (SDR) *	F
Horizontal scan range	15 - 78 kHz	Energy consumption (SDR) per 1000 hours *	21 kWh
Vertical scan range	24 - 61 Hz	Power consumption (typical) *	21.2 W
Viewable size, horizontal	51.8 cm	Power consumption (standby) *	0.5 W
Viewable size, vertical	32.4 cm	Power consumption (max)	79 W
Digital horizontal frequency	15 - 78 kHz	AC input voltage	100 - 240 V
Digital vertical frequency	24 - 61 Hz	AC input frequency	50 - 60 Hz
RGB colour space	sRGB	Energy efficiency scale	A to G
Colour gamut	99%	Operational conditions	
3D	✗	Operating temperature (T-T)	0 - 35 °C
Performance		Operating relative humidity (H-H)	20 - 80%
NVIDIA G-SYNC *	✗		
AMD FreeSync *	✗		

Multimedia		Packaging content	
Built-in speaker(s) *	✘	Cables included	AC, DVI, Mini DisplayPort, USB
Built-in camera *	✘	Weight & dimensions	
Design		Width (with stand)	554.4 mm
Market positioning *	Graphics design	Depth (with stand)	245 mm
Product colour *	Black	Height (with stand)	551 mm
Certification	CB, CE, TUV/GS, cTUVus, FCC-B, Canadian ICES-003-B, VCCI-B, TUV/Ergonomics, TUV/Color Accuracy (Quick Stability), RCM, WEEE, EAC	Weight (with stand)	7.8 kg
		Width (without stand)	554.4 mm
Compliance industry standards	RoHS	Depth (without stand)	64 mm
		Height (without stand)	362 mm
		Weight (without stand)	5 kg
Ports & interfaces		Sustainability	
Built-in USB hub *	✓	European Product Registry for Energy Labelling (EPREL) code	356600
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Logistics data	
USB Type-A downstream ports quantity	3	Harmonized System (HS) code	85285210
DVI port	✘	Thin Client	
DVI-D ports quantity	1	Thin client installed	✘
HDMI ports quantity	1	Other features	
DisplayPorts quantity	1	Display	LED
HDCP	✓	On/off switch	✓
Card reader integrated	✘	TV tuner integrated	✘
		Power management	✓



4995047048084



0690592041118



690592041118

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.