

PHILIPS

Philips 329M1RV/00 LED display 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black

Brand : Philips

Product code: 329M1RV/00

Product name : 329M1RV/00

Gaming Monitor 329M1RV 4K HDR display with Ambiglow

Philips 329M1RV/00 LED display 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black:


For true console gaming enthusiasts, the Designed for Xbox display delivers a new era of gaming. UltraClear 4K UHD with DisplayHDR 400 offers ultra-crisp and vibrant image quality to immerse you in the moment.

Philips 329M1RV/00. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Display surface: Matt, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Height adjustment	13 cm
Display resolution *	3840 x 2160 pixels	Swivel angle range	-20 - 20°
HD type *	4K Ultra HD	Tilt adjustment	✓
Native aspect ratio *	16:9	Tilt angle range	-5 - 15°
Display technology *	LED	On Screen Display (OSD)	✓
Panel type *	IPS	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Backlight type	W-LED	Number of OSD languages	21
Touchscreen *	✗	Plug and Play	✓
Display brightness (typical)	500 cd/m ²	LED indicators	Operation, Stand-by
Response time	1 ms	Power	
Display surface	Matt	Energy efficiency class (SDR) *	G
Anti-glare screen	✓	Energy efficiency class (HDR) *	G
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	41 kWh
Aspect ratio	16:9	Energy consumption (HDR) per 1000 hours *	89 kWh
Contrast ratio (typical) *	1000:1	Power consumption (typical) *	58.9 W
Dynamic contrast ratio marketing name	Mega Infinity DCR	Power consumption (standby) *	0.5 W
Maximum refresh rate *	144 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	1.07 billion colours	Power supply type	Internal
Response time (fast)	1 ms	Energy efficiency scale	A to G
Pixel pitch	0.181 x 0.181 mm	Operational conditions	
Pixel density	139.87 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 135 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	48 - 144 Hz		
Viewable size, horizontal	69.7 cm		
Viewable size, vertical	39.2 cm		
Display diagonal (metric)	80 cm		
High Dynamic Range (HDR) technology	DisplayHDR 400		

Display		Operational conditions	
DDC/CI	✓	Operating relative humidity (H-H)	20 - 80%
Haze rate	25%	Operating altitude	0 - 3658 m
Surface hardness	3H	Non-operating altitude	0 - 12192 m
sRGB coverage (typical)	124%	Packaging content	
NTSC coverage (typical)	113%	Stand included	✓
Adobe RGB coverage	111%	Cables included	DisplayPort, HDMI, USB Type-C to USB Type-C, AC
Display sRGB	✓	Manual	✓
Performance		Weight & dimensions	
AMD FreeSync *	✓	Width (with stand)	715 mm
AMD FreeSync type	FreeSync Premium	Depth (with stand)	297 mm
Component video sync	Separate sync	Height (with stand)	596 mm
Flicker-free technology	✓	Weight (with stand)	11.6 kg
Low Blue Light technology	✓	Width (without stand)	715 mm
Low input lag	✓	Depth (without stand)	78 mm
Multimedia		Height (without stand)	428 mm
Built-in speaker(s) *	✓	Weight (without stand)	7.8 kg
Built-in camera *	✗	Packaging data	
Number of speakers	2	Package width	800 mm
RMS rated power	5 W	Package depth	224 mm
Design		Package height	526 mm
Market positioning *	Gaming	Package weight	16.7 kg
Product colour *	Black	Sustainability	
Certification	CB, TUV/ISO9241-307, TUV-BAUART, CU-EAC, EAEU RoHS, CE Mark	Sustainability certificates	RoHS
Ports & interfaces		Doesn't contain	Mercury, PVC/BFR
Built-in USB hub *	✓	European Product Registry for Energy Labelling (EPREL) code	627252
USB upstream port type	USB Type-B	Logistics data	
Number of upstream ports	1	Harmonized System (HS) code	85285210
HDMI *	✓	Other features	
HDMI ports quantity	3	Picture-by-Picture (PbP)	✓
HDMI version	2.1	Exterior finish type	Gloss/Textured
DisplayPorts quantity	1	Picture enhancement	SmartImage game
DisplayPort version	1.4	Recyclable packaging material	100%
Audio output	✓	MultiView	PBP (2 x devices)
Headphone out *	✓	Regulatory Approvals	CB; TUV/ISO9241-307; TUV-BAUART; CU-EAC; EAEU RoHS; CE Mark
Built-in KVM switch	✓	Delta E	2
Ergonomics		LowBlue mode	✓
VESA mounting *	✓	Philips SmartUniformity	93 - 105%
Panel mounting interface	100 x 100 mm	Energy efficiency class (old)	G
Cable lock slot *	✓	Mean time between failures (MTBF)	50000 h
Cable lock slot type	Kensington	Ambient lighting type	4-sided
Height adjustment *	✓		



8712581772482

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAY-2024. Prints or copies of Information are only valid on the printed Publication date