Viewsonic VP2768A-4K computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : Viewsonic

Product code: VP2768A-4K

Product name : VP2768A-4K

27", 3840 x 2160, IPS, 350 cd/m², 16:9, 6 ms, 178°/178°, 3H, HDMI, DisplayPort, VESA 100 x 100 mm Viewsonic VP2768A-4K. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 6 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black







Display Ergonomics Display diagonal * 68.6 cm (27") Cable lock slot type Kensington Display resolution * 3840 x 2160 pixels Height adjustment * 4K Ultra HD Height adjustment 13 cm HD type * Native aspect ratio * 16:9 Pivot Display technology * I FD **Pivot angle** -90 - 90° Panel type * IPS Swivelling 1 Swivel angle range -60 - 60° Touchscreen * × 350 cd/m² Display brightness (typical) Tilt adjustment 1 Response time 6 ms Tilt angle range -5 - 21° Anti-glare screen 1 Power Screen shape * Flat Energy efficiency class (SDR) * F 3840 x 2160 Supported graphics resolutions Energy efficiency class (HDR) * G 2160p Supported video modes Energy consumption (SDR) per 1000 26 kWh Contrast ratio (typical) * 1300:1 hours Contrast ratio (dynamic) 2000000:1 Energy consumption (HDR) per 41 kWh Maximum refresh rate * 75 Hz 1000 hours * 178° 39.1 W Viewing angle, horizontal Power consumption (typical) * Viewing angle, vertical 178° Power consumption (standby) * 0.5 W 1.07 billion colours 180 W Display number of colours * Power consumption (max) Digital horizontal frequency 15 - 136 kHz AC input voltage 100 - 240 V 50 - 60 Hz Digital vertical frequency 24 - 75 Hz AC input frequency Surface hardness ЗH Energy efficiency scale A to G Multimedia **Operational conditions** × Built-in speaker(s) * 0 - 40 °C Operating temperature (T-T) Operating relative humidity (H-H) 20 - 90% Design Weight & dimensions Product colour * Black Width (with stand) 613 mm Ports & interfaces Depth (with stand) 215 mm Built-in USB hub * 1

Publication date: 13-MAY-2024. Prints or copies of Information are only valid on the printed Publication date

Ports & interfaces		Weight & dimensions	
USB upstream port type Number of USB Type-B upstream ports quantity Number of USB Type-C upstream ports quantity USB Type-A downstream ports	USB Type-B, USB Type-C 1 1	Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	413 mm 6.7 kg 613 mm 50 mm 353 mm 4.4 kg
quantity HDMI * HDMI ports quantity	2 2.0 1	Package width Package depth Package weight Package weight	740 mm 220 mm 417 mm 9.9 kg
Headphone connectivity Ergonomics	- 3.5 mm	Sustainability European Product Registry for Energy Labelling (EPREL) code	566526
VESA mounting * Panel mounting interface Cable lock slot *	✓ 100 x 100 mm ✓	Logistics data Harmonized System (HS) code	85285210





766907012354

0766907012354

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.