## Viewsonic X1 data projector Standard throw projector LED 1080p (1920x1080) 3D White

Brand : Viewsonic Product code: X1

**Product name: X1** 

- 3rd generation LED technology with a 30,000-hour lifespan
- Cinema SuperColor+™ Technology with 125% Rec.709 wide color gamut
- Custom-built speakers by Harman Kardon
- Smart connectivity via Wi-Fi, Bluetooth, and USB-C
- V lens shift, H/V keystone, and 1.3x zoom for easy setup

1920 x 1080, DC3, 3100 LED, 1.07 billion colors, 31dB, 8.3ms, 2x HDMI, HDCP 1.4/2.2, USB Type-C,

Type-A, Bluetooth 4.2, 3.5mm, 3.6kg,355 x 244 x 121mm

Viewsonic X1. Projection technology: LED, Projector native resolution: 1080p (1920x1080), Contrast ratio (typical): 3000000:1. Light source type: LED, Service life of light source: 30000 h. Zoom ratio: 2.0:1, Throw ratio: 1.15 - 1.5. Serial interface type: RS-232, HDMI connector type: Full-size. Internal storage

capacity: 16 GB



Projector		Network	
Projector brightness	3100 LED lumens	Bluetooth version	4.2
Supported aspect ratios	16:9	Storage	
Screen size compatibility *	1524 - 3810 mm (60 - 150") 1.53 - 4.98 m	Internal storage capacity	16 GB
Projection distance Projection technology *	1.53 - 4.98 M	Features	
Projector native resolution *	1080p (1920×1080)	Interactive *	1
Contrast ratio (typical) *	300000:1	Noise level (economic mode)	27 dB
Native aspect ratio *	16:9	HDCP	✓
Number of colours	1.07 billion colours	On Screen Display (OSD)	✓
Horizontal scan range	15 - 135 kHz		Simplified Chinese, Dutch, English, Spanish, Finnish, French, Italian,
Vertical scan range Keystone correction, horizontal	23 - 120 Hz 40°	On Screen Display (OSD) languages	Japanese, Polish, Russian, Thai,
Keystone correction, vertical	40°	Number of OSD languages	Turkish 24
Light source		Noise level *	31 dB
Light source type *	LED	Multimedia	21 02
Service life of light source *	30000 h	Built-in speaker(s) *	<b>✓</b>
Lens system		RMS rated power	12 W
Zoom capability	<b>√</b>	Number of built-in speakers	2
Zoom ratio	2.0:1	Design	
Throw ratio	1.15 - 1.5	Market positioning *	Home cinema
Video		Product type *	Standard throw projector
Full HD *	1	Product colour *	White
3D *		LED indicators	
	✓	LED Indicators	✓
Ports & interfaces	<b>√</b>	Power	4
Ports & interfaces HDMI connector type	<b>√</b> Full-size		AC
	Full-size	Power Power source * Power consumption (typical) *	AC 218 W
HDMI connector type	2.0	Power  Power source *  Power consumption (typical) *  Power consumption (standby) *	AC 218 W 0.5 W
HDMI connector type HDMI version USB 2.0 ports quantity * USB 2.0 Type-A ports quantity	2.0 3 2	Power  Power source *  Power consumption (typical) *  Power consumption (standby) *  AC input voltage	AC 218 W 0.5 W 100 - 240 V
HDMI connector type HDMI version USB 2.0 ports quantity * USB 2.0 Type-A ports quantity USB 2.0 Type-C ports quantity	2.0 3 2 1	Power  Power source *  Power consumption (typical) *  Power consumption (standby) *  AC input voltage  AC input frequency	AC 218 W 0.5 W
HDMI connector type HDMI version USB 2.0 ports quantity * USB 2.0 Type-A ports quantity USB 2.0 Type-C ports quantity Audio (L/R) in *	2.0 3 2 1	Power  Power source *  Power consumption (typical) *  Power consumption (standby) *  AC input voltage  AC input frequency  Operational conditions	AC 218 W 0.5 W 100 - 240 V 50 / 60 Hz
HDMI connector type HDMI version USB 2.0 ports quantity * USB 2.0 Type-A ports quantity USB 2.0 Type-C ports quantity	2.0 3 2 1	Power  Power source *  Power consumption (typical) *  Power consumption (standby) *  AC input voltage  AC input frequency  Operational conditions  Operating temperature (T-T)	AC 218 W 0.5 W 100 - 240 V
HDMI connector type HDMI version USB 2.0 ports quantity * USB 2.0 Type-A ports quantity USB 2.0 Type-C ports quantity Audio (L/R) in * Serial interface type *	2.0 3 2 1 1 RS-232	Power  Power source *  Power consumption (typical) *  Power consumption (standby) *  AC input voltage  AC input frequency  Operational conditions  Operating temperature (T-T)  Weight & dimensions	AC 218 W 0.5 W 100 - 240 V 50 / 60 Hz 0 - 40 °C
HDMI connector type HDMI version USB 2.0 ports quantity * USB 2.0 Type-A ports quantity USB 2.0 Type-C ports quantity Audio (L/R) in * Serial interface type * VGA (D-Sub) ports quantity *	2.0 3 2 1 1 RS-232	Power  Power source *  Power consumption (typical) *  Power consumption (standby) *  AC input voltage  AC input frequency  Operational conditions  Operating temperature (T-T)  Weight & dimensions  Width	AC 218 W 0.5 W 100 - 240 V 50 / 60 Hz 0 - 40 °C
HDMI connector type HDMI version USB 2.0 ports quantity * USB 2.0 Type-A ports quantity USB 2.0 Type-C ports quantity Audio (L/R) in * Serial interface type * VGA (D-Sub) ports quantity * HDMI ports quantity *	2.0 3 2 1 1 RS-232	Power  Power source *  Power consumption (typical) *  Power consumption (standby) *  AC input voltage  AC input frequency  Operational conditions  Operating temperature (T-T)  Weight & dimensions  Width  Depth	AC 218 W 0.5 W 100 - 240 V 50 / 60 Hz 0 - 40 °C 355 mm 244 mm
HDMI connector type HDMI version USB 2.0 ports quantity * USB 2.0 Type-A ports quantity USB 2.0 Type-C ports quantity Audio (L/R) in * Serial interface type * VGA (D-Sub) ports quantity * HDMI ports quantity * Network	2.0 3 2 1 1 RS-232 1	Power  Power source *  Power consumption (typical) *  Power consumption (standby) *  AC input voltage  AC input frequency  Operational conditions  Operating temperature (T-T)  Weight & dimensions  Width	AC 218 W 0.5 W 100 - 240 V 50 / 60 Hz 0 - 40 °C

Network		Weight & dimensions	
Bluetooth	✓	Package width	490 mm
		Package depth	376 mm
		Package height	413 mm
		Package weight	5.5 kg
		Packaging content	
		Remote control included *	✓
		Cables included	Power, USB Type-C





766907015881

0766907015881

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.