




## Origin Storage Inception TLC830 Pro Series 512GB 2.5in SATA III 3D TLC SSD 6Gb/s 7mm

**Brand :** Origin Storage

**Product code:** OTLC5123DSATA/2.5

**Product name :** Inception TLC830 Pro Series 512GB 2.5in SATA III 3D TLC SSD 6Gb/s 7mm



- Read Intensive, Mobile/Desktop Based, Professional Solutions
  - Does not invalidate OEM warranty
  - 100% compatible replacement/upgrade for storage solutions
  - Pre- & Post-Sale UK Based Tech Support
- Inception TLC830 Pro Series 512GB 2.5in SATA III 3D TLC SSD 6Gb/s 7mm

Origin Storage Inception TLC830 Pro Series 512GB 2.5in SATA III 3D TLC SSD 6Gb/s 7mm:



The Inception TLC830 Pro range of SSD Solutions are manufactured by Origin using the highest quality Tier 1 NAND and the latest generation of controllers which enables us to provide both high performance and strong reliability. All of our Inception SSDs come with 3 years advanced replacement warranty alongside free, in-house pre and post sales technical support. We can supply the TLC830 Pro in form factors of 2.5", 3.5" & M.2 with either SATA or NVME interfaces, whilst being available in a range of capacities designed to increase the performance & extend the lifecycle of any laptop or desktop.

Features		Features	
SSD form factor *	2.5"	Compatible products	Universal
SSD capacity *	512 GB	<b>Power</b>	
Interface *	Serial ATA III	Operating voltage	5 V
Memory type *	3D TLC	Power consumption (read)	2.48 W
NVMe *	✗	Power consumption (write)	4.26 W
Component for *	PC/Laptop	Power consumption (idle)	0.47 W
Hardware encryption *	✗	<b>Operational conditions</b>	
Data transfer rate	6 Gbit/s	Operating temperature (T-T)	0 - 70 °C
Read speed	550 MB/s	Storage temperature (T-T)	-40 - 85 °C
Write speed	500 MB/s	Operating relative humidity (H-H)	5 - 98%
Random read (4KB)	53760 IOPS	Storage relative humidity (H-H)	5 - 98%
Random write (4KB)	58880 IOPS	Operating vibration	16 G
Access time	0.1 ms	Operating shock	1500 G
S.M.A.R.T. support	✓	Maximum operating altitude	120000 m
ECC	✓	<b>Technical details</b>	
Hot-swap	✗	Sustainability certificates	RoHS
Low-density parity-check (LDPC)	✓	<b>Packaging data</b>	
Mean time between failures (MTBF)	1000000 h	Storage drive adapter included	✗
Windows operating systems supported	✓	Screws included	✗
Linux operating systems supported	✓	Package type	Blister
TBW rating	200	<b>Logistics data</b>	
		Harmonized System (HS) code	84717070



5056006150596

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-MAY-2024. Prints or copies of Information are only valid on the printed Publication date