

## Gigabyte B650M GAMING X AX - Supports AMD AM5 CPUs, 6+2+1 Phases Digital VRM, up to 8000MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

**Brand :** Gigabyte

**Product code:** B650M GAMING X AX

**Product name :** B650M GAMING X AX - Supports AMD AM5 CPUs, 6+2+1 Phases Digital VRM, up to 8000MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2



Micro ATX, Socket AM5, AMD B650 chipset, 4x DDR5 DIMM, AMI UEFI BIOS, WIFI, Bluetooth 5.3

[Gigabyte B650M GAMING X AX - Supports AMD AM5 CPUs, 6+2+1 Phases Digital VRM, up to 8000MHz DDR5 \(OC\), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	DisplayPorts quantity	2
Processor socket *	Socket AM5	DisplayPort version	1.4
Compatible processor series *	AMD Ryzen™ 3, AMD Ryzen™ 5, AMD Ryzen™ 7, AMD Ryzen 9 7th Gen	Headphone outputs	3
Maximum number of SMP processors	1	Microphone in	✓
Supported processor sockets	Socket AM5	WiFi-AP antenna jack	2
<b>Memory</b>		USB connector type	USB Type-A, USB Type-C
Supported memory types *	DDR5-SDRAM	<b>Network</b>	
Number of memory slots *	4	Ethernet LAN	✓
Memory slots type	DIMM	Ethernet interface type	2.5 Gigabit Ethernet
Memory channels	Dual-channel	LAN controller	Realtek RTL8125
Non-ECC	✓	Wi-Fi *	✓
Supported memory clock speeds	4800,5200,5600,6000,6200,6400,6600,6800,7000,7200,7600,7800,8000 MHz	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported memory clock speed (max)	8000 MHz	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Maximum internal memory *	192 GB	WLAN controller model	Realtek RTL8852CE
Unbuffered memory	✓	Bluetooth	✓
<b>Storage controllers</b>		Bluetooth version	5.3
Supported storage drive types	HDD & SSD	<b>Features</b>	
Supported storage drive interfaces *	M.2, SATA III	Motherboard chipset *	AMD B650
Number of HDDs supported	4	Audio chip	Realtek ALC897
Number of storage drives supported	6	Audio output channels *	7.1 channels
RAID support	✓	Product colour	Brown
RAID levels	0, 1, 10	PC health monitoring	Fan, Temperature, Voltage
<b>Graphics</b>		Component for *	PC
Parallel processing technology support *	Not supported	Motherboard form factor *	micro ATX
Maximum resolution	4096 x 2160 pixels	Motherboard chipset family *	AMD
HDCP	✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64
DirectX version	12.0	<b>Expansion slots</b>	
Discrete graphics support	✓	PCI Express x1 (Gen 3.x) slots	1
Number of displays supported	3	PCI Express x16 (Gen 4.x) slots	1

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	Number of M.2 (M) slots	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	<b>BIOS</b>	
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	BIOS type *	UEFI AMI
Number of SATA III connectors *	4	BIOS memory size	256 Mbit
Front panel audio connector	✓	ACPI version	5.0
Front panel connector	✓	Clear CMOS jumper	✓
ATX Power connector (24-pin)	✓	Clear CMOS button	✓
Number of EATX power connectors	1	Desktop Management Interface (DMI) version	2.7
CPU fan connector	✓	System Management BIOS (SMBIOS) version	2.7
Number of chassis fan connectors	3	<b>Logistics data</b>	
EPS power connector (8-pin)	✓	Country of origin	China
TPM connector	✓	Products per shipping (inner) case	1 pc(s)
Serial port headers	1	<b>Battery</b>	
12V power connector	✓	Battery weight	3 g
RGB LED pin header	✓	Lithium weight per battery	0.07 g
<b>Rear panel I/O ports</b>		Number of battery cells	1
USB 2.0 ports quantity *	4	Battery technology	Lithium-Manganese Dioxide (LiMnO <sub>2</sub> )
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Battery type	CR2032
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	<b>Packaging data</b>	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Package width	270 mm
Ethernet LAN (RJ-45) ports *	1	Package depth	268 mm
PS/2 ports quantity	1	Package height	68 mm
HDMI ports quantity *	1	Package weight	1.7 kg
HDMI version	2.1	<b>Weight &amp; dimensions</b>	
		Width	244 mm
		Depth	244 mm
		Height	35 mm
		<b>Packaging content</b>	
		Cables included	SATA
		Batteries included	✓
		Antenna included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		<b>Technical details</b>	
		Warranty period	3 year(s)



4719331849993

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-MAY-2024. Prints or copies of Information are only valid on the printed Publication date