

ASUS ROG Strix XG259QNS computer monitor 62.2 cm (24.5") 1920 x 1080 pixels Full HD LCD Black

Brand : ASUS

Product family: ROG Strix

Product code: 90LM09M0-B01370

Product name : XG259QNS



ROG Strix XG259QNS eSports Gaming Monitor — 25 inch (24.5 inch viewable) FHD (1920 x 1080), 380 Hz (OC), Fast IPS, 1 ms GTG (0.3 ms minimum), HDR, DisplayWidget Center

ASUS ROG Strix XG259QNS computer monitor 62.2 cm (24.5") 1920 x 1080 pixels Full HD LCD Black:

Gamer Centric Design

A mobile phone socket in the base so you can place your cell phone right in front of you that you don't miss out any messages. And a ¼-inch tripod socket on the monitor stand allows users to mount a camera or additional display for streaming setup.

ASUS FastIPS Display—0.3ms (min.) Response Time

ASUS FastIPS Display—ASUS Fast IPS Display allows the display's liquid crystal elements to switch up to 10X faster than conventional IPS panels for improved response. With a 0.3ms response time (minimum)*, smearing and motion blur are virtually eliminated.

INCREDIBLY FAST 380HZ (OC) REFRESH RATE

You'll experience amazingly fluid gaming visuals, giving you the upper hand in first-person shooters, racing, real-time strategy and sports titles.

| Display | | Ports & interfaces | |
|-------------------------------------|---|---|--------------|
| Display diagonal * | 62.2 cm (24.5") | HDMI version | 2.0 |
| Display resolution * | 1920 x 1080 pixels | DisplayPorts quantity | 1 |
| HD type * | Full HD | DisplayPort version | 1.4 |
| Native aspect ratio * | 16:9 | Headphone out * | ✓ |
| Display technology * | LCD | Headphone outputs | 1 |
| Panel type * | Fast IPS | HDCP | ✓ |
| Backlight type | LED | Ergonomics | |
| Touchscreen * | ✗ | VESA mounting * | ✓ |
| Display brightness (peak) | 400 cd/m ² | Panel mounting interface | 100 x 100 mm |
| Display brightness (typical) | 400 cd/m ² | Wall mountable | ✓ |
| Response time | 1 ms | Cable lock slot * | ✓ |
| Anti-glare screen | ✓ | Cable lock slot type | Kensington |
| Screen shape * | Flat | Height adjustment * | ✓ |
| Contrast ratio (typical) * | 1000:1 | Height adjustment | 12 cm |
| Maximum refresh rate * | 380 Hz | Pivot | ✓ |
| Viewing angle, horizontal | 178° | Pivot angle | -90 - 90° |
| Viewing angle, vertical | 178° | Swivelling | ✓ |
| Display number of colours * | 16.7 million colours | Swivel angle range | -45 - 45° |
| Pixel pitch | 0.2829 x 0.2802 mm | Tilt adjustment | ✓ |
| Viewable size, horizontal | 54.3 cm | Tilt angle range | -5 - 20° |
| Viewable size, vertical | 30.3 cm | Power | |
| Digital horizontal frequency | 27 - 292 kHz | Energy efficiency class (SDR) * | E |
| Digital vertical frequency | 48 - 240 Hz | Energy efficiency class (HDR) * | G |
| High Dynamic Range (HDR) supported | ✓ | Energy consumption (SDR) per 1000 hours * | 19 kWh |
| High Dynamic Range (HDR) technology | DisplayHDR 400, High Dynamic Range 10 (HDR10) | Energy consumption (HDR) per 1000 hours * | 38 kWh |
| RGB colour space | sRGB | Power consumption (typical) * | 14.36 W |
| Colour gamut | 110% | Power consumption (off) | 0.3 W |

| Performance | | Power | |
|--------------------------------------|-----------------------|-------------------------------|-------------|
| AMD FreeSync * | ✓ | Power consumption (PowerSave) | 0.5 W |
| AMD FreeSync type | FreeSync Premium | AC input voltage | 100 - 240 V |
| VESA Adaptive Sync support | ✓ | AC input frequency | 50/60 Hz |
| Flicker-free technology | ✓ | Energy efficiency scale | A to G |
| Low Blue Light technology | ✓ | Weight & dimensions | |
| Shadow control | ✓ | Width (with stand) | 558 mm |
| Game mode | ✓ | Depth (with stand) | 218 mm |
| Multimedia | | Height (with stand) | 492 mm |
| Built-in speaker(s) * | ✗ | Weight (with stand) | 5.58 kg |
| Built-in camera * | ✗ | Width (without stand) | 558 mm |
| Design | | Depth (without stand) | 59 mm |
| Market positioning * | Gaming | Height (without stand) | 332 mm |
| Product colour * | Black | Weight (without stand) | 2.92 kg |
| Feet colour | Black | Packaging data | |
| Ports & interfaces | | Package width | 795 mm |
| Built-in USB hub * | ✓ | Package depth | 172 mm |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Package height | 482 mm |
| USB Type-A downstream ports quantity | 2 | Package weight | 7.76 kg |
| HDMI * | ✓ | Package type | Box |
| HDMI ports quantity | 2 | | |



4711387454442

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-MAY-2024. Prints or copies of Information are only valid on the printed Publication date