

## Gigabyte B550M AORUS ELITE Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 5+3 Phases Pure Digital VRM, up to 4733MHz DDR4 (OC), 2xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen1

**Brand :** Gigabyte


**Product code:** B550M AORUS ELITE

**Product name :** B550M AORUS ELITE Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 5+3 Phases Pure Digital VRM, up to 4733MHz DDR4 (OC), 2xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen1

Micro ATX, AMD B550 (AMD AM4), 3rd Gen AMD Ryzen CPU + Radeon CPU, 4 x DDR4 DIMM, GbE LAN, 4 x SATA 6Gb/s, 1 x DVI-D, 1 x HDMI 2.1

[Gigabyte B550M AORUS ELITE Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 5+3 Phases Pure Digital VRM, up to 4733MHz DDR4 \(OC\), 2xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen1:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	DVI-D ports quantity *	1
Processor socket *	Socket AM4	Headphone outputs	1
Compatible processor series *	3rd Generation AMD Ryzen™ 3, 3rd Generation AMD Ryzen 5, 3rd Generation AMD Ryzen™ 7, 3rd Generation AMD Ryzen™ 9, 3rd Gen AMD Ryzen™ Threadripper™, AMD Ryzen Threadripper Pro 3rd Gen	Microphone in	✓
		Digital audio optical out	1
Maximum number of SMP processors	1	Serial ports quantity	1
Supported processor sockets	Socket AM4	USB connector type	USB Type-A
Maximum internal memory supported by processor	128 GB	Network	
Memory		Ethernet LAN	✓
Supported memory types *	DDR4-SDRAM	Ethernet interface type	Gigabit Ethernet
Number of memory slots *	4	Wi-Fi *	✗
Memory slots type	DIMM	Features	
Memory channels	Dual-channel	Motherboard chipset *	AMD B550
ECC	✓	Audio chip	Realtek ALC887
Non-ECC	✓	Audio output channels *	7.1 channels
Supported memory clock speeds	2133,2400,2667,2933,3200,3333,3600,4000,4400,4600,4733 MHz	Product colour	Brown
Supported memory clock speed (max)	4733 MHz	PC health monitoring	CPU, Fan, LED, Power supply, Temperature, Voltage
Maximum internal memory *	128 GB	Component for *	PC
Supported memory module capacities	1GB, 2GB, 4GB, 16GB, 32GB	Motherboard form factor *	micro ATX
Unbuffered memory	✓	Motherboard chipset family *	AMD
Storage controllers		Cooling type	Active
Supported storage drive types	HDD & SSD	Power source type	ATX
Supported storage drive interfaces *	M.2, SATA III	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Number of HDDs supported	4	Expansion slots	
Number of storage drives supported	6	PCI Express x1 slots	1
RAID levels	0, 1, 10	PCI Express x1 (Gen 3.x) slots	1
Graphics		PCI Express x4 slots	1
Parallel processing technology support *	Not supported	PCI Express x16 slots	1
Maximum resolution	4096 x 2160 pixels	Number of M.2 (M) slots	2
HDCP	✓	BIOS	
DirectX version	12.0	BIOS type *	UEFI AMI
Discrete graphics support	✓	BIOS memory size	256 Mbit
		ACPI version	5.0
		Clear CMOS jumper	✓

<b>Graphics</b>		<b>BIOS</b>	
Number of displays supported	2	Clear CMOS button	✓
<b>Internal I/O</b>		Desktop Management Interface (DMI) version	2.7
USB 2.0 connectors *	1	System Management BIOS (SMBIOS) version	2.7
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	<b>Logistics data</b>	
Number of SATA III connectors *	4	Country of origin	China
Total number of SATA connectors	4	Products per shipping (inner) case	1 pc(s)
Front panel audio connector	✓	Harmonized System (HS) code	84733020
Front panel connector	✓	<b>Battery</b>	
ATX Power connector (24-pin)	✓	Battery weight	3 g
Power fan connector	✓	Lithium weight per battery	0.07 g
CPU fan connector	✓	Number of battery cells	1
Number of chassis fan connectors	2	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
TPM connector	✓	Battery type	CR2032
Serial port headers	1	<b>Packaging data</b>	
12V power connector	✓	Package width	265 mm
RGB LED pin header	✓	Package depth	265 mm
<b>Rear panel I/O ports</b>		Package height	65 mm
USB 2.0 ports quantity *	4	Package weight	1.27 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	<b>Weight &amp; dimensions</b>	
Ethernet LAN (RJ-45) ports *	1	Width	244 mm
PS/2 ports quantity	1	Depth	244 mm
HDMI ports quantity *	1	Height	35 mm
HDMI version	2.1	<b>Packaging content</b>	
		Cables included	SATA
		Batteries included	✓
		Drivers included	✓
		Bundled software	Norton Internet Security (OEM version) Realtek 8118 Gaming LAN Bandwidth Control Utility
		<b>Technical details</b>	
		Warranty period	3 year(s)



4719331809546

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-MAY-2024. Prints or copies of Information are only valid on the printed Publication date