



DELL P Series 27 USB-C Hub Monitor - P2723DE

Brand : DELL

Product family: P Series

Product code: DELL-P2723DE

Product name : Dell 27 USB-C Hub Monitor - P2723DE

- 68.6cm (27") Quad HD 2560 x 1440 LED IPS
- 5ms, 16:9, 350cd/m², 1000:1
- USB, HDMI, DisplayPort
- 68.6cm (27") Quad HD 2560 x 1440 LED IPS, 16:9, 350cd/m², 16.7M, 5ms, 178°/178°, 1000:1

[DELL P Series 27 USB-C Hub Monitor - P2723DE:](#)

Experience pure productivity on a 27-inch QHD monitor featuring extensive connectivity and ComfortView Plus.

DELL P Series 27 USB-C Hub Monitor - P2723DE. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black




Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Pivot angle	90 - 90°
Display resolution *	2560 x 1440 pixels	Swivelling	✓
HD type *	Quad HD	Swivel angle range	-45 - 45°
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LCD	Tilt angle range	-5 - 21°
Panel type *	IPS	On Screen Display (OSD)	✓
Backlight type	LED	Plug and Play	✓
Touchscreen *	✗	Power	
Display brightness (typical)	350 cd/m ²	Energy efficiency class (SDR) *	F
Response time	5 ms	Energy efficiency class (HDR) *	Not available
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	26 kWh
Screen shape *	Flat	Power consumption (typical) *	26 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 1440p	Power consumption (standby) *	0.3 W
Contrast ratio (typical) *	1000:1	Power consumption (max)	175 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	16.7 million colours	Input current	2 A
Response time (fast)	8 ms	Power supply type	Internal
Pixel pitch	0.2331 x 0.2331 mm	Energy efficiency scale	A to G
Pixel density	109 ppi	Operational conditions	
Horizontal scan range	29 - 113 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	49 - 75 Hz	Storage temperature (T-T)	-20 - 20 °C
Viewable size, horizontal	59.7 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size, vertical	33.6 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size diagonal	68.5 cm	Operating altitude	0 - 5000 m
Display diagonal (metric)	68.47 cm	Non-operating altitude	5000 - 12192 m

Display		Packaging content	
High Dynamic Range (HDR) supported	✘	Stand included	✓
RGB colour space	sRGB	Cables included	AC, DisplayPort, USB Type-C to USB Type-A
Colour gamut	99%	Quick start guide	✓
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✘	Width (with stand)	611.6 mm
AMD FreeSync *	✘	Depth (with stand)	190.1 mm
Low Blue Light technology	✓	Height (with stand)	535.2 mm
Multimedia		Weight (with stand)	6.55 kg
Built-in speaker(s) *	✘	Width (without stand)	611.6 mm
Built-in camera *	✘	Depth (without stand)	52.2 mm
Design		Height (without stand)	360.8 mm
Market positioning *	Business	Weight (without stand)	5.07 kg
Product colour *	Black	Bezel width (side)	7.43 mm
Front bezel colour	Black	Bezel width (top)	7.37 mm
Detachable stand	✓	Bezel width (bottom)	1.78 cm
Feet colour	Silver	Packaging data	
Heavy metals free	Hg (mercury)	Package weight	9.78 kg
Ports & interfaces		Sustainability	
Built-in USB hub *	✓	European Product Registry for Energy Labelling (EPREL) code	1057602
USB upstream port type	USB Type-C	Carbon footprint	
Number of USB Type-C upstream ports quantity	1	Total carbon footprint	642 kg of CO2e
USB Type-A downstream ports quantity	5	Total carbon emissions (Standard deviation)	151 kg of CO2e
USB Power Delivery up to	90 W	Carbon emissions (Manufacturing)	333 kg of CO2e
HDMI *	✓	Carbon emissions (Logistics)	86 kg of CO2e
HDMI ports quantity	1	Carbon emissions (Use)	217 kg of CO2e
HDMI version	1.4	Carbon emissions (End-of-Life)	5 kg of CO2e
DisplayPorts quantity	2	Total carbon emissions (w/o Use phase)	425 kg of CO2e
DisplayPort version	1.4	PAIA version	1.3.0
Headphone out *	✘	Logistics data	
Charging port type	USB Type-C	Harmonized System (HS) code	85285210
Network		Other features	
Wi-Fi	✘	Ethernet LAN (RJ-45) ports	1
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		



5397184656792




0884116417910




884116417910




5704174839514



5704174839538



5704174839507



2000001257241

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.