

4 Port USB C Hub - USB Type-C Hub w/ 4x USB-A Ports USB 3.0 hub (5Gbps) - USB Bus or Self Power - Portable USB-C to USB-A BC 1.2 Charging Hub w/ Power Adapter

Product ID: HB30C4AFS



This compact TAA compliant USB 3.2 Gen 1 hub expands your connectivity by adding four USB Type-A ports through a single USB Type-C or Thunderbolt 3 port. It includes a 20-watt power adapter, so you have the versatility to connect power-hungry USB devices, and you can fast-charge your mobile devices using the USB charge-and-sync ports.

By converting your computer's USB-C port into four USB-A ports, you can continue to use all of your existing USB 3.2 Gen 1 devices such as flash drives, external hard drives, and printers (known as USB 3.2 Gen 1). Now you can save money and time by avoiding the added cost and hassle of purchasing new USB-C equipped peripherals.

With its compact and lightweight casing, this USB hub is designed for mobility. You can easily tuck it into your laptop bag when traveling, which makes it easy to expand your connectivity almost anywhere you need to.

The 4-port hub takes up minimal desk space when connected in your work area, with a small-footprint design.

With four charge-and-sync ports, this hub helps ensure that your mobile devices are charged and ready to use when you need them. The self-powered hub features USB ports that deliver more power than traditional USB ports, so you can charge your devices faster. The charge provided depends on the number of devices connected and the amount of electrical current each device draws.

This self-powered USB 3.2 Gen 1 hub comes with an external power adapter to support power-hungry USB devices. This means you can reliably connect and use larger external hard drives and enclosures.

This four-port USB hub is multi-platform compatible, which means it will work with a wide range of laptops. It also works with a range of operating systems such as Windows, Mac, Linux and Chrome OS. It installs automatically once you connect it to your laptop, so you can be up and running in seconds.

The HB30C4AFS is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

















Applications

- Turn your computer's USB-C port into four USB 3.2 Gen 1 Type-A ports
- Perfect for home, office, hot-desk, BYOD (Bring Your Own Device), and CYOD (Choose Your Own Device) environments
- Ideal for desktop, laptop, Ultrabook, Chromebook Pixel, and MacBook Pro users who don't have enough USB 3.2 Gen 1 ports available
- Carry the hub with you while you're traveling, and connect your USB devices wherever you go

Features

- 4-PORT POWERED USB 3.2 Gen 1 (5Gbps) HUB: USB Type-C laptop host port to 4x USB-A ports;
 Portable/desktop USB hub supports USB Bus or Self Powered (power adapter incl.); Attached 4.4" (11.3 cm) USB-C cable
- FAST CHARGING SUPPORT WITH BC 1.2: Charge up to 2.4A (12W) on any port up to 20W maximum shared between all connected devices using included external 5V 4A universal power adapter (NA/JP, UK, EU, AU)
- SPEEDS UP TO 5Gbps: USB 3.2 Gen 1 shared with all downstream devices, supports thumb drives, data storage devices, keyboards, mice, web cams, headsets
- WIDE OPERATING SYSTEM COMPATIBILITY: OS Independent, driverless setup, supports major operating systems including Windows, macOS, Linux, iPadOS, Chrome OS and Android; Compatible with USB 2.0/1.1
- STARTECH.COM ADVANTAGE: IT professionals choice for over 30 years; This 4 Port USB C Hub is backed for 2-years by StarTech.com, including free 24/5 North America based multi-lingual tech support

Н	aı	rd	w	a	re
---	----	----	---	---	----

Warranty 2 Years

USB-C Device Port(s) No

USB-C Host Connection Yes

Fast-Charge Port(s) Yes



Ports 4

Interface USB 3.2 Gen 1 (5Gbps)

Bus Type USB 3.2 Gen 1 (5Gbps)

USB 3.2 Gen 1 (5Gbps)

Industry Standards USB 3.0 - Backward compatible with USB 2.0 and 1.1

Chipset ID Genesys Logic - GL3523

Performance

Maximum Data Transfer

Rate

5 Gbps (USB 3.2 Gen 1)

Type and Rate USB 3.2 Gen 1 - 5 Gbit/s

General Specifications Output Amperage Per Port: 900 mA

MTBF 41,704.70 Hours

Connector(s)

Connector Type(s) 1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps)

4 - USB 3.2 Type-A (9 pin, Fast-Charge)

Software

OS Compatibility OS Independent; No additional drivers or software required

Special Notes / Requirements

System and Cable Requirements

Available USB Type-C port - USB 3.0 (5Gbps)

Note USB 3.0 is also known as USB 3.1 Gen 1; this connectivity

standard offers speeds up to 5Gbps.

When USB-charged devices are connected to the hub, the provided charge output depends on the number of devices connected, and the amount of power each device draws.

Indicators

LED Indicators 1 - Power (Blue)

Power

Power Source AC Adapter Included



Input Voltage 100 - 240 AC

Input Current 1 A

Output Voltage 5 DC

Output Current 4 A

Center Tip Polarity Positive

Plug Type B

Power Consumption (In

Watts)

Environmental

Operating Temperature 0C to 60C (32F to 140F)

20

Storage Temperature -20C to 60C (-4F to 140F)

Humidity 0~90% RH (Non-condensing)

Physical Characteristics

Color Black

Form Factor Compact

Material Plastic

Cable Length 4.4 in [113 mm]

Product Length 1.5 in [39 mm]

Product Width 2.9 in [74 mm]

Product Height 0.5 in [1.3 cm]

Weight of Product 1.2 oz [34 g]

Packaging Information

Package Quantity 1

Package Length 1.9 in [49 mm]

Package Width 6.5 in [16.5 cm]

Package Height 5.2 in [13.1 cm]



	Shipping (Package) Weight	13.0 oz [369 g]
What's in the Box	Included in Package	1 - 4-port USB 3.0 hub
		1 - universal power adapter (NA/JP, UK, EU, AU)

^{*}Product appearance and specifications are subject to change without notice.