

Brother DCP-L5510DW multifunction printer Laser A4 1200 x 1200 DPI 48 ppm Wi-Fi

Brand : Brother

Product code: DCP-L5510DW

Product name : DCP-L5510DW

Brother DCP-L5510DW. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 1200 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: White



Printing		Paper handling	
Duplex printing mode	Auto	Non-ISO print media sizes	Legal
Print technology *	Laser	JIS B-series sizes (B0...B9)	B5
Printing *	Mono printing	Envelopes sizes	C5, Com-10, DL, Monarch
Duplex printing *	✓	Custom media width	105 - 215.9 mm
Maximum resolution *	1200 x 1200 DPI	Custom media length	147.3 - 355.6 mm
Print speed (black, normal quality, A4/US Letter) *	48 ppm	Ports & interfaces	
Duplex print speed (black, normal quality, A4/US Letter)	24 ppm	Direct printing *	✓
Time to first page (black, normal)	6.7 s	USB port	✓
Secure printing	✓	USB 2.0 ports quantity	2
Copying		Network	
Duplex copying *	✗	Wi-Fi *	✓
Copying *	Mono copying	Ethernet LAN *	✓
Maximum copy resolution *	1200 x 600 DPI	Cabling technology	10/100/1000Base-T(X)
N-in-1 copy function	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
N-in-1 copy function (N=)	2, 4	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Scanning		Wi-Fi Direct	✓
Duplex scanning *	✗	Security algorithms	WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP
Scanning *	Colour scanning	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), risoluzione dei nomi WINS/NetBIOS, Resolver DNS, mDNS, LLmnr responder, LPR/LPD, Custom Raw Port/ Port9100, Client SMTP, IPP/ IPPS, Client e Server FTP, Client CIFS, Server TELNET, SNMPv1/v2c/v3, server HTTP/HTTPS, client e server TFTP, ICMP, Servizi web (Stampa/ Scansione), Client SNTP, LDAP, Syslog
Optical scanning resolution *	1200 x 1200 DPI		
Optical scanning resolution (ADF)	600 x 600 DPI		
Scanner type *	Flatbed & ADF scanner		
Scan technology	CIS		
Scan to	E-mail, E-mail Server, Network folder, OCR, USB		
Input colour depth	48 bit		
Output colour depth	24 bit		
Input greyscale depth	16 bit		
Output greyscale depth	8 bit		
Fax			
Faxing *	✗		

Features		Network	
Maximum duty cycle *	5000 pages per month		NDP, RA, Resolver DNS, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, Client SMTP, Client e Server FTP, Client CIFS, Server TELNET, server SNMPv1/v2c HTTP/HTTPS, client e server TFTP, ICMPv6, Client SNTP, LDAP, Servizi web (Stampa/Scansione), Syslog
Duplex functions *	Print	Supported network protocols (IPv6)	
Number of print cartridges *	1	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Printing colours *	Black		
Page description languages	BR-Script 3, PCL 6, PDF 1.7		
Input & output capacity		Performance	
Total number of input trays *	1	Internal memory *	512 MB
Total input capacity *	250 sheets	Built-in processor	✓
Total output capacity *	150 sheets	Processor family	ARM
Multi-Purpose tray	✓	Processor frequency	1200 MHz
Multi-Purpose tray input capacity	100 sheets	Processor cores	2
Auto document feeder (ADF)	✓	Design	
Auto document feeder (ADF) input capacity	50 sheets	Product colour *	White
Paper handling		Market positioning *	Business
Maximum ISO A-series paper size *	A4	Built-in display *	✓
Paper tray media types *	Bond paper, Envelopes, Labels, Letterhead, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper	Display	LCD
ISO A-series sizes (A0...A9) *	A4, A5, A6	Display diagonal	8.89 cm (3.5")
ISO B-series sizes (B0...B9)	B5	Control type	Touch
		Colour display	✓
		Power	
		Power consumption (printing)	670 W
		Power consumption (copying)	680 W
		Power consumption (ready)	31 W
		Power consumption (sleep)	5.9 W
		Power consumption (off)	0.05 W
		Energy Star Typical Electricity Consumption (TEC)	0.63 kWh/week
		AC input voltage	220 - 240 V
		AC input frequency	50/60 Hz
		Weight & dimensions	
		Width	417 mm
		Depth	461 mm
		Height	448 mm
		Weight	16.9 kg
		Packaging data	
		Package width	549 mm
		Package depth	497 mm
		Package height	580 mm
		Package weight	20.5 kg



4977766824552

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-MAY-2024. Prints or copies of Information are only valid on the printed Publication date