

iiyama ProLite XB3270QSU-B1 computer monitor 81.3 cm (32") 2560 x 1440 pixels Wide Quad HD LED Black

Brand : iiyama

Product family: ProLite

Product code: XB3270QSU-B1

Product name : XB3270QSU-B1

iiyama ProLite XB3270QSU-B1. Display diagonal: 81.3 cm (32"), Display resolution: 2560 x 1440 pixels, HD type: Wide Quad HD, Display technology: LED, Response time: 3 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	81.3 cm (32")	DisplayPorts quantity	1
Display resolution *	2560 x 1440 pixels	DisplayPort version	1.4
HD type *	Wide Quad HD	Headphone out *	✓
Native aspect ratio *	16:9	Headphone connectivity	3.5 mm
Display technology *	LED	HDCP	✓
Panel type *	IPS	Ergonomics	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	250 cd/m ²	Panel mounting interface	100 x 100 mm
Response time	3 ms	Cable management	✓
Screen shape *	Flat	Height adjustment *	✓
Aspect ratio	16:9	Height adjustment	15 cm
Contrast ratio (typical) *	1200:1	Swivelling	✓
Maximum refresh rate *	100 Hz	Swivel angle range	45 - 45°
Viewing angle, horizontal	178°	Tilt adjustment	✓
Viewing angle, vertical	178°	Tilt angle range	5 - 20°
Display number of colours *	1.07 billion colours	On Screen Display (OSD)	✓
Pixel pitch	0.272 x 0.272 mm	On Screen Display (OSD) languages	Czech, German, English, French, Italian, Japanese, Polish, Russian
Horizontal scan range	30 - 90 kHz	Power	
Viewable size, horizontal	69.8 cm	Energy efficiency class (SDR) *	E
Viewable size, vertical	39.3 cm	Energy efficiency class (HDR) *	Not available
Display diagonal (metric)	80 cm	Energy consumption (SDR) per 1000 hours *	27 kWh
Performance		Power consumption (typical) *	35 W
NVIDIA G-SYNC *	✗	Power consumption (standby) *	0.3 W
AMD FreeSync *	✗	Power consumption (off)	0.5 W
VESA Adaptive Sync support	✓	AC input voltage	100 - 240 V
Flicker-free technology	✓	AC input frequency	50/60 Hz
Multimedia		Energy efficiency scale	A to G
Built-in speaker(s) *	✓		
Built-in camera *	✗		
Number of speakers	2		

Multimedia		Packaging content	
RMS rated power	4 W	Cables included	HDMI, Power, USB
Design		Quick start guide	✓
Market positioning *	Business	Weight & dimensions	
Product colour *	Black	Width (with stand)	726 mm
Certification	CE, TÜV-Bauart, EAC, VCCI-B, PSE, RoHS support, ErP, WEEE, REACH, UKCA	Depth (with stand)	239.5 mm
Ports & interfaces		Height (with stand)	580 mm
Built-in USB hub *	✓	Weight (with stand)	8.6 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging data	
Number of upstream ports	3	Package width	810 mm
HDMI *	✓	Package depth	176 mm
HDMI ports quantity	2	Package height	512 mm
HDMI version	2.0	Package weight	10.8 kg



4948570123636

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-MAY-2024. Prints or copies of Information are only valid on the printed Publication date