




ASUS PRIME H610M-K D4 ARGB Intel H610 LGA 1700 micro ATX

Brand : ASUS

Product code: 90MB1HN0-M0EAY0

Product name : PRIME H610M-K D4 ARGB

- Intel® LGA 1700 Socket: Ready for 14th, 13th and 12th Gen Intel® processors
 - Ultrafast Connectivity: PCIe 4.0, 32Gbps M.2 slot, Realtek 1 Gb Ethernet and USB 5Gbps support
 - Comprehensive Cooling: PCH heatsink and Fan Xpert
 - Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers for RGB LED strips, easily synced with Aura Sync-capable hardware
 - Two-Way AI Noise Cancellation: Reduces background noise from the microphone and audio output for crystal-clear communication in games or video conferences
- Intel H610 (LGA 1700) micro-ATX motherboard with DDR4, PCIe 4.0, M.2 slot, Realtek 1 Gb Ethernet, HDMI, USB 5Gbps, SATA 6 Gbps, Two-Way AI Noise Cancellation, Aura Sync



Processor		Internal I/O	
Processor manufacturer *	Intel	12V power connector	✓
Processor socket *	LGA 1700	Rear panel I/O ports	
Compatible processor series *	Intel® Celeron®, Intel® Pentium® Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9	USB 2.0 ports quantity *	4
		USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Supported processor sockets	LGA 1700	Ethernet LAN (RJ-45) ports *	1
Memory		PS/2 ports quantity	1
Supported memory types *	DDR4-SDRAM	HDMI ports quantity *	1
Number of memory slots *	2	Microphone in	✓
Memory slots type	DIMM	Network	
Memory channels	Dual-channel	Ethernet LAN	✓
Non-ECC	✓	Ethernet interface type	Gigabit Ethernet
Supported memory clock speeds	3200,3000,2933,2800,2666,2400,2133 MHz	Wi-Fi *	✗
Supported memory clock speed (max)	3200 MHz	Features	
Maximum internal memory *	64 GB	Motherboard chipset *	Intel H610
Unbuffered memory	✓	Audio output channels *	7.1 channels
Storage controllers		Component for *	PC
Supported storage drive types	HDD & SSD	Motherboard form factor *	micro ATX
Supported storage drive interfaces *	M.2, SATA III	Motherboard chipset family *	Intel
Graphics		Windows operating systems supported	Windows 10 x64, Windows 11
Parallel processing technology support *	Not supported	Expansion slots	
Internal I/O		PCI Express x1 (Gen 3.x) slots	1
USB 2.0 connectors *	1	PCI Express x16 (Gen 4.x) slots	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Number of M.2 (M) slots	1
Number of SATA III connectors *	4	BIOS	
S/PDIF out connector	✓	BIOS type *	UEFI AMI
Audio connector	✓	BIOS memory size	128 Mbit
Front panel audio connector	✓	Packaging data	
		Package width	270 mm

Internal I/O		Packaging data	
ATX Power connector (24-pin)	✓	Package depth	263 mm
CPU fan connector	✓	Package height	51.5 mm
Number of chassis fan connectors	1	Package weight	800 g
EPS power connector (8-pin)	✓	Weight & dimensions	
Number of COM connectors	1	Width	234 mm
TPM connector	✓	Depth	203 mm
		Packaging content	
		Cables included	SATA



4711387460177

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-MAY-2024. Prints or copies of Information are only valid on the printed Publication date