

HP DreamColor Z31x computer monitor 79 cm (31.1") 4096 x 2160 pixels 4K Ultra HD LED Black

Brand : HP Product family: DreamColor Product code: Z4Y82A4

Product name: Z31x

- Experience theater-quality color from HP's most precise display yet featuring HP DreamColor Technology, winner of the 2015 Scientific and Engineering Award from the Academy of Motion Picture Arts and Sciences.^[1]
- Maintain accurate color with a pop-up sensor that calibrates on demand or on a regular schedule. No longer wonder if your color is correct-it just is.
- HP worked with leading visual effects studios to create customized solutions for the optimal design process, such as True 2K and keyboard-based input switching between your devices. DreamColor Z31x Studio Display

HP DreamColor Z31x computer monitor 79 cm (31.1") 4096 x 2160 pixels 4K Ultra HD LED Black:

A visionary display

Designed for the world's elite color professionals, the award-winning HP DreamColor Technology brings the industry's boldest visions to life. Captivate with Cinema 4K resolution, an expansive color gamut for remarkably vivid colors, integrated colorimeter and custom-tailored management tools.












Display		Ergonomics	
Display diagonal *	79 cm (31.1")	Swivel angle range	-45 - 45°
Display resolution *	4096 x 2160 pixels	Tilt adjustment	✓
HD type *	4K Ultra HD	Tilt angle range	-5 - 30°
Native aspect ratio *	17:9	Picture-in-Picture	✓
Display technology *	LED		Simplified Chinese, Traditional
Panel type *	IPS	On Screen Display (OSD) languages	Chinese, German, Dutch, English, Spanish, French, Italian, Japanese,
Touchscreen *	×		Portuguese
Display brightness (typical)	250 cd/m ²	Number of OSD languages	10
Response time	20 ms	Plug and Play	✓
Screen shape *	Flat	Power	
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1366 x 768, 1920 x 1080 (HD 1080), 2048 x 1080, 2560 x		
		Power consumption (typical) *	120 W
		Power consumption (standby) *	0.5 W
		Power consumption (max)	260 W
	1440, 3840 x 2160, 4096 x 2160	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1500:1	AC input frequency	50 - 60 Hz
Maximum refresh rate *	60 Hz	Energy efficiency scale	A++ to E
Viewing angle, horizontal	178° 178°	Operational conditions	
Viewing angle, vertical Display number of colours *	1.073 billion colours	Operating temperature (T-T)	5 - 35 °C
Pixel pitch	0.1704 x 0.1704 mm	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 135 kHz	Operating relative humidity (H-H)	20 - 80%
Vertical scan range	24 - 60 Hz	Storage relative humidity (H-H)	5 - 95%
3D	X	Packaging content	
Performance		Cables included	AC, DisplayPort, HDMI, USB Type-A to USB Type-B, USB Type-C, USB
NVIDIA G-SYNC *	×		Type-C to USB Type-A
AMD FreeSync *	×	Weight & dimensions	
HP segment	Business	Width (with stand)	738 mm
Multimedia		Depth (with stand)	248 mm
Built-in speaker(s) *	×	Height (with stand)	566 mm
Built-in camera *	×	Weight (with stand)	15 kg
		Width (without stand)	738 mm
		Depth (without stand)	82.6 mm
		•	

Design		Weight & dimensions	
Market positioning * Product colour *	Business Black	Height (without stand) Weight (without stand)	414.1 mm 9.9 kg
Country of origin	China	Packaging data	
Ports & interfaces		Package width	888 mm
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports USB Type-B Number of upstream ports USB Type-A downstream ports quantity DVI port HDMI ports quantity DisplayPorts quantity 2	Package depth Package height Package weight	388 mm 536 mm 12.4 kg	
	1	Sustainability	
	European Product Registry for Energy Labelling (EPREL) code	356634	
	**	Logistics data	
	2	Harmonized System (HS) code	85285210
Audio output	✓	Thin Client	
HDCP Charging port type	✓ USB Type-C	Thin client installed	×
Ergonomics	332 1,760 3	Other features	
VESA mounting * Panel mounting interface Cable lock slot * Height adjustment * Height adjustment Swivelling	100 x 100 mm 11.7 cm	Display On/off switch TV tuner integrated Energy efficiency class (old) Ethernet LAN (RJ-45) ports	LED










■■■■■ 190780803004










































Disclaimer. The Information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided IAS IS and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.