Lindy DST-Pro 5K XT, USB-C Laptop Docking Station with Triple Display (4K) or Single Display (5K) and 100W Pass-Through Charging

Brand : Lindy

Product code: 43349

Product name : DST-Pro 5K XT, USB-C Laptop Docking Station with Triple Display (4K) or Single Display (5K) and 100W Pass-Through Charging

- Connects an HDMI and/or up to 2 DisplayPort displays, USB peripherals and power over a single cable
- Supports 5K 60Hz for a single DisplayPort display or 4K 60Hz for a single HDMI display
- Integrated 4 port USB SuperSpeed 5Gbps Hub (3 x Type A, 1 x Type C)
- USB Power Delivery capable up to 100W
- 2 year warranty

DST-Pro 5K XT, USB-C Laptop Docking Station with Triple Display (4K) or Single Display (5K) and 100W Pass-Through Charging
Lindy DST-Pro 5K XT, USB-C Laptop Docking Station with Triple Display (4K) or Single Display (5K) and 100W Pass-Through Charging. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery up to: 100 W. Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Silver, Compatible memory cards: MicroSD (TransFlash), SD, Data transfer rate: 5 Gbit/s. Power source type: DC, Power connector: USB Type-C, Output voltage: 20 V. Sustainability certificates: CE, REACH, RoHS

Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery	✔
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
HDMI ports quantity *	1
HDMI version	2.0
DisplayPorts quantity	2
DisplayPort version	1.4
Combo headphone/mic port	✔
HDCP	✔
HDCP version	2.2
USB Type-C DisplayPort Alternate Mode	✔

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	✔

Performance

Card reader integrated *	✔
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	5 Gbit/s
Maximum digital resolution	7680 x 4320 pixels
Maximum refresh rate	60 Hz

Performance

Plug and Play	✔
Housing material	Aluminium

Power

Power source type	DC
Power connector	USB Type-C
Output voltage	20 V
Output current	5 A
Power consumption (max)	24 W

Operational conditions

Operating temperature (T-T)	-20 - 40 °C
Storage temperature (T-T)	-40 - 80 °C
Operating relative humidity (H-H)	5 - 90%
Storage relative humidity (H-H)	5 - 90%

Sustainability

Sustainability certificates	CE, REACH, RoHS

Weight & dimensions

Width	180 mm
Depth	77 mm
Height	18 mm
Weight	439 g

Packaging data

Quantity per pack	1 pc(s)
Package width	200 mm
Package depth	120 mm
Package height	70 mm
Package weight	780 g

Performance		Packaging content	
Product colour *	Silver	Cables included	USB Type-C
		Manual	✔

4002888433495