**/ISUS**

# ASUS ROG Hyperion GR701 BTF Edition Tower Black, Transparent

**Brand :** ASUS

**Product code:** 90DC00F0-B39020

**Product name :** ROG Hyperion GR701 BTF Edition

- Extra Clean: Supports Motherboard's hidden connectors design by having virtually no wire and cluttering
- Extra Cooling: Dual 420mm radiator support, four 140 mm fans and a built-in fan hub offer massive airflow possibilities
- Extra Space: The beefiest graphics cards get plenty of room; cable management gets an expansive chamber that is 34 mm deep, with a 46 mm wide routing channel
- Extra Convenience: Hinged tool-free side panels, a built-in storage drawer and an integrated graphics card holder come together to amp up the building experience
- Extra Power: Dual USB Type-C ports, 60-watt fast charging, aluminum-reinforced frame and handles deliver power and premium ruggedness
EATX/ATX/Micro-ATX/Mini-ITX, ARGB, 21.3 Kg, 5 x 2.5", 2 x 2.5"/3.5" Combo Bay

## Design

| | |
|---|---|
| Form factor * | Tower |
| Type * | PC |
| Product colour * | Black, Transparent |
| Supported motherboard form factors * | ATX, EATX, micro ATX, Mini-ITX |
| Number of 3.5" bays * | 2 |
| Number of 2.5" bays | 5 |
| Number of expansion slots | 9 |
| Side window | ✔ |
| Suitable for | Gaming |
| Illumination | ✔ |
| Illumination colour | Multi |
| Tempered glass panel(s) | ✔ |
| Anti-dust filter | ✔ |
| Cable management | ✔ |
| Reset button | ✔ |
| On/off button | ✔ |
| RGB control button | ✔ |
| LED indicators | ✔ |
| Maximum CPU cooler height | 19 cm |
| Maximum graphics card length | 46 cm |
| Maximum PSU length | 24 cm |

## Power supply

| | |
|---|---|
| Power supply included * | ✘ |

## Ports & interfaces

| | |
|---|---|
| Audio input | ✔ |
| Audio output | ✔ |

## Cooling

| | |
|---|---|
| Fan speed control | ✔ |
| Front fans installed | 3x 140 mm |
| Number of front fans supported (max) | 3 |
| Front fans diameters supported | 120,140,240,280,360,420 mm |
| Rear fans installed | 1x 140 mm |
| Number of rear fans supported (max) | 1 |
| Rear fans diameters supported | 120,140 mm |
| Number of top fans supported (max) | 3 |
| Top fans diameters supported | 120,140,240,280,360,420 mm |
| Front radiator sizes supported | 120,140,240,280,360,420 mm |
| Rear radiator sizes supported | 120,140 mm |
| Top radiator sizes supported | 120,140,240,280,360,420 mm |

## Storage

| | |
|---|---|
| Supported HDD sizes * | 2.5,3.5" |
| HDD/SSD combo cage | ✔ |
| SSD form factor | 2.5" |
| Number of HDDs supported | 7 |

## Weight & dimensions

| | |
|---|---|
| Width | 268 mm |
| Depth | 639 mm |
| Height | 659 mm |
| Weight | 21.3 kg |

## Packaging data

| | |
|---|---|
| Package width | 350 mm |

| Ports & interfaces | | Packaging data | |
|---|---|---|---|
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 4 | Package depth | 720 mm |
| USB Type-C ports quantity | 2 | Package height | 715 mm |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * | 1 | Package weight | 25.7 kg |

| Ports & interfaces | |
|---|---|
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 4 |
| USB Type-C ports quantity | 2 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * | 1 |

**4711387483749**