

BenQ ST4302S Digital signage flat panel 109.2 cm (43") LCD 400 cd/m² 4K Ultra HD Black Built-in processor Android 8.0 18/7

Brand : BenQ Product code: 9H.F7GPT.RA2

Product name: ST4302S

- View vivid images on a 4K UHD display
- Ready-to-use with its built-in $\text{Android}^{\,\scriptscriptstyle\mathsf{TM}}\,\,\text{OS}$
- Flip the display for portrait or landscape viewing
- Easily create content using custom X-Sign templates

43", 4K UHD (3840x2160), 400 cd/m², 1200:1, 18/7, A73×2 + A53×2, Mali-G51MP2, 2×10W, Android 8.0 BenQ ST4302S. Product design: Digital signage flat panel. Display diagonal: 109.2 cm (43"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 400 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 18/7. Operating system installed: Android 8.0. Product colour: Black







Display		Power	
Panel type LED backlighting type Display diagonal * Display technology * Display resolution * Display brightness *	IPS Direct-LED 109.2 cm (43") LCD 3840 x 2160 pixels 400 cd/m ² 4K Ultra HD	Power consumption (typical) * Power consumption (standby) * Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours AC input voltage AC input frequency	110 W 0.5 W G 110 kWh 100 - 240 V 50 - 60 Hz
HD type * Touchscreen *	X Oldra HD	Computer system	
Response time Contrast ratio (typical) Active display area (W x H) Display diagonal (metric) RGB colour space	8 ms 1200:1 941.2 x 529.4 mm 109 cm NTSC	Computer system * Built-in processor * Internal memory Internal storage capacity Operating system installed	√ √ 3 GB 16 GB Android 8.0
Ports & interfaces		Weight & dimensions	
HDMI ports quantity * HDMI version DVI port * DVI-D ports quantity VGA (D-Sub) input ports USB port * USB ports quantity USB version	√ 2 2.0	Display width Display depth Display height Display weight Width Depth Height Weight	973 mm 63.5 mm 561.2 mm 10.7 kg 973 mm 63.5 mm 561.2 mm 10.7 kg
Ethernet LAN (DL 4E) ports	√	Packaging data	
Ethernet LAN (RJ-45) ports Ethernet LAN data rates Wi-Fi * PC Audio in Card reader integrated	1 10,100 Mbit/s *	Package width Package depth Package height Package weight	1070 mm 173 mm 680 mm 14.3 kg

Audio		Packaging content	
Built-in speaker(s) * ✓ Number of built-in speakers 2	√ 2	Remote control included Cables included	√ HDMI
RMS rated power	10 W	Operational conditions	
Design		Operating temperature (T-T)	0 - 40 °C
Product design *	Digital signage flat panel	Operating relative humidity (H-H)	10 - 80%
Placement supported *	Indoor	Storage temperature (T-T)	-20 - 60 °C
Product colour *	Black	Storage relative humidity (H-H)	10 - 80%
VESA mounting *	✓	Logistics data	
Panel mounting interface	200 x 200 mm	Harmonized System (HS) code	85285210
Performance		Training a dystem (1167 code	00100110
Purpose *	Universal		

18/7

Operating hours (hours/days)



4718755086939

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.