



DELL OptiPlex 7010 Intel® Core™ i5 i5-13500 8 GB DDR4-SDRAM 256 GB SSD Windows 11 Pro Tower PC Black



Brand : DELL

Product family: OptiPlex

Product code: 9CVPX

Product name : 7010

- Windows 11 Pro 64-bit
 - Intel Core i5-13500 (24MB Cache)
 - 8GB (3200MHz) DDR4-SDRAM (1 x 8) & 256GB SSD
 Intel Core i5-13500 (24MB Cache), 8GB DDR4-SDRAM, 256GB SSD, DVD-RW, Intel UHD Graphics 770, LAN, Windows 11 Pro 64-bit

[DELL OptiPlex 7010 Intel® Core™ i5 i5-13500 8 GB DDR4-SDRAM 256 GB SSD Windows 11 Pro Tower PC Black:](#)

Tower desktop with best-in-class graphics and performance. Featuring the most add-in card options and 13th Gen Intel Core™ processors.

DELL OptiPlex 7010. Processor family: Intel® Core™ i5, Processor model: i5-13500. Internal memory: 8 GB, Internal memory type: DDR4-SDRAM, Memory clock speed: 3200 MHz. Total storage capacity: 256 GB, Storage media: SSD, Optical drive type: DVD-RW. On-board graphics card model: Intel UHD Graphics 770. Operating system installed: Windows 11 Pro, Operating system architecture: 64-bit. Power supply: 180 W. Chassis type: Tower. Product type: PC. Product colour: Black

Processor		Design	
Processor manufacturer *	Intel	Chassis type *	Tower
Processor family *	Intel® Core™ i5	Placement supported	Vertical
Processor generation	13th gen Intel® Core™ i5	Cable lock slot	✓
Processor model *	i5-13500	Cable lock slot type	Kensington
Processor cores	6	Product colour *	Black
Processor boost frequency	4.8 GHz	Intel® vPro™ Platform Eligibility	✓
Performance-core base frequency	2.5 GHz	Performance	
Efficient-core base frequency	1.8 GHz	Motherboard chipset	Intel Q670
Performance-core boost frequency	4.8 GHz	Audio chip	Realtek ALC3246-CG
Efficient-core boost frequency	3.5 GHz	Audio system	High Definition Audio
Processor cache	24 MB	Product type *	PC
Processor cache type	Smart Cache	Software	
Bus type	DMI4	Operating system installed *	Windows 11 Pro
Number of processors installed	1	Operating system architecture	64-bit
Memory		Operating system language	Multilingual
Internal memory *	8 GB	Trial software	No Microsoft Office License Included 30 day Trial Offer Only
Maximum internal memory *	64 GB	Processor special features	
Internal memory type	DDR4-SDRAM	CPU configuration (max)	1
Memory layout (slots x size)	1 x 8 GB	Power	
Memory slots	2x DIMM	Power supply *	180 W
Memory clock speed	3200 MHz	Power supply input voltage	90 - 264 V
Storage		Power supply input frequency	47 - 63 Hz
Total storage capacity *	256 GB	Operational conditions	
Storage media *	SSD	Operating temperature (T-T)	10 - 35 °C
Optical drive type *	DVD-RW	Storage temperature (T-T)	-40 - 70 °C
Number of storage drives installed	1	Operating relative humidity (H-H)	20 - 80%
Total SSDs capacity	256 GB		
Number of SSDs installed	1		

Storage		Operational conditions	
SSD capacity	256 GB	Storage relative humidity (H-H)	0 - 95%
SSD interface	PCI Express	Operating altitude	-15.2 - 3048 m
NVMe	✓	Non-operating altitude	-15.2 - 10668 m
SSD form factor	M.2	Operating vibration	0.26 G
SSD performance class	35	Non-operating vibration	1.37 G
Graphics		Operating shock	40 G
Discrete graphics card *	✗	Non-operating shock	105 G
On-board graphics card *	✓	Weight & dimensions	
Discrete graphics card model *	Not available	Width *	154 mm
On-board GPU manufacturer	Intel	Depth *	292.2 mm
On-board graphics card model *	Intel UHD Graphics 770	Height *	324.3 mm
Network		Packaging content	
Ethernet LAN *	✓	Display included *	✗
Ethernet LAN data rates	10,100,1000 Mbit/s	Mouse included on selected markets only	✓
Wi-Fi *	✗	Mouse connectivity	Wired
Ports & interfaces		Keyboard included on selected markets only	✓
USB 2.0 ports quantity *	4	Keyboard connectivity	Wired
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Input device model	KB216,MS116
HDMI ports quantity *	1	Cables included	AC
HDMI version	1.4b	Power cable length	1.8 m
DisplayPorts quantity	1	Carbon footprint	
DisplayPort version	1.4a	Total carbon footprint	426 kg of CO2e
Ethernet LAN (RJ-45) ports	1	Total carbon emissions (Standard deviation)	110 kg of CO2e
Combo headphone/mic port	✓	Carbon emissions (Manufacturing)	249 kg of CO2e
Expansion slots		Carbon emissions (Logistics)	21 kg of CO2e
PCI Express x1 (Gen 3.x) slots	1	Carbon emissions (Energy Usage)	151 kg of CO2e
PCI Express x16 (Gen 3.x) slots	1	Carbon emissions (End-of-Life)	5 kg of CO2e
		Total carbon emissions (w/o Use phase)	275 kg of CO2e
		PAIA version	1.3.2



5397184801086

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAY-2024. Prints or copies of Information are only valid on the printed Publication date