

PHILIPS

Philips P Line 326P1H/00 LED display 80 cm (31.5") 2560 x 1440 pixels Quad HD Black



Brand : Philips

Product family: P Line

Product code: 326P1H/00

Product name : 326P1H/00

- P Line
 - 32 (31.5"/80 cm diag.)
 - 2560 x 1440 (QHD)
- Brilliance 326P1H LCD monitor with USB-C docking

Philips P Line 326P1H/00 LED display 80 cm (31.5") 2560 x 1440 pixels Quad HD Black:

The Philips USB-C docking display for a comprehensive solution. View QHD and re-charge a laptop up to 90 W, all at the same time with a single USB-C cable. Pop-up webcam with Windows Hello and daisy-chaining deliver performance and convenience

Philips P Line 326P1H/00. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black




Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	AC (power) in	✓
Display resolution *	2560 x 1440 pixels	DisplayPort output	✓
HD type *	Quad HD	Network	
Native aspect ratio *	16:9	Ethernet LAN	✓
Display technology *	LED	Ergonomics	
Panel type *	IPS	VESA mounting *	✓
Backlight type	W-LED	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Cable lock slot *	✓
Display brightness (typical)	350 cd/m ²	Cable lock slot type	Kensington
Response time	4 ms	Height adjustment *	✓
Anti-glare screen	✓	Height adjustment	18 cm
Screen shape *	Flat	Pivot	✓
Supported graphics resolutions	2560 x 1440	Pivot angle	-90 - 90°
Aspect ratio	16:9	Swivelling	✓
Contrast ratio (typical) *	1000:1	Swivel angle range	-180 - 180°
Contrast ratio (dynamic)	50000000:1	Tilt adjustment	✓
Dynamic contrast ratio marketing name	SmartContrast	Tilt angle range	-5 - 25°
Maximum refresh rate *	75 Hz	On Screen Display (OSD)	✓
Viewing angle, horizontal	178°	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Viewing angle, vertical	178°	Number of OSD languages	21
Display number of colours *	1.07 billion colours	Plug and Play	✓
Pixel pitch	0.2727 x 0.2727 mm	LED indicators	Operation, Stand-by
Pixel density	93 ppi	Power	
Horizontal scan range	30 - 114 kHz	Energy efficiency class (SDR) *	G
Vertical scan range	48 - 75 Hz		
Viewable size, horizontal	69.8 cm		
Viewable size, vertical	39.3 cm		
Digital horizontal frequency	30 - 114 kHz		
Digital vertical frequency	48 - 75 Hz		

Display		Power	
Display diagonal (metric)	80 cm	Energy consumption (SDR) per 1000 hours *	39 kWh
DDC/CI	✓	Power consumption (typical) *	25.3 W
Haze rate	25%	Power consumption (standby) *	0.3 W
Surface hardness	3H	Power consumption (PowerSave)	24 W
Colour gamut	89%	AC input voltage	100 - 240 V
sRGB coverage (typical)	118%	AC input frequency	50 - 60 Hz
NTSC coverage (typical)	106%	Power supply type	Internal
Adobe RGB coverage	87%	Energy efficiency scale	A to G
Display sRGB	✓	Operational conditions	
Colour gamut standard	sRGB	Operating temperature (T-T)	0 - 40 °C
Performance		Storage temperature (T-T)	-20 - 60 °C
Component video sync	Separate sync	Operating relative humidity (H-H)	20 - 80%
Flicker-free technology	✓	Operating altitude	0 - 3658 m
Low Blue Light technology	✓	Non-operating altitude	0 - 12192 m
HBR3 support	✓	Packaging content	
Multimedia		Stand included	✓
Built-in speaker(s) *	✓	Cables included	HDMI, DisplayPort, USB Type-C, AC
Built-in camera *	✓	Manual	✓
Number of speakers	2	Bundled software	SmartControl
RMS rated power	10 W	Weight & dimensions	
Megapixel (approx.)	2 MP	Width (with stand)	714 mm
Built-in microphone	✓	Depth (with stand)	280 mm
Design		Height (with stand)	649 mm
Market positioning *	Home	Weight (with stand)	12.2 kg
Product colour *	Black	Width (without stand)	714 mm
Front bezel colour	Black	Depth (without stand)	62 mm
Detachable stand	✓	Height (without stand)	422 mm
Feet colour	Black	Weight (without stand)	8.21 kg
Heavy metals free	Hg (mercury), Pb (lead)	Packaging data	
Certification	CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, CCC, CEL, CECP, CE Mark, FCC Class B, ICES-003, TUV Eye Comfort certified	Package width	930 mm
Ports & interfaces		Package depth	186 mm
Built-in USB hub *	✓	Package height	563 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package weight	15.5 kg
USB upstream port type	USB Type-C	Package type	Box
Number of upstream ports	1	Sustainability	
Number of USB Type-C upstream ports quantity	1	Sustainability certificates	ENERGY STAR, TCO, RoHS
USB Type-A downstream ports quantity	4	Doesn't contain	Mercury, PVC/BFR
USB Type-C DisplayPort Alternate Mode	✓	European Product Registry for Energy Labelling (EPREL) code	398293
USB Power Delivery	✓	Recycling data	
USB Power Delivery up to	90 W	Post-consumer recycled plastic	85%
DVI port	✗	Logistics data	
HDMI *	✓	Harmonized System (HS) code	85285210
HDMI ports quantity	2	Other features	
HDMI version	1.4	USB Power Delivery revision	3.0
DisplayPorts quantity	2	Exterior finish type	Textured
DisplayPort version	1.4	Picture enhancement	SmartImage
Audio input	✗	Recyclable packaging material	100%
Audio output	✓	Regulatory Approvals	CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified
Headphone out *	✗	Delta E	2
HDCP	✓	Light sensor	✓
HDCP version	2.2	EasyRead mode	✓
Charging port type	USB Type-C + USB Type-A	LowBlue mode	✓
		Philips SmartUniformity	93 - 105%

Other features

Mean time between failures (MTBF)	70000 h
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN	✓



8712581768096

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAY-2024. Prints or copies of Information are only valid on the printed Publication date