ASUS

ASUS PRIME B760M-A-CSM Intel B760 LGA 1700 micro ATX

Brand : ASUS

Product code: 90MB1EK0-M0EAYC

Product name : PRIME B760M-A-CSM

- Intel® LGA 1700 Socket: Ready for 13th and 12th Gen Intel® processors
- Ultrafast Connectivity: PCIe 4.0, two M.2 slots, Realtek 2.5Gb Ethernet, rear USB 3.2 Gen 2, front USB 3.2 Gen 1 Type-C®
- Comprehensive Cooling: VRM heatsinks, M.2 heatsink, PCH heatsink, hybrid fan headers and Fan Xpert 2+
- Exclusive Memory Technology: ASUS Enhanced Memory Profile II and ASUS OptiMem II
- Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB header for RGB LED strips, easily synced with Aura Sync-capable hardware
- ASUS Control Center Express: Real-time IT monitoring and management software for enhanced data protection

Intel® B760 (LGA 1700) mATX motherboard with PCIe 4.0, DDR5, two M.2 slots, Realtek 2.5Gb Ethernet, DisplayPort, Dual HDMI™, SATA 6 Gbps, rear USB 3.2 Gen 2, front USB 3.2 Gen 1 Type-C®, Aura Sync

Processor

Processor manufacturer *	Intel
Processor socket *	LGA 1700
Compatible processor series *	Intel® Celeron®, Intel® Pentium® Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9
Supported processor sockets	LGA 1700

Memory

Supported memory types *	DDR5-SDRAM
Number of memory slots *	4
Memory slots type	DIMM
Memory channels	Dual-channel
Non-ECC	✓
Supported memory clock speeds	7200,7000,6800,6600,6400,6200,6000,5800,5600,5400,5200,5000,4800 MHz
Supported memory clock speed (max)	7200 MHz
Maximum internal memory *	128 GB
Unbuffered memory	✓

Storage controllers

Supported storage drive types	HDD & SSD
Supported storage drive interfaces *	M.2, SATA III
Number of HDDs supported	4
Number of storage drives supported	6

Graphics

Parallel processing technology support *	Not supported

Internal I/O

USB 2.0 connectors *	3
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	3
Number of SATA III connectors *	4
S/PDIF out connector	✓
Front panel audio connector	✓
Front panel connector	✓
ATX Power connector (24-pin)	✓
CPU fan connector	✓

Internal I/O

RGB LED pin header	✓

Rear panel I/O ports

USB 2.0 ports quantity *	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2
Ethernet LAN (RJ-45) ports *	1
PS/2 ports quantity	1
HDMI ports quantity *	2
DisplayPorts quantity	1
Headphone outputs	1
Line-in	✓
Microphone in	✓
WiFi-AP antenna jack	1

Network

Ethernet LAN	✓
Ethernet interface type	2.5 Gigabit Ethernet
Wi-Fi *	✓

Features

Motherboard chipset *	Intel B760
Audio output channels *	7.1 channels
Component for *	PC
Motherboard form factor *	micro ATX
Motherboard chipset family *	Intel
Windows operating systems supported	Windows 10 x64, Windows 11

Expansion slots

PCI Express x16 (Gen 4.x) slots	3
Number of M.2 (M) slots	2

BIOS

BIOS type *	UEFI AMI
BIOS memory size	128 Mbit

Internal I/O

Number of chassis fan connectors	2
EPS power connector (8-pin)	✔
Number of COM connectors	1
TPM connector	✔
12V power connector	✔

BIOS

Clear CMOS button	✔

Packaging data

Package width	270 mm
Package depth	263 mm
Package height	52 mm
Package weight	1.14 kg

Weight & dimensions

Width	244 mm
Depth	244 mm
Height	40 mm

Packaging content

Cables included	SATA

4711387140710