

Samsung QMC Digital signage flat panel 109.2 cm (43") Wi-Fi 500 cd/m² 4K Ultra HD Black Built-in processor Tizen 24/7

Brand : Samsung

Product code: LH43QMCEPGCXEN

Product name : QMC



43" 3840 x 2160, IPS, 178/178, 0.245x0.245mm, 24/7, WiFi, Bluetooth, 16GB, Tizen 7.0
 Samsung QMC. Product design: Digital signage flat panel. Display diagonal: 109.2 cm (43"), Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen. Product colour: Black

Display		Design	
Panel type	IPS	Bezel width (side)	1.15 cm
Display diagonal *	109.2 cm (43")	Bezel width (top)	1.15 cm
Display resolution *	3840 x 2160 pixels	Anti-glare screen	✓
Display brightness *	500 cd/m ²		
HD type *	4K Ultra HD	Performance	
Touchscreen *	✗	Purpose *	Universal
Response time	8 ms	Operating hours (hours/days)	24/7
Contrast ratio (typical)	1200:1	HDCP	✓
Dynamic contrast ratio marketing name	Mega Contrast	HDCP version	2.2
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	121 W
Pixel pitch	0.245 x 0.245 mm	Power consumption (standby) *	0.5 W
Display diagonal (metric)	109.2 cm	Energy efficiency class (SDR)	G
Horizontal scan range	30 - 81 kHz	Energy consumption (SDR) per 1000 hours	74 kWh
Vertical scan range	48 - 75 Hz	AC input voltage	100 - 240 V
Haze rate	25%	AC input frequency	50/60 Hz
RGB colour space	NTSC	Energy efficiency scale	A to G
Ports & interfaces		Computer system	
HDMI ports quantity *	3	Built-in processor *	✓
HDMI version	2.0	Internal memory	16 GB
DVI port *	✗	Operating system installed	Tizen
DisplayPorts quantity *	1	Operating system version	Tizen 7.0
USB port *	✓	Weight & dimensions	
USB ports quantity	2	Display width	969.5 mm
Ethernet LAN *	✓	Display depth	28.5 mm
Ethernet LAN (RJ-45) ports	1	Display height	557.8 mm
Wi-Fi *	✓	Display weight	8.8 kg
RS-232 interface	✓	Packaging data	
Remote (IR) input	1	Package width	1093 mm
Audio		Package depth	126 mm
Built-in speaker(s) *	✗	Package height	667 mm

Design		Packaging data	
Product design *	Digital signage flat panel	Package weight	11.3 kg
Placement supported *	Indoor	Operational conditions	
Product colour *	Black	Operating temperature (T-T)	0 - 40 °C
VESA mounting *	✓	Operating relative humidity (H-H)	10 - 80%
Panel mounting interface	200 x 200 mm	Other features	
Bezel width (bottom)	1.15 cm	Bluetooth	✓



8806095205014

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date