

iiyama ProLite T1634MC-B1S computer monitor 39.6 cm (15.6") 1920 x 1080 pixels Full HD LED Touchscreen Black

Brand : iiyama

Product family: ProLite

Product code: T1634MC-B1S

Product name : T1634MC-B1S

15.6", 39.5cm, IPS, LED, 1920 x 1080, 16:9, 450 cd/m², 90%, 25ms, 381 x 285.5 x 200mm, 445 x 355 x 150mm, 3.4kg, 5.18kg

iiyama ProLite T1634MC-B1S. Display diagonal: 39.6 cm (15.6"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	39.6 cm (15.6")	HDMI ports quantity	1
Display resolution *	1920 x 1080 pixels	DisplayPorts quantity	1
HD type *	Full HD	HDCP	✓
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LED	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Touchscreen *	✓	Tilt adjustment	✓
Touchscreen technology	Projected capacitive system	Tilt angle range	90 - 5°
Number of simultaneous touchpoints	10	On Screen Display (OSD)	✓
Display brightness (peak)	450 cd/m ²	Power	
Display brightness (typical)	405 cd/m ²	Energy efficiency class (SDR) *	E
Display surface	Matt	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	10 kWh
Contrast ratio (typical) *	700:1	Power consumption (typical) *	18 W
Maximum refresh rate *	60 Hz	Power consumption (standby) *	1.5 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	Power supply type	External
Display number of colours *	16.2 million colours	Energy efficiency scale	A to G
Response time (fast)	25 ms	Packaging content	
Pixel pitch	0.179 x 0.179 mm	Cables included	AC, DisplayPort, HDMI, USB
Digital horizontal frequency	30 - 84 kHz	Weight & dimensions	
Display diagonal (metric)	39.5 cm	Width (with stand)	381 mm
Colour depth	6 bit	Depth (with stand)	200 mm
Colour gamut	90%	Height (with stand)	285.5 mm
Second display effective viewing area	344.2 x 193.6 mm	Weight (with stand)	3.4 kg
Design		Packaging data	
Market positioning *	Office	Package width	445 mm
Product colour *	Black	Package depth	150 mm
International Protection (IP) code	IP65	Package height	355 mm
Glass thickness	2.4 mm	Package weight	5.18 kg
Ports & interfaces			
VGA (D-Sub) ports quantity	1		
HDMI *	✓		

Sustainability

European Product Registry for
Energy Labelling (EPREL) code 1530736



4948570122110

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date