



## ASUS ProArt PA27DCE-K computer monitor 68.3 cm (26.9") 3840 x 2160 pixels 4K Ultra HD OLED Black

**Brand :** ASUS

**Product family:** ProArt

**Product code:** 90LM0810-B01I70

**Product name :** PA27DCE-K

- 26.9-inch 4K (3840 x 2160) HDR OLED panel with RGB stripes and 99% DCI-P3 color gamut
  - True 10-bit color depth and 1,000,000:1 contrast ratio provides the deep blacks and accurate highlights
  - Support multiple HDR formats (HDR-10, HLG) presents lifelike experience and flexibility
  - World-leading  $\Delta E < 1$  color performance and ASUS ProArt Hardware Calibration Technology for color-accuracy optimization, uniformity and color profile write-back
  - USB-C supports DisplayPort signal, data transfers and up to 80W Power Delivery to external devices via one cable
  - X-rite i1 Display Pro included
- 26.9" OLED 4K 3840 x 2160, HDR, USB-C, DisplayPort, HDMI, 32W, 100-240V, 50/60Hz, VESA



| Display                             |   | Ports & interfaces                        |              |
|-------------------------------------|---|---|--------------|
| Display diagonal *                  | 68.3 cm (26.9")                                       | HDMI *                                    | ✓            |
| Display resolution *                | 3840 x 2160 pixels                                    | HDMI ports quantity                       | 3            |
| HD type *                           | 4K Ultra HD   | HDMI version                              | 2.0          |
| Native aspect ratio *               | 16:9  | DisplayPorts quantity                     | 1            |
| Display technology *                | OLED  | DisplayPort version                       | 1.4          |
| Touchscreen *                       | ✗   | Headphone out *                           | ✓            |
| Display brightness (peak)           | 350 cd/m <sup>2</sup>                                 | Headphone outputs                         | 1            |
| Display brightness (typical)        | 200 cd/m <sup>2</sup>                                 | Headphone connectivity                    | 3.5 mm       |
| Response time                       | 0.1 ms  | HDCP                                      | ✓            |
| Screen shape *                      | Flat  | HDCP version                              | 2.2          |
| Contrast ratio (typical) *          | 1000000:1   | Ergonomics                                |              |
| Contrast ratio (dynamic)            | 100000000:1   | VESA mounting *                           | ✓            |
| Maximum refresh rate *              | 60 Hz   | Panel mounting interface                  | 100 x 100 mm |
| Viewing angle, horizontal           | 178°  | Wall mountable                            | ✓            |
| Viewing angle, vertical             | 178°  | Cable lock slot *                         | ✓            |
| Display number of colours *         | 1.073 billion colours                                 | Cable lock slot type                      | Kensington   |
| Pixel pitch                         | 0.155 x 0.155 mm                                      | Height adjustment *                       | ✓            |
| Viewable size, horizontal           | 59.6 cm   | Height adjustment                         | 13 cm        |
| Viewable size, vertical             | 33.5 cm   | Pivot                                     | ✓            |
| Display diagonal (metric)           | 68 cm   | Pivot angle                               | 90 - -90°    |
| High Dynamic Range (HDR) supported  | ✓   | Swivelling                                | ✓            |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG) | Swivel angle range                        | 30 - -30°    |
| RGB colour space                    | DCI-P3  | Tilt adjustment                           | ✓            |
| Colour gamut                        | 99%   | Tilt angle range                          | 23 - -5°     |
| sRGB coverage (typical)             | 100%  | Power                                     |              |
| Performance                         |   | Energy efficiency class (SDR) *           | G            |
| NVIDIA G-SYNC *                     | ✗   | Energy consumption (SDR) per 1000 hours * | 29 kWh       |


|  |                       |   |             |
|--|-----------------------|---|-------------|
| <b>Performance</b>                           |                       | <b>Power</b>  |             |
| AMD FreeSync *                               | ✗                     | Power consumption (typical) *                               | 32 W        |
| Flicker-free technology                      | ✓                     | Power consumption (PowerSave)                               | 0.5 W       |
| Low Blue Light technology                    | ✓                     | AC input voltage  | 100 - 240 V |
| <b>Multimedia</b>                            |                       | AC input frequency  | 50/60 Hz    |
| Built-in speaker(s) *                        | ✓                     | Energy efficiency scale                                     | A to G      |
| Built-in camera *                            | ✗                     | <b>Packaging content</b>                                    |             |
| Number of speakers                           | 2                     | Stand included  | ✓           |
| RMS rated power                              | 6 W                   | <b>Weight &amp; dimensions</b>                              |             |
| <b>Design</b>                                |                       | Width (with stand)  | 626.7 mm    |
| Market positioning *                         | Graphics design       | Depth (with stand)  | 265 mm      |
| Product colour *                             | Black                 | Height (with stand)   | 569.6 mm    |
| Feet colour                                  | Black                 | Weight (with stand)   | 9.4 kg      |
| <b>Ports &amp; interfaces</b>                |                       | Width (without stand)                                       | 626.7 mm    |
| Built-in USB hub *                           | ✓                     | Depth (without stand)                                       | 66.9 mm     |
| USB hub version                              | 3.2 Gen 1 (3.1 Gen 1) | Height (without stand)                                      | 376.2 mm    |
| USB upstream port type                       | USB Type-C            | Weight (without stand)                                      | 5.9 kg      |
| Number of upstream ports                     | 1                     | <b>Packaging data</b>                                       |             |
| Number of USB Type-C upstream ports quantity | 1                     | Package width   | 855 mm      |
| USB Type-A downstream ports quantity         | 2                     | Package depth   | 295 mm      |
| USB Type-C downstream ports quantity         | 1                     | Package height  | 595 mm      |
| USB Type-C DisplayPort Alternate Mode        | ✓                     | Package weight  | 15 kg       |
| USB Power Delivery                           | ✓                     | Package type  | Box         |
| USB Power Delivery up to                     | 80 W                  | <b>Sustainability</b>                                       |             |
|  |                       | Sustainability compliance                                   | ✓           |
|  |                       | Sustainability certificates                                 | ENERGY STAR |
|  |                       | European Product Registry for Energy Labelling (EPREL) code | 1497468     |



0195553905411



195553905411



4711081905400

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.