

# DeepCool Morpheus Tower Black

**Brand :** DeepCool

**Product code:** R-MORPHEUS-BKAPA1-G-1

**Product name :** Morpheus

ATX+, Mini-ITX/Micro-ATX/ATX/E-ATX, 3.5"/2.5", 9 Slots, 1x 420 mm ARGB, USB3.0, 3.5 mm, 528 x 250 x 551 mm, 15.5 Kg, Black

DeepCool Morpheus. Form factor: Tower, Type: PC, Product colour: Black. Power supply location: Bottom, Supported power supply form factors: ATX. Front fans diameters supported: 120,140,180,200 mm, Side fans installed: 1x 420 mm, Side fans diameters supported: 120,140 mm. Supported HDD sizes: 2.5,3.5", SSD form factor: 2.5". Width: 250 mm, Depth: 528 mm, Height: 551 mm



Design		Cooling	
Material	ABS, SPCC, Tempered glass	Number of front fans supported (max)	3
Form factor *	Tower	Front fans diameters supported	120,140,180,200 mm
Type *	PC	Side fans installed	1x 420 mm
Product colour *	Black	Number of side fans supported (max)	3
Supported motherboard form factors *	ATX, micro ATX, Mini-ATX, EATX	Side fans diameters supported	120,140 mm
Number of 3.5" bays *	2	Number of rear fans supported (max)	1
Number of 2.5" bays	3	Rear fans diameters supported	120,140 mm
Number of internal 3.5" bays	2	Number of top fans supported (max)	3
Number of expansion slots	9	Top fans diameters supported	120,180,140,200 mm
Side window	✓	Number of bottom fans supported (max)	3
Suitable for	Gaming	Bottom fans diameters supported	120,180,140,200 mm
Illumination	✓	Front radiator sizes supported	120,140,240,280,360,420 mm
Illumination colour	Multi	Side radiator sizes supported	140,240,360,120,280,420 mm
Illumination location	Case fans	Bottom radiator sizes supported	140,240,360,120,280,420 mm
Tempered glass panel(s)	✓	Rear radiator sizes supported	120,140 mm
Anti-dust filter	✓	Top radiator sizes supported	140,240,360,120,280,420 mm
Cable management	✓	<b>Storage</b>	
On/off button	✓	Supported HDD sizes *	2.5,3.5"
LED indicators	✓	SSD form factor	2.5"
Maximum CPU cooler height	19.5 cm	<b>Weight &amp; dimensions</b>	
Maximum graphics card length	48 cm	Width	250 mm
Maximum PSU length	18 cm	Depth	528 mm
<b>Power supply</b>		Height	551 mm
Power supply included *	✗	Weight	15.5 kg
Power supply location	Bottom		
Supported power supply form factors	ATX		
<b>Ports &amp; interfaces</b>			
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4		
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1		

## Ports & interfaces

Combo headphone/mic port





6933412774747

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date