

Brother HL-L5210DN 1200 x 1200 DPI A4

Brand : Brother

Product code: HL-L5210DNQJ1

Product name : HL-L5210DN



Laser, 1200 x 1200 dpi, USB 2.0, LAN, LCD

Brother HL-L5210DN. Print technology: Laser. Number of print cartridges: 1. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 48 ppm, Duplex printing. Product colour: Black, White

Printing		Network	
Colour *	✗	Ethernet LAN data rates	10,100,1000 Mbit/s
Print technology *	Laser	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP, WPA3-SAE
Duplex printing *	✓	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTP client, Syslog
Maximum resolution *	1200 x 1200 DPI		Supported network protocols (IPv6)
Print speed (black, normal quality, A4/US Letter) *	48 ppm		
Features		Performance	
Printing colours *	Black	Internal memory *	512 MB
Number of print cartridges *	1	Sound pressure level (printing)	54 dB
Page description languages *	BR-Script 3, PCL 6, PDF, XPS	Design	
Input & output capacity		Market positioning *	Home & office
Total number of input trays *	1	Product colour *	Black, White
Total input capacity *	250 sheets	Built-in display *	✓
Total output capacity *	150 sheets	Colour display	✗
Multi-Purpose tray	✓	Power	
Multi-Purpose tray input capacity	100 sheets	Power consumption (printing) *	670 W
Paper handling		AC input voltage	220 - 240 V
Maximum ISO A-series paper size *	A4	AC input frequency	50/60 Hz
Paper tray media types *	Envelopes, Letterhead, Plain paper, Recycled paper, Thin paper	System requirements	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Windows operating systems supported	Windows 10, Windows 11
Non-ISO print media sizes	Folio, Legal, Letter	Operational conditions	
JIS B-series sizes (B0...B9)	B5	Operating temperature (T-T)	10 - 32.5 °C
Envelopes sizes	C5, Com-10, DL, Monarch	Storage temperature (T-T)	0 - 40 °C
Ports & interfaces		Operating relative humidity (H-H)	20 - 80%
USB port *	✓	Storage relative humidity (H-H)	35 - 85%
USB connector	USB Type-A / USB Type-B	Weight & dimensions	
Network		Width	373 mm
Wi-Fi *	✗	Depth	388 mm
Ethernet LAN *	✓		
Cabling technology	10/100/1000Base-T(X)		

Weight & dimensions

Height 257 mm



4977766824972

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date