

## Gigabyte TRX50 AERO D Motherboard - Supports AMD Ryzen PRO 7000 CPUs, 16+8+4 Phases Digital VRM, up to 7800MHz DDR5 (OC), 4xPCIe 4.0 M.2, Wi-Fi 7, 2.5GbE LAN, USB 3.2 Gen 2

**Brand :** Gigabyte



**Product code:** TRX50 AERO D

**Product name :** TRX50 AERO D Motherboard - Supports AMD Ryzen PRO 7000 CPUs, 16+8+4 Phases Digital VRM, up to 7800MHz DDR5 (OC), 4xPCIe 4.0 M.2, Wi-Fi 7, 2.5GbE LAN, USB 3.2 Gen 2

AMD TRX50, sTR5, DDR5, 10GbE LAN, Wi-Fi 7, PCIe 5.0, M.2, 8 x SATA 6Gb/s, E-ATX, USB 3.2, 256 Mbit, AMI UEFI BIOS, 30.5 x 26.4 cm

[Gigabyte TRX50 AERO D Motherboard - Supports AMD Ryzen PRO 7000 CPUs, 16+8+4 Phases Digital VRM, up to 7800MHz DDR5 \(OC\), 4xPCIe 4.0 M.2, Wi-Fi 7, 2.5GbE LAN, USB 3.2 Gen 2:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Network	
Processor manufacturer *	AMD	Ethernet LAN	✓
Processor socket *	Socket sTR5	Ethernet interface type	10 Gigabit Ethernet
Compatible processor series *	AMD Ryzen™ Threadripper™	Wi-Fi *	✓
Maximum number of SMP processors	1	Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Maximum internal memory supported by processor	1 TB	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be)
Memory		Bluetooth	✓
Supported memory types *	DDR5-SDRAM	Bluetooth version	5.3
Number of memory slots *	4	Features	
Memory slots type	DIMM	Motherboard chipset *	AMD TRX50
Memory channels	Quad-channel	Audio chip	Realtek ALC4080
ECC	✓	Audio output channels *	2.0 channels
Supported memory clock speeds	4400,4800,5200,5600,6000,6400,6800,7000,7200,7600,7800 MHz	Product colour	Black
Supported memory clock speed (max)	7800 MHz	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Maximum internal memory *	1 TB	Component for *	PC
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB, 64GB, 128GB, 128MB, 256MB	Motherboard form factor *	Extended ATX
Storage controllers		Motherboard chipset family *	AMD
Supported storage drive types	SSD	Windows operating systems supported	Windows 11 x64
Supported storage drive interfaces *	M.2, SATA	Expansion slots	
Number of HDDs supported	8	PCI Express x16 slots	3
Number of storage drives supported	12	PCI Express x16 (Gen 4.x) slots	1
RAID support	✓	PCI Express x16 (Gen 5.x) slots	2
RAID levels	0, 1, 10	Number of M.2 (M) slots	4
Graphics		BIOS	
DirectX version	12.0	BIOS type *	UEFI AMI
Internal I/O		BIOS memory size	256 Mbit
USB 2.0 connectors *	2	ACPI version	5.0
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Clear CMOS jumper	✓
USB 3.2 Gen 2x2 connectors	1	Clear CMOS button	✓
Number of SATA III connectors *	8		
Total number of SATA connectors	8		

Internal I/O		BIOS	
Audio connector	✓	Desktop Management Interface (DMI) version	2.7
ATX Power connector (24-pin)	✓	System Management BIOS (SMBIOS) version	2.7
CPU fan connector	✓	<b>Logistics data</b>	
Number of chassis fan connectors	10	Country of origin	China
EPS power connector (8-pin)	✓	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	<b>Battery</b>	
<b>Rear panel I/O ports</b>		Battery weight	3 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	4	Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	2	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Ethernet LAN (RJ-45) ports *	2	Battery type	CR2032
DisplayPorts quantity	1	<b>Packaging data</b>	
Headphone outputs	2	Package width	345 mm
		Package depth	294 mm
		Package height	80 mm
		Package weight	3.04 kg
		<b>Weight &amp; dimensions</b>	
		Width	305 mm
		Depth	264 mm
		Height	35 mm
		<b>Packaging content</b>	
		Batteries included	✓
		Bundled software	Norton Internet Security (OEM version), LAN bandwidth management software
		<b>Technical details</b>	
		Warranty period	3 year(s)



0889523040560



889523040560



4719331859480

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.