



## DELL UltraSharp U2424HE computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black, Silver

**Brand :** DELL

**Product family:** UltraSharp

**Product code:** DELL-U2424HE

**Product name :** U2424HE

- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS

- 8ms, 16:9, 250cd/m<sup>2</sup>, 1000:1

- USB, HDMI, DisplayPort

60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS, 16:9, 250cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1000:1

DELL UltraSharp U2424HE computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black, Silver:


Experience improved visual comfort, peak productivity and extensive connectivity with this hub monitor certified by TÜV for 4-star eye comfort.

DELL UltraSharp U2424HE. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black, Silver



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	HDCP version	1.4
Display resolution *	1920 x 1080 pixels	AC (power) in	✓
HD type *	Full HD	<b>Network</b>	
Native aspect ratio *	16:9	Wi-Fi	✗
Display technology *	LCD	<b>Ergonomics</b>	
Panel type *	IPS	VESA mounting *	✓
Backlight type	Edge LED	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Cable lock slot *	✓
Display brightness (typical)	250 cd/m <sup>2</sup>	Cable lock slot type	Kensington
Response time	8 ms	Height adjustment *	✓
Anti-glare screen	✓	Height adjustment	15 cm
Screen shape *	Flat	Pivot	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 720 x 480, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Pivot angle	-90 - 90°
		Swivelling	✓
		Swivel angle range	-45 - 45°
		Tilt adjustment	✓
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Tilt angle range	-5 - 21°
Contrast ratio (typical) *	1000:1	On Screen Display (OSD)	✓
Maximum refresh rate *	120 Hz	<b>Power</b>	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	D
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	Not available
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	15 kWh
Response time (fast)	5 ms	Power consumption (typical) *	14.5 W
Pixel pitch	0.2745 x 0.2745 mm	Power consumption (standby) *	0.5 W
Pixel density	92.53 ppi	Power consumption (max)	210 W
Horizontal scan range	31 - 135 kHz	Power consumption (off)	0.3 W
Vertical scan range	48 - 120 Hz	AC input voltage	100 - 240 V
Viewable size, horizontal	52.7 cm	AC input frequency	50/60 Hz
Viewable size, vertical	29.6 cm	Input current	2.2 A
Viewable size diagonal	60.5 cm	Power supply type	Internal
Display diagonal (metric)	60.47 cm		
High Dynamic Range (HDR) supported	✗		

<b>Display</b>		<b>Power</b>	
Surface hardness	3H	Energy efficiency scale	A to G
RGB colour space	DCI-P3	<b>Operational conditions</b>	
Colour gamut	85%	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	100%	Storage temperature (T-T)	-20 - 60 °C
<b>Performance</b>		Operating relative humidity (H-H)	10 - 80%
NVIDIA G-SYNC *	✗	Storage relative humidity (H-H)	5 - 90%
AMD FreeSync *	✗	Operating altitude	0 - 5000 m
Flicker-free technology	✓	Non-operating altitude	5000 - 12192 m
Low Blue Light technology	✓	<b>Packaging content</b>	
<b>Multimedia</b>		Stand included	✓
Built-in speaker(s) *	✗	Cables included	AC, DisplayPort, USB Type-A to USB Type-C
Built-in camera *	✗	Power adapter included	✓
<b>Design</b>		Remote control included	✗
Market positioning *	Business	Stylus included	✗
Product colour *	Black, Silver	Quick start guide	✓
Front bezel colour	Black	DisplayPort cable length	1.8 m
Feet colour	Silver	<b>Weight &amp; dimensions</b>	
Heavy metals free	Hg (mercury)	Width (with stand)	538.6 mm
<b>Ports &amp; interfaces</b>		Depth (with stand)	181.8 mm
Built-in USB hub *	✓	Height (with stand)	496.5 mm
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Weight (with stand)	5.55 kg
USB upstream port type	USB Type-C	Width (without stand)	538.6 mm
Number of USB Type-C upstream ports quantity	2	Depth (without stand)	49.1 mm
USB Type-A downstream ports quantity	4	Height (without stand)	311.2 mm
USB Type-C downstream ports quantity	1	Weight (without stand)	3.98 kg
USB Type-C DisplayPort Alternate Mode	✓	Bezel width (side)	5.8 mm
USB Power Delivery	✓	Bezel width (top)	5.8 mm
USB Power Delivery up to	90 W	Bezel width (bottom)	8.95 mm
HDMI *	✓	<b>Packaging data</b>	
HDMI ports quantity	1	Package weight	7.92 kg
HDMI version	1.4	<b>Sustainability</b>	
DisplayPorts quantity	2	Sustainability compliance	✓
DisplayPort version	1.4	Sustainability certificates	ENERGY STAR, RoHS, TCO
Headphone out *	✓	Doesn't contain	PVC/BFR
Microphone in	✗	European Product Registry for Energy Labelling (EPREL) code	1585563
PC Audio in	✗	<b>Other features</b>	
HDCP	✓	Ethernet LAN (RJ-45) ports	1



0884116452133



884116452133



5397184821428

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.