


BenQ TK860 data projector 3300 ANSI lumens DLP 2160p (3840x2160) White, Grey

Brand : BenQ Product code: 9H.JNP77.37E

Product name: TK860







Projector		Ports & interfaces	
Projector brightness *	3300 ANSI lumens	DC-in jack	1
Projection technology * DLP Projector native resolution * 2160p (3840x2160) Contrast ratio (typical) * 50000:1 Native aspect ratio * 16:9 Number of colours 1.07 billion colours		Network	
	•	Ethernet LAN *	×
		Storage	
	1.07 billion colours	Card reader integrated *	×
Horizontal scan range	15 - 135 kHz	j	^
Vertical scan range	23 - 120 Hz	Features	
Keystone correction, horizontal	-30 - 30°	Noise level (economic mode)	28 dB
Keystone correction, vertical	-30 - 30°	HDCP	✓
Light source		Preset modes	3D, Bright, Cinema, Game
· ·		Noise level *	30 dB
Light source type *	Lamp	High Dynamic Range (HDR) supported	✓
Service life of light source *	4000 h	High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10),
Service life of light source (economic mode)	10000 h	technology	Hybrid Log-Gamma (HLG)
Lens system		Multimedia	
Focal length range	12 - 15.6 mm	Built-in speaker(s) *	✓
Aperture range (F-F)	1.9 - 2.47	RMS rated power	10 W
Zoom ratio	1.3:1	Number of built-in speakers	2
Throw ratio	1.13~1.47	Audio decoders	Dolby Atmos
Vertical lens shift range	0 - 10%	Design	
Offset	100%	Market positioning *	Home cinema
Video		Product colour *	White, Grey
Full HD *	✓	Display	
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160	Built-in display *	x
Supported video modes	1080p, 2160p	Power	
Video colour modes	Living room, Sports	Power source *	AC
Ports & interfaces		Power consumption (typical) *	330 W
HDMI version	2.0b	Power consumption (standby) *	0.5 W
USB 2.0 ports quantity * 1	1	AC input voltage	100 - 240 V
USB 2.0 Type-A ports quantity	1	AC input frequency	50 - 60 Hz

Ports & interfaces		Operational conditions	
Mini-USB 2.0 ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity Headphone outputs Serial interface type * S/PDIF out port HDMI ports quantity *	1 1 1 RS-232 ✓	Operating temperature (T-T)	0 - 40 °C
		Weight & dimensions	
		Width	380 mm
		Depth	263 mm
		Height	127 mm
		Weight *	4.2 kg
DVI port *	×	Packaging content	
		Remote control included *	✓
		Batteries included	✓
		Manual	✓
		Other features	
		Security updates end date	31/12/2026



4718755088001

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.