



# TP-Link VIGI 4MP Outdoor Full-Color Dual-Lens Varifocal Pan Tilt Network Camera

**Brand :** TP-Link

**Product family:** VIGI

**Product code:** VIGI C540V

**Product name :** VIGI 4MP  
Outdoor Full-Color Dual-Lens  
Varifocal Pan Tilt Network  
Camera




1/3" Progressive Scan CMOS, f 4-12 mm, F1.6, 2560 X 1440 px, IR LED850nm 30m Max, RJ45 10/100M, POE, 139x136x107 mm

TP-Link VIGI 4MP Outdoor Full-Color Dual-Lens Varifocal Pan Tilt Network Camera. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling, Product colour: White, Black, Housing material: Plastic. Lens viewing angle, horizontal: 84°, Lens viewing angle, vertical: 46°, Lens viewing angle, diagonal: 100°. Sensor type: CMOS, Optical sensor size: 25.4 / 3 mm (1 / 3"). Digital zoom: 3x, Focal length range: 4 - 12 mm



Performance		Video	
Type *	IP security camera	Video formats supported	H.264, H.264+, H.265, H.265+
Placement supported *	Indoor & outdoor	Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2560 x 1440
Connectivity technology *	Wired	Supported video modes	720p, 1080p, 1440p
PTZ control	✓	Video recording	✓
Certification	CE, EAC, UKCA, RCM, Triman, BSMI, VCCI, FCC, IC	Frame rate	30 fps
Design		Bit rate control	Constant Bit Rate (CBR), Variable Bit Rate (VBR)
Mounting type *	Ceiling	Bit rate	256 Kbps - 4 Mbps
Product colour *	White, Black	Network	
Housing material	Plastic	Ethernet LAN *	✓
International Protection (IP) code	IP66	Ethernet interface type	Fast Ethernet
Camera		Wi-Fi *	✗
Camera pan control	✓	Bluetooth *	✗
Camera tilt control	✓	Storage	
Lens viewing angle, horizontal	84°	Built-in HDD *	✗
Lens viewing angle, vertical	46°	Card reader integrated	✓
Lens viewing angle, diagonal	100°	Compatible memory cards	MicroSD (TransFlash)
Tilt angle range	0 - 120°	Maximum memory card size	256 GB
Tilt speed	40 °/sec	Ports & interfaces	
Pan range	0 - 332°	Ethernet LAN (RJ-45) ports	1
Pan speed	55 °/sec	Power	
Image sensor		Power source type *	PoE
Number of sensors	1	Power consumption (typical)	2.9 W
Optical sensor size	25.4 / 3 mm (1 / 3")	Power consumption (max)	14 W
Sensor type *	CMOS	DC output voltage	12
Lens system		Operational conditions	
Zoom capability	✓	Operating temperature (T-T)	-30 - 60 °C
Digital zoom	3x	Storage temperature (T-T)	-40 - 60 °C
Number of lenses *	1	Operating relative humidity (H-H)	5 - 95%
Maximum aperture number	1.6		
Focal length range	4 - 12 mm		

Night vision		Operational conditions	
Night vision *	✓	Storage relative humidity (H-H)	5 - 95%
Night vision distance	30 m	<b>Weight &amp; dimensions</b>	
LED type	IR	Width	136 mm
Number of illumination LEDs	1	Depth	139 mm
Infra-red wavelength	850 nm	Height	107 mm
<b>Video</b>		Weight	430 g
Maximum resolution *	2560 x 1440 pixels	Package weight	660 g
Total megapixels *	4 MP	Package type	Box
		<b>Packaging content</b>	
		Number of cameras *	1
		Manual	✓



4895252500844



4895252500837

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-MAY-2024. Prints or copies of Information are only valid on the printed Publication date