

PHILIPS

Festavia string lights

Hue White and Colour
Ambiance

Create a gradient of colour


250 smart colour LEDs

20-metre cord

Indoor and outdoor use



8720169246645



Easy smart lighting

With 250 smart mini LEDs along a 20-metre cord, Festavia string lights are the perfect indoor and outdoor decoration. Create a gradient of colour along the string, set an effect such as Sparkle or Prism, or use one shade of white or colour to create a more traditional look.

Easy control and comfort

- Customise with the Hue app
- Add accessories
- Go hands-free with voice

String light versatile use

- Festavia string lights are weatherproof, so they can be used both inside your home or outside all year round. And because it's Low-volt compatible, you can connect it to the same power supply unit as your other outdoor lights.
- Beyond the special holiday scenes that make that time of the year extra festive, any scene from the Hue scene gallery looks beautiful on Festavia — making for perfect year-round decor.

String light styles

- Special string light styles



Highlights

Customise with the Hue app



Set up in the Hue app to get instant control of your string lights – along with all your other lights! With the Hue app, you can also set automations and more.

Add accessories



Get a little more convenience out of your lights with easy-to-use accessories, such as a Hue dimmer switch or smart button.

Go hands-free with voice




Control with voice commands by pairing with smart home assistants such as Amazon Alexa, Siri and Google Assistant.


Indoors and outdoors



Set the scene



Special string light styles



Once you've set your scene, make it unique! Use the Linear style for a gradient of colour in a single line, Scattered for a random arrangement of colour or Mirrored to mirror the colours from the middle of the string.

Specifications

Design and finishing

- Colour: Black
- Material: Synthetic

Environmental

- Operational humidity: Suitable for indoor and outdoor use
- Operational temperature: -20 °C to 40 °C

Extra feature/accessory incl.

- Colour changing (LED): Yes
- Dimmable: Yes
- Fully weatherproof: Yes
- LED integrated: Yes
- Universal Plug: No

Lightstrip

- Colour temperature: 2000–6500 K
- Extendibility: No
- Input Voltage: 24V
- Wattage: 14 W

Power consumption

- Standby power: 0.5 W

Product dimensions and weight

- Net weight: 1.16 kg
- LED diameter: 5 mm
- Cable length to first LED: 4.4 m
- String light length: 20 m

Service

- Warranty: 2 year(s)

Technical specifications

- Lifetime up to: 15,000 h
- Mains power: 220–240 V, 50–60 Hz
- Class of protection: Class II
- Replaceability of light source: Non-replaceable LED light source
- Replaceability of control gears: Replaceable control gear by end user
- Led light spacing: 8 cm
- Number of LEDs: 250
- IP code of power supply: IP20 | Finger-protected
- Class of protection (string lights): Class III
- IP code String Lights: IP54 | Dust accumulation-protected, splash-proof

What's in the box

- Power adapter: 30 W
- Festavia string lights: 1

What's supported

- Compatible with Effects feature: Yes
- Philips Hue App: IOS 15 and above, Android 10.0 and above
- Defined support period: 5 years, except 3 years for Hue Bridge (see “End of Support Policy”)

Packaging dimensions and weight

- EAN/UPC - product: 8720169246645
- Net weight: 1.12 kg
- Gross weight: 1.42 kg
- Height: 114 mm
- Length: 156 mm
- Width: 226 mm
- Material number (12NC): 929003674403



Issue date: 2024-04-22
Version: 0.175

© 2024 Signify Holding. All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com