PHILIPS

Philips 5000 series 40B1U5601H/00 computer monitor 101.6 cm (40") 3440 x 1440 pixels Wide Quad HD LCD Black

Brand : Philips Product family: 5000 series Product code: 40B1U5601H/00

Product name: 40B1U5601H/00

Business Monitor 40B1U5601H UltraWide LCD monitor with USB-C docking

Philips 5000 series 40B1U5601H/00 computer monitor 101.6 cm (40") 3440×1440 pixels Wide Quad HD LCD Black:

This USB-C monitor is for data transfer, power delivery and watching videos. The integrated 5 MP webcam delivers sharp images, and the noise cancelling mic lets people hear you fine. Windows Hello Webcam for quick access and strong security.

Philips 5000 series 40B1U5601H/00. Display diagonal: 101.6 cm (40"), Display resolution: $3440 \times 1440 \text{ pixels}$, HD type: Wide Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black











Display		Ports & interfaces	
Display diagonal *	101.6 cm (40")	DisplayPort output	✓
Display resolution *	3440 x 1440 pixels	Network	
HD type *	Wide Quad HD	Ethernet LAN	1
Native aspect ratio *	21:9		•
Display technology *	LCD	Ergonomics	
Panel type *	IPS	VESA mounting *	1
Backlight type	W-LED	Panel mounting interface	100 x 100 mm
Touchscreen *	×	Cable lock slot *	✓
Display brightness (typical)	300 cd/m ²	Cable lock slot type	Kensington
Response time	4 ms	Height adjustment *	✓
Anti-glare screen	✓	Height adjustment	15 cm
Screen shape *	Flat	Swivelling	✓
Contrast ratio (typical) *	1200:1	Swivel angle range	-180 - 180°
Contrast ratio (dynamic)	50000000:1	Tilt angle range	-5 - 30°
Dynamic contrast ratio marketing	SmartContrast	Picture-in-Picture	✓
name		On Screen Display (OSD)	✓
Maximum refresh rate *	100 Hz		Simplified Chinese, Traditional
Viewing angle, horizontal	178°		Chinese, Czech, German, Dutch,
Viewing angle, vertical	178°	On Screen Display (OSD) languages	English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese,
Display number of colours *	16.7 million colours		Korean, Polish, Portuguese, Russian
Pixel pitch	0.26925 x 0.26925 mm		Swedish, Turkish, Ukrainian
Pixel density	94 ppi	Plug and Play	1
Horizontal scan range	30 - 160 kHz	LED indicators	Operation, Stand-by
Vertical scan range	48 - 100 Hz	Power	
Viewable size, horizontal	92.6 cm	Energy efficiency class (SDR) *	G
Viewable size, vertical	38.8 cm	Energy efficiency class (HDR) *	G
Digital horizontal frequency	30 - 190 kHz	Energy consumption (SDR) per 1000	
Digital vertical frequency	48 - 120 Hz	hours *	41 kWh
Display diagonal (metric)	100.4 cm	Energy consumption (HDR) per 1000 hours *	60 kWh

Display		Power	
Display		Power	40.0 W
High Dynamic Range (HDR) supported	✓	Power consumption (typical) *	40.2 W
High Dynamic Range (HDR)		Power consumption (standby) *	0.4 W
technology	High Dynamic Range 10 (HDR10)	Power consumption (PowerSave) AC input voltage	31.4 W 100 - 240 V
DDC/CI	✓	AC input frequency	50 - 60 Hz
Haze rate	25%	Power supply type	Internal
Surface hardness	3H	Energy efficiency scale	A to G
Colour depth	8 bit	Operational conditions	
RGB colour space	sRGB		0.40.90
sRGB coverage (typical)	121%	Operating temperature (T-T)	0 - 40 °C
NTSC coverage (typical) Display sRGB	102%	Storage temperature (T-T) Operating relative humidity (H-H)	-20 - 60 °C 20 - 80%
	*	Operating relative fidinialty (11-11)	0 - 3658 m
Performance		Non-operating altitude	3658 - 12192 m
NVIDIA G-SYNC *	X		
AMD FreeSync *	X	Packaging content	
Fast charging	Power Delivery	Stand included Cables included	JDMI Dianley-Dert JICP Type C AC
Fast charging technology Component video sync	Power Delivery Separate sync	Manual	HDMI, DisplayPort, USB Type-C, AC ✓
Flicker-free technology	✓	Bundled software	SmartControl
Low Blue Light technology	*		Smarcontrol
HBR3 support	·	Weight & dimensions	
	Mac OS X Windows 11 / 10 / 8.1 / 8 /	Width (with stand)	944 mm
Compatible operating systems	7	Depth (with stand)	280 mm
Multimedia		Height (with stand) Weight (with stand)	628 mm
Built-in speaker(s) *	✓	Width (without stand)	14.1 kg 944 mm
Built-in camera *	✓	Depth (without stand)	54 mm
Number of speakers	2	Height (without stand)	419 mm
RMS rated power	10 W	Weight (without stand)	9.9 kg
Megapixel (approx.)	5 MP	• .	-
riegapixer (approx.)	3 1411	Packaging data	
Built-in microphone	√	Packaging data	1070 mm
= ' ''		Package width	1070 mm
Built-in microphone		Package width Package depth	226 mm
Built-in microphone Design	✓	Package width Package depth Package height	
Built-in microphone Design Market positioning *	Business	Package width Package depth Package height Package weight	226 mm 507 mm
Built-in microphone Design Market positioning * Product colour *	Business Black	Package width Package depth Package height Package weight Sustainability	226 mm 507 mm 17.8 kg
Built-in microphone Design Market positioning * Product colour * Front bezel colour	Business Black Black	Package width Package depth Package height Package weight Sustainability Sustainability compliance	226 mm 507 mm 17.8 kg
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour	Business Black Black	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates	226 mm 507 mm 17.8 kg ✓ ENERGY STAR, RoHS
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces	Business Black Black Black	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates Doesn't contain	226 mm 507 mm 17.8 kg ✓ ENERGY STAR, RoHS Mercury, PVC/BFR
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub *	Business Black Black Black	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates	226 mm 507 mm 17.8 kg ✓ ENERGY STAR, RoHS
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version	Business Black Black Black V 3.2 Gen 2 (3.1 Gen 2)	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for	226 mm 507 mm 17.8 kg ✓ ENERGY STAR, RoHS Mercury, PVC/BFR
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream	Business Black Black Black 3.2 Gen 2 (3.1 Gen 2) USB Type-C	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data	226 mm 507 mm 17.8 kg V ENERGY STAR, RoHS Mercury, PVC/BFR 1389949
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity	Business Black Black Black 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic	226 mm 507 mm 17.8 kg ✓ ENERGY STAR, RoHS Mercury, PVC/BFR
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream	Business Black Black Black 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features	226 mm 507 mm 17.8 kg V ENERGY STAR, RoHS Mercury, PVC/BFR 1389949 85%
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports	Business Black Black Black 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP)	226 mm 507 mm 17.8 kg INDERIGY STAR, ROHS Mercury, PVC/BFR 1389949 85%
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity	Business Black Black Black 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type	226 mm 507 mm 17.8 kg INTERIOR STAR, ROHS Mercury, PVC/BFR 1389949 85% Interior Textured
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate	Business Black Black Black 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Package width Package depth Package height Package weight Sustainability Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement	226 mm 507 mm 17.8 kg ENERGY STAR, RoHS Mercury, PVC/BFR 1389949 85% Textured SmartImage
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode	Business Black Black Black V 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 2 4	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type	226 mm 507 mm 17.8 kg INTERIOR STAR, ROHS Mercury, PVC/BFR 1389949 85% Interior Textured
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate	Business Black Black Black V 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 2 4 1	Package width Package depth Package height Package weight Sustainability Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement	226 mm 507 mm 17.8 kg INERGY STAR, ROHS Mercury, PVC/BFR 1389949 85% Interpretation of the state of the st
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery	Business Black Black Black V 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 2 4 1	Package width Package depth Package height Package weight Sustainability Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals	226 mm 507 mm 17.8 kg Interval
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to	Business Black Black Black V 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 2 4 1 V I00 W	Package width Package depth Package height Package weight Sustainability Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Delta E	226 mm 507 mm 17.8 kg Interpretation of the state of the
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI *	Business Black Black Black 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 4 1	Package width Package depth Package height Package weight Sustainability Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Delta E Light sensor	226 mm 507 mm 17.8 kg INTERIOR STAR, ROHS Mercury, PVC/BFR 1389949 85% Textured SmartImage 100% CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU ROHS; SEMKO; TUV Ergo; TUV/GS; cETLus 2
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity	Business Black Black Black 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 2 4 1 1 100 W 1	Package width Package depth Package height Package weight Sustainability Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Delta E Light sensor EasyRead mode	226 mm 507 mm 17.8 kg Interpretation of the state of the
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version	Business Black Black Black V 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 2 4 1 V 100 W V 1 2.0	Package width Package depth Package height Package weight Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Delta E Light sensor EasyRead mode LowBlue mode	226 mm 507 mm 17.8 kg INTERIOR STAR, ROHS Mercury, PVC/BFR 1389949 85% Textured SmartImage 100% CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU ROHS; SEMKO; TUV Ergo; TUV/GS; cETLus 2
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output	Business Black Black Black V 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 2 4 1 1 V 100 W 1 2.0 1	Package width Package depth Package height Package weight Sustainability Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Delta E Light sensor EasyRead mode LowBlue mode Philips SmartUniformity	226 mm 507 mm 17.8 kg INTERIOR STAR, ROHS Mercury, PVC/BFR 1389949 85% INTEXTURED SmartImage 100% CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU ROHS; SEMKO; TUV Ergo; TUV/GS; CETLus 2 INTERIOR STAR ROHS 93 - 105%
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output HDCP	Business Black Black Black V 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 2 4 1 V 100 W 1 2.0 1 1.4 V V	Package width Package depth Package height Package weight Sustainability Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Delta E Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Mean time between failures (MTBF)	226 mm 507 mm 17.8 kg INTERIOR STAR, ROHS Mercury, PVC/BFR 1389949 85% INTERIOR STAR, ROHS MERCURY, PVC/BFR 1389949 85% INTERIOR STAR, ROHS MERCURY, PVC/BFR 1389949 85% INTERIOR STAR STAR STAR STAR STAR STAR STAR STA
Built-in microphone Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output	Business Black Black Black V 3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 2 4 1 V 100 W 1 2.0 1 1.4	Package width Package depth Package height Package weight Sustainability Sustainability Sustainability compliance Sustainability certificates Doesn't contain European Product Registry for Energy Labelling (EPREL) code Recycling data Post-consumer recycled plastic Other features Picture-by-Picture (PbP) Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Delta E Light sensor EasyRead mode LowBlue mode Philips SmartUniformity	226 mm 507 mm 17.8 kg INTERIOR STAR, ROHS Mercury, PVC/BFR 1389949 85% INTEXTURED SmartImage 100% CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU ROHS; SEMKO; TUV Ergo; TUV/GS; CETLus 2 INTERIOR STAR ROHS 93 - 105%



8712581797492

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.