


# Gigabyte B760M DS3H AX DDR4 Motherboard - Supports Intel Core 14th Gen CPUs, 6+2+1 Phases Digital VRM, up to 5333MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen2

**Brand :** Gigabyte

**Product code:** B760M DS3H AX DDR4


**Product name :** B760M DS3H AX DDR4 Motherboard - Supports Intel Core 14th Gen CPUs, 6+2+1 Phases Digital VRM, up to 5333MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen2



Micro ATX, LGA 1700 socket, Intel B760 Express chipset, 4x DDR4 DIMM, Wi-Fi 6E, Bluetooth 5.2, AMI UEFI BIOS

Gigabyte B760M DS3H AX DDR4 Motherboard - Supports Intel Core 14th Gen CPUs, 6+2+1 Phases Digital VRM, up to 5333MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	DisplayPorts quantity	2
Processor socket *	LGA 1700	DisplayPort version	1.2
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3,	Headphone outputs	3
	Intel® Core™ i5, Intel® Core™ i7,	Microphone in	✓
Supported processor sockets	Intel® Core™ i9, Intel® Pentium® Gold	WiFi-AP antenna jack	2
	LGA 1700	USB connector type	USB Type-A, USB Type-C
Maximum internal memory supported by processor	128 GB	Network	
<b>Memory</b>		Ethernet LAN	✓
Supported memory types *	DDR4-SDRAM	Ethernet interface type	2.5 Gigabit Ethernet
Number of memory slots *	4	Wi-Fi *	✓
Memory slots type	DIMM	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory channels	Dual-channel	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
ECC	✓		WLAN controller model
Non-ECC	✓	Bluetooth	✓
Supported memory clock speeds	2133, 2400, 2666, 2933, 3000, 3200, 3300, 3333, 3400, 3466, 3600, 3666, 3733, 3800, 3866, 4000, 4133, 4266, 4300, 4400, 4500, 4600, 4700, 4800, 4933, 5000, 5133, 5333 MHz	Bluetooth version	5.2
Supported memory clock speed (max)	5333 MHz	Features	
Maximum internal memory *	128 GB	Motherboard chipset *	Intel B760 Express
Unbuffered memory	✓	Audio output channels *	7.1 channels
Storage controllers		Product colour	Brown
Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Number of HDDs supported	4	Motherboard form factor *	micro ATX
Number of storage drives supported	6	Motherboard chipset family *	Intel
RAID support	✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID levels	0, 1, 5, 10	Expansion slots	
Graphics		PCI Express x1 slots	2
Parallel processing technology support *	Not supported	PCI Express x16 slots	1
Maximum resolution	4096 x 2304 pixels	Number of M.2 (M) slots	2
HDCP	✓		
DirectX version	12.0		
Internal I/O			
USB 2.0 connectors *	2		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1		
Number of SATA III connectors *	4		
Total number of SATA connectors	4		


Internal I/O		BIOS	
S/DPDIF out connector	✓	BIOS type *	UEFI AMI
Front panel audio connector	✓	BIOS memory size	128 Mbit
Front panel connector	✓	ACPI version	5.0
ATX Power connector (24-pin)	✓	Clear CMOS jumper	✓
CPU fan connector	✓	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	<b>Logistics data</b>	
12V power connector	✓	Country of origin	China
RGB LED pin header	✓	Products per shipping (inner) case	1 pc(s)
<b>Rear panel I/O ports</b>		<b>Battery</b>	
USB 2.0 ports quantity *	2	Battery weight	3 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Number of battery cells	1
Ethernet LAN (RJ-45) ports *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
PS/2 ports quantity	1	Battery type	CR2032
HDMI ports quantity *	1	<b>Packaging data</b>	
HDMI version	2.0	Package width	265 mm
		Package depth	265 mm
		Package height	54 mm
		Package weight	1.1 kg
		<b>Weight &amp; dimensions</b>	
		Width	244 mm
		Depth	244 mm
		Height	35 mm
		<b>Packaging content</b>	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security
		<b>Technical details</b>	
		Warranty period	3 year(s)



4719331850869



0889523034620



889523034620

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.