



**DELL OptiPlex Plus 7410 Intel® Core™ i7 i7-13700 60.5 cm (23.8") 1920 x 1080 pixels All-in-One PC 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Pro Wi-Fi 6E (802.11ax) Silver**



**Brand :** DELL

**Product family:** OptiPlex

**Product code:** 6JRYP

**Product name :** Plus 7410

- Windows 11 Pro
  - Intel Core i7-13700 (30MB Cache)
  - 60.5 cm (23.8") Full HD 1920 x 1080 IPS
  - 16GB (4800MHz) DDR5-SDRAM (1 x 16) & 512GB SSD
- Intel Core i7-13700 (30MB Cache), 16GB DDR5-SDRAM, 512GB SSD, 60.5 cm (23.8") Full HD 1920 x 1080 IPS, Intel UHD Graphics 770, LAN, WLAN, Bluetooth, Webcam, Windows 11 Pro

[DELL OptiPlex Plus 7410 Intel® Core™ i7 i7-13700 60.5 cm \(23.8"\) 1920 x 1080 pixels All-in-One PC 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Pro Wi-Fi 6E \(802.11ax\) Silver:](#)

Our new OptiPlex family enhances your desktop experience. The world's most intelligent, secure commercial PCs are now easier than ever to purchase and manage, with a single BIOS for all-in-ones and a single BIOS for towers.

DELL OptiPlex Plus 7410. Product type: All-in-One PC. Display diagonal: 60.5 cm (23.8"), HD type: Full HD, Display resolution: 1920 x 1080 pixels, Panel type: IPS. Processor family: Intel® Core™ i7. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 512 GB, Storage media: SSD. On-board graphics card model: Intel UHD Graphics 770. Built-in camera. Operating system installed: Windows 11 Pro. Product colour: Silver

Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	3
Display resolution *	1920 x 1080 pixels	USB4 Gen 3x2 ports quantity *	1
Touchscreen *	✗	HDMI ports quantity *	2
HD type *	Full HD	DisplayPorts quantity	1
Native aspect ratio	16:9	Combo headphone/mic port	✓
Panel type	IPS	Audio output	✓
Pixel density	92 ppi	PowerShare	✓
RGB colour space	sRGB	Number of USB ports with PowerShare support	2
Anti-glare screen	✓		
Colour gamut	99%		
Processor		Design	
Processor manufacturer *	Intel	Product colour *	Silver
Processor family *	Intel® Core™ i7	Cable lock slot	✓
Processor generation	13th gen Intel® Core™ i7	Cable lock slot type	Wedge
Processor model *	i7-13700	Performance	
Processor cores	16	Product type *	All-in-One PC
Processor boost frequency	5.2 GHz	Trusted Platform Module (TPM)	✓
Performance cores	8	Trusted Platform Module (TPM) version	2.0
Efficient cores	8	Software	
Performance-core Max Turbo Frequency	5.1 GHz	Operating system architecture	64-bit
Efficient-core Max Turbo Frequency	4.1 GHz	Operating system installed *	Windows 11 Pro
Performance-core base frequency	2.1 GHz	Operating system language	Multilingual
Efficient-core base frequency	1.5 GHz	Pre-installed software	No Microsoft Office License Included 30 day Trial Offer Only
Processor cache	30 MB	Processor special features	
Processor cache type	Smart Cache	Enhanced Intel SpeedStep Technology	✓
Bus type	DMI4		
Processor base power	65 W		
Maximum turbo power	219 W		

<b>Memory</b>		<b>Processor special features</b>	
Internal memory *	16 GB	Intel Trusted Execution Technology	✓
Internal memory type	DDR5-SDRAM	Intel VT-x with Extended Page Tables (EPT)	✓
Maximum internal memory *	64 GB	Intel Stable Image Platform Program (SIPP)	✓
Memory slots	2	Intel 64	✓
Memory slots type	SO-DIMM	Execute Disable Bit	✓
Memory clock speed	4800 MHz	Idle States	✓
Memory layout (slots x size)	1 x 16 GB	CPU configuration (max)	1
Memory form factor	DIMM/SO-DIMM	Embedded options available	✓
<b>Storage</b>		Intel Virtualization Technology for Directed I/O (VT-d)	✓
Total storage capacity *	512 GB	Intel Virtualization Technology (VT-x)	✓
Storage media *	SSD	<b>Power</b>	
Number of storage drives installed	1	AC adapter power	240 W
Total SSDs capacity	512 GB	AC adapter frequency	47/63 Hz
Number of SSDs installed	1	AC adapter input voltage	90 - 264 V
SSD capacity	512 GB	AC adapter output voltage	19.5 V
SSD interface	PCI Express	<b>Carbon footprint</b>	
NVMe	✓	Total carbon footprint	472 kg of CO2e
SSD form factor	M.2	Total carbon emissions (Standard deviation)	179 kg of CO2e
SSD performance class	35	Carbon emissions (Manufacturing)	287 kg of CO2e
Optical drive type *	✗	Carbon emissions (Logistics)	47 kg of CO2e
Card reader integrated	✓	Carbon emissions (Use)	132 kg of CO2e
Compatible memory cards	SD, SDHC, SDXC	Carbon emissions (End-of-Life)	6 kg of CO2e
<b>Graphics</b>		Total carbon emissions (w/o Use phase)	340 kg of CO2e
Discrete graphics card *	✗	PAIA version	1.3.2
Discrete graphics card model *	Not available	<b>Weight &amp; dimensions</b>	
On-board graphics card *	✓	Width (with stand)	540 mm
On-board GPU manufacturer	Intel	Width (without stand)	540 mm
On-board graphics card family	Intel® UHD Graphics	Depth (without stand)	57.9 mm
On-board graphics card model *	Intel UHD Graphics 770	Height (without stand)	354.3 mm
Maximum on-board graphics card resolution	7680 x 4320 pixels	Weight (without stand)	6.76 kg
<b>Audio</b>		<b>Operational conditions</b>	
Built-in speaker(s) *	✓	Operating temperature (T-T)	0 - 35 °C
Number of speakers	2	Storage temperature (T-T)	-40 - 65 °C
RMS rated power	5 W	Operating relative humidity (H-H)	10 - 90%
Built-in microphone	✓	Storage relative humidity (H-H)	0 - 95%
Audio chip	Realtek ALC3289	Operating altitude	-15.2 - 3048 m
<b>Camera</b>		Non-operating altitude	-15.2 - 10668 m
Built-in camera *	✓	<b>Packaging content</b>	
Total megapixels	5 MP	Mouse connectivity	Wireless
Camera resolution	2560 x 1920 pixels	Mouse included on selected markets only	✓
<b>Network</b>		Keyboard included on selected markets only	✓
Wi-Fi *	✓	Keyboard connectivity	Wireless
Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)	Input device model	KM5221W
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax)	Cables included	AC
WLAN controller manufacturer	Intel	<b>Other features</b>	
WLAN controller model	Intel Wi-Fi 6E AX211	Infrared (IR) camera	✓
Antenna type	2x2	Stand type	Height adjustable stand
Ethernet LAN *	✓	Intel® vPro™ Platform Eligibility	✓
Ethernet LAN data rates	10,100,1000 Mbit/s		
Bluetooth *	✓		
<b>Ports &amp; interfaces</b>			
Ethernet LAN (RJ-45) ports	1		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2		



5397184800652

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-MAY-2024. Prints or copies of Information are only valid on the printed Publication date