Hisense 50A6KTUK TV 127 cm (50") 4K Ultra HD Smart TV Wi-Fi Black 200 cd/m 2

Brand : Hisense Product code: 50A6KTUK

Product name: 50A6KTUK

- Direct LED
- Quad Core AI 4K Upscaler
- Dolby Vision & DTS Virtual X
- Precision Colour
- VIDAA U6

Hisense 50A6KTUK 50" 4K UHD SMART TV with Freeview Play, DTS Virtual X and Alexa

Hisense 50A6KTUK TV 127 cm (50") 4K Ultra HD Smart TV Wi-Fi Black 200 cd/m²:

See every detail in stunning 4K HDR with the Hisense A6K. 4K Ultra HD offers 4x more pixels than Full HD whilst HDR makes blacks darker, whites brighter and enhances contrast. DTS Virtual: X™ separates dialogue from background noise for clearer, multi-dimensional audio. For the Gamer, Auto Low Latency Mode ensures smoother, lag-free gaming. Hisense's VIDAA Smart TV OS lets you enjoy all your favourite entertainment from Netflix, Prime Video, Disney+ and Freeview Play and control your TV with Alexa & Google Assistant built-in.









Display		Ports & interfaces	
Display diagonal *	127 cm (50")	HDMI ports quantity *	3
HD type *	4K Ultra HD	Management features	
High frequency rate Display technology * LED backlight LED backlighting type Screen shape * Native aspect ratio * Display brightness * Response time	60 Hz LED ✓ Direct-LED Flat 16:9 200 cd/m² 8 ms	Voice control Electronic Programme Guide (EPG) Auto power off Sleep timer Works with Amazon Alexa Works with the Google Assistant Works with Samsung Bixby	✓ ✓ × ✓ ✓
Native refresh rate	60 Hz	Power	
Contrast ratio (typical) * Contrast ratio (dynamic) Display resolution * TV tuner	3000:1 3000:1 3840 x 2160 pixels	Power consumption (typical) * Power consumption (standby) * Energy efficiency class (SDR) * Energy efficiency class (HDR) *	130 W 0.5 W G G
Tuner type *	Digital	Energy consumption (SDR) per 1000 hours *	70 kWh
Digital signal format system * Smart TV	DVB-C, DVB-S2, DVB-T2	Energy consumption (HDR) per 1000 hours * Energy saving mode	95 kWh
Smart TV *	1	Technical details	-
Internet TV * Operating system installed * Operating system version	VIDAA U6	Sound technology Processor	DTS Virtual X Quad Core
Screen mirroring	√	Weight & dimensions	
Apple AirPlay 2 support Video apps	4oD, All 4, Amazon Prime Video, Apple TV, BBC iPlayer, BritBox, DAZN, Disney+, Freeview Play, ITV Hub, My5, NOW TV, Rakuten TV, YouTube	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand)	1119 mm 274 mm 702 mm 10 kg 1119 mm

Smart TV		Weight & dimensions	
Music apps	Amazon Music, BBC Sounds	Depth (without stand)	80 mm
Sports apps	BBC Sports	Height (without stand)	649 mm
Lifestyle apps	Facebook	Weight (without stand)	9.5 kg
Audio		Stand width	89.3 cm
Number of speakers *	2	Packaging data	
RMS rated power *	16 W	Screws included	✓
Audio output channels	2.0 channels	Quick start guide	✓
Built-in subwoofer	×	Manual	✓
Sound modes	Movie, Music, Standard	Package width	1263 mm
Audio system	DTS VIRTUAL X	Package depth	135 mm
Network		Package height	799 mm
Wi-Fi *	✓	Package weight	12.5 kg
Bluetooth *	✓	Package type	Box
Ethernet LAN *	✓	Packaging content	
Miracast	✓	Desktop stand	✓
Design		Mounting kit	×
Product colour *	Black	Cables included	AC, DC
VESA mounting *	✓	Remote control included	√
Panel mounting interface	200 x 400 mm	Remote control type	Smart
Frameless design	×	Smart Remote included	1
Bezel type	Narrow Bezel	Logistics data	
Stand type	Legs stand	Export Control Classification	85287220
Stand colour	Black	Number (ECCN)	
Performance		Other features	
High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10),	Hybrid Log-Gamma (HLG)	✓
technology	Hybrid Log-Gamma (HLG)	3D	×
technology Game mode	Hybrid Log-Gamma (HLG) ✓	Motion control	×
technology Game mode Subtitles function	Hybrid Log-Gamma (HLG) ✓	Motion control Annual energy consumption	X 70 kWh
technology Game mode Subtitles function Dolby Vision	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input	X 70 kWh 1
technology Game mode Subtitles function Dolby Vision Ambient light sensor	Hybrid Log-Gamma (HLG) ✓	Motion control Annual energy consumption Aerial input HDMI	70 kWh 1
technology Game mode Subtitles function Dolby Vision	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin	X 70 kWh 1 ✓ China
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR)	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin	X 70 kWh 1 ✓ China
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓ 1
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode	X 70 kWh 1 China 1119 x 274 x 702 mm 1 1
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications	X 70 kWh 1 China 1119 x 274 x 702 mm 1 1
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner	X 70 kWh 1 China 1119 x 274 x 702 mm 1 1 1
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓ 1 1 1 1 1 BEC
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD)	X 70 kWh 1 China 1119 x 274 x 702 mm 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC)	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓ 1 1 1 1 1 BEC
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) *	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓ 1 1 1 1 1 BEC
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓ 1 1 1 1 1 BEC
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity *	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓ 1 1 1 1 1 BEC
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Component video (YPbPr/YCbCr) in	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓ 1 1 1 1 1 BEC
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Component video (YPbPr/YCbCr) in Headphone outputs	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓ 1 1 1 1 1 BEC
technology Game mode Subtitles function Dolby Vision Ambient light sensor High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Component video (YPbPr/YCbCr) in	Hybrid Log-Gamma (HLG)	Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	X 70 kWh 1 ✓ China 1119 x 274 x 702 mm ✓ 1 1 1 1 1 BEC



6942147490891

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.