GIGABYTE

## Gigabyte A620I AX Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+1 Phases Digital VRM, up to 6400MHz DDR5 (OC), 1xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

## Brand : Gigabyte

Product code: A620I AX

Product name : A620I AX Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+1 Phases Digital VRM, up to 6400MHz DDR5 (OC), 1xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

- AMD Socket AM5: Supports AMD Ryzen<sup>™</sup> 7000 Series Processors
- Unparalleled Performance: 5+2+1 Phases Digital VRM Solution
- Dual Channel DDR5: 2\*SMD DIMMs with AMD EXPO<sup>™</sup> & Intel® XMP Memory Module Support
- SuperSpeed Storage: PCIe 4.0 x4 M.2 Connector
- EZ-Latch: PCIe x16 Slot with Quick Release Design
- Fast Networks: Wi-Fi 6E 802.11ax & 2.5GbE LAN
- Extended Connectivity: DP, HDMI
- Smart Fan 6: Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
- Q-Flash Plus: Update BIOS Without Installing the CPU, Memory and Graphics Card

Mini-ITX, Socket AM5, AMD A620 chipset, 2x DDR5 DIMM, Wi-Fi 6E, Bluetooth 5.3, AMI UEFI BIOS

## Gigabyte A620I AX Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+1 Phases Digital VRM, up to 6400MHz DDR5 (OC), 1xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	HDMI version	2.1
Processor socket *	Socket AM5	DisplayPorts quantity	1
Compatible processor series *	AMD Ryzen 5 7th gen, AMD Ryzen 7 7th Gen, AMD Ryzen 9 7th Gen	DisplayPort version Headphone outputs	1.4 3
Supported processor sockets	Socket AM5	Microphone in	4
Maximum internal memory supported by processor	96 GB	WiFi-AP antenna jack USB connector type	2 USB Type-A, USB Type-C
Memory		Network	000 ()))000 ())000
Supported memory types *	DDR5-SDRAM		
Number of memory slots *	2	Ethernet LAN	1
Memory slots type	DIMM	Ethernet interface type	2.5 Gigabit Ethernet
Memory channels	Dual-channel	Wi-Fi *	✓
Non-ECC	1	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported memory clock speeds	4400,4800,5200,5600,6000,6200,6400 MHz	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speed (max)	6400 MHz	WLAN controller model	Realtek RTL8852CE
Maximum internal memory *	96 GB	Bluetooth	1
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB	Bluetooth version	5.3
Unbuffered memory	1	Features	
Storage controllers		Motherboard chipset *	AMD A620
-		Audio output channels *	7.1 channels
Supported storage drive types	HDD & SSD	Product colour	Brown
Supported storage drive interfaces Number of HDDs supported	2 M.2, SATA III	PC health monitoring	Fan, Temperature, Voltage, Water cooling
11	-	Component for *	PC
Number of storage drives supporte		Motherboard form factor *	rc mini ITX
RAID support	✓		AMD
RAID levels	0, 1	Motherboard chipset family *	AMD
Graphics		Windows operating systems supported	Windows 10 x64, Windows 11 x64
Parallel processing technology support *	Not supported	Expansion slots	
Maximum resolution	4096 x 2160 pixels	PCI Express x16 slots	1





Graphics		Expansion slots	
HDCP	<	Number of M.2 (M) slots	1
DirectX version	12.0	BIOS	
Internal I/O		BIOS type *	UEFI AMI
USB 2.0 connectors *	1	BIOS memory size	256 Mbit
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	ACPI version Clear CMOS jumper	5.0
Number of SATA III connectors *	2	Desktop Management Interface	2.7
Total number of SATA connectors	2	(DMI) version	2.7
Audio connector	✓	System Management BIOS	2.7
Front panel audio connector	<b>√</b>	(SMBIOS) version	
Front panel connector	4	Logistics data	
ATX Power connector (24-pin)		Country of origin	China
CPU fan connector	4	Products per shipping (inner) case	1 pc(s)
Chassis intrusion connector		Battery	
EPS power connector (8-pin)	*	Battery weight	3 g
12V power connector	v.	Lithium weight per battery	0.07 g
RGB LED pin header	Ŷ	Number of battery cells	1
Rear panel I/O ports		Pattan / tashnalam /	Lithium-Manganese Dioxide
USB 2.0 ports quantity *	3	Battery technology	(LiMnO2)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1	Battery type	CR2032
USB 3.2 Gen 1 (3.1 Gen 1) Type-C	1	Packaging data	
ports quantity *	-	Package width	222 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Package depth	180 mm
Ethernet LAN (RJ-45) ports *	1	Package height	65 mm
HDMI ports quantity *	1	Package weight	860 g
	-	Weight & dimensions	
		Width	170 mm
		Depth	170 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓

Bundled software

Technical details Warranty period

3 year(s)

Norton Internet Security





889523038376

0889523038376



4719331855826

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.