

DELL Vostro 5635 AMD Ryzen™ 5 7530U Laptop 40.6 cm (16") Full HD+ 8 GB LPDDR4x-SDRAM 256 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Grey

Brand : DELL Product family: Vostro Product code: MV9WG

Product name: 5635

- Windows 11 Pro 64-bit
- AMD Ryzen 5 7530U (16MB Cache, 2GHz)
- 40.6 cm (16") Full HD+ 1920 x 1200 WVA
- 8GB (4266MHz) LPDDR4x-SDRAM & 256GB SSD

AMD Ryzen 5 7530U (16MB Cache, 2GHz), 8GB LPDDR4x-SDRAM, 256GB SSD, 40.6 cm (16") Full HD+ 1920 x 1200 WVA, AMD Radeon Graphics, LAN, WLAN, Webcam, Windows 11 Pro 64-bit

DELL Vostro 5635 AMD Ryzen $^{\text{\tiny MS}}$ 5 7530U Laptop 40.6 cm (16") Full HD+ 8 GB LPDDR4x-SDRAM 256 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Grey:

Vostro 16 Inch Laptop, features AMD Ryzen $^{™}$ 5000 Series Processors & more screen space with a 16:10 aspect ratio display.

DELL Vostro 5635. Product type: Laptop, Form factor: Clamshell. Processor family: AMD Ryzen™ 5, Processor model: 7530U, Processor frequency: 2 GHz. Display diagonal: 40.6 cm (16"), HD type: Full HD+, Display resolution: 1920 x 1200 pixels. Internal memory: 8 GB, Internal memory type: LPDDR4x-SDRAM. Total storage capacity: 256 GB, Storage media: SSD. On-board graphics card model: AMD Radeon Graphics. Operating system installed: Windows 11 Pro. Product colour: Grey





Design		Network	
Colour name Product type * Product colour *	Titan Grey Laptop Grey	802.11b, Wi-Fi 4 (802.11n)	(802.11ac), Wi-Fi 6E (802.11ax),
Form factor *	Clamshell	Wi-Fi data rate (max)	2400 Mbit/s
Housing material	Aluminium	Antenna type	2x2
Market positioning	Business	WLAN controller model	MediaTek MT7922
Display		WLAN controller manufacturer	MediaTek
Display diagonal *	40.6 cm (16")	Ethernet LAN	✓
Display resolution *	1920 x 1200 pixels	Ethernet LAN data rates	10,100,1000 Mbit/s
Touchscreen *	×	Bluetooth	✓
HD type	Full HD+	MIMO	✓
Panel type	WVA	MIMO type	Multi User MIMO
LED backlight	✓	Ports & interfaces	
Native aspect ratio	16:10	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	
Anti-glare screen	✓	ports quantity *	2
Display brightness	250 cd/m ²	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1
Pixel density	141 ppi	ports quantity	1
RGB colour space	NTSC	Ethernet LAN (RJ-45) ports	1
Colour gamut	45%	HDMI ports quantity *	1
Maximum refresh rate	60 Hz	HDMI version	1.4
Contrast ratio (typical)	1000:1	Combo headphone/mic port	✓
Processor		Charging port type	DC-in jack
Processor manufacturer *	AMD	USB Type-C DisplayPort Alternate Mode	✓
Processor family *	AMD Ryzen™ 5	USB Power Delivery	1
Processor model *	7530U	•	•
Processor cores	6	Keyboard	
Processor boost frequency	4.5 GHz	Pointing device	Touchpad
Processor frequency *	2 GHz	Keyboard language	UK English
Processor cache	16 MB	Numeric keypad *	✓
Processor cache type	L2 & L3	Keyboard backlit	✓
		Full-size keyboard	1

Memory		Software	
Internal memory *	8 GB	Operating system architecture	64-bit
Internal memory type	LPDDR4x-SDRAM	Operating system language	German, Dutch, English, French, Italian
Memory clock speed	4266 MHz		McAfee® Business Protection 1-
Memory form factor	On-board	Trial software	year,No Microsoft Office License
Maximum internal memory *	8 GB		Included 30 day Trial Offer Only
Memory channels	Dual-channel	Operating system installed *	Windows 11 Pro
Storage		Bundled software	System Driver for Windows
Total storage capacity *	256 GB	Battery	
Storage media *	SSD	Battery technology	Lithium-lon (Li-lon)
Total SSDs capacity	256 GB	Number of battery cells	4
Number of SSDs installed	1	Battery capacity *	54 Wh
SSD capacity	256 GB	Battery voltage	15 V
SSD interface	PCI Express	Battery recharge time	3 h
NVMe	✓	Fast charging	✓
SSD form factor	M.2	Battery charge indicator	✓
Optical drive type *	×	Battery weight	240 g
Card reader integrated	✓ Sp. sp.us sp.vs	Power	
Compatible memory cards	SD, SDHC, SDXC	AC adapter power	65 W
Graphics		AC adapter frequency	50 - 60 Hz
Discrete graphics card model *	Not available	AC adapter input voltage	100 - 240 V
On-board graphics card *	✓	AC adapter output current	3.34 A
On-board GPU manufacturer	AMD	AC adapter output voltage	19.5 V
Discrete graphics card *	×	Security	
On-board graphics card family	AMD Radeon Graphics	Cable lock slot	,
On-board graphics card model *	AMD Radeon Graphics	Cable lock slot type	√ Wedge
Audio		Fingerprint reader	✓
Audio chip	Realtek ALC3254	• .	
Audio chip Audio system	Realtek ALC3254 MaxxAudio Pro	Trusted Platform Module (TPM)	√
•		• .	
Audio system	MaxxAudio Pro	Trusted Platform Module (TPM) Trusted Platform Module (TPM)	√
Audio system Number of built-in speakers	MaxxAudio Pro 2	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions	2.0
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	MaxxAudio Pro 2 Waves 2 W	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T)	2.0 0 - 35 °C
Audio system Number of built-in speakers Speakers manufacturer Speaker power	MaxxAudio Pro 2 Waves 2 W	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions	2.0
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	MaxxAudio Pro 2 Waves 2 W	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T)	2.0 0 - 35 °C -40 - 65 °C
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones	MaxxAudio Pro 2 Waves 2 W	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	2.0 0 - 35 °C -40 - 65 °C 10 - 90%
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera	MaxxAudio Pro 2 Waves 2 W ✓ 2	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95%
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera	MaxxAudio Pro 2 Waves 2 W 2	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating shock Operating vibration	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% 110 G
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric)	MaxxAudio Pro 2 Waves 2 W 2 2	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating shock Operating vibration Weight & dimensions	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% 110 G 0.66 G
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution	MaxxAudio Pro 2 Waves 2 W 2 2 2 2 1 2.07 MP 1920 x 1080 pixels	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating shock Operating vibration Weight & dimensions Width	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% 110 G 0.66 G
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type	MaxxAudio Pro 2 Waves 2 W 2 2 2 1 2 1 2 1 2 1 2 1 2 1 1	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating shock Operating vibration Weight & dimensions Width Depth	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% 110 G 0.66 G 356.8 mm 251.9 mm
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed	MaxxAudio Pro 2 Waves 2 W ✓ 2 2.07 MP 1920 x 1080 pixels Full HD 30 fps	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating shock Operating vibration Weight & dimensions Width Depth Height (front)	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% 110 G 0.66 G 356.8 mm 251.9 mm 1.57 cm
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Privacy camera	MaxxAudio Pro 2 Waves 2 W 2 2 2 2.07 MP 1920 x 1080 pixels Full HD 30 fps	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating shock Operating vibration Weight & dimensions Width Depth Height (front) Height (rear)	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% 110 G 0.66 G 356.8 mm 251.9 mm 1.57 cm 1.79 cm
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Privacy camera Privacy type	MaxxAudio Pro 2 Waves 2 W 2 2 2 2 2 2 2 4 2.07 MP 1920 x 1080 pixels Full HD 30 fps Privacy shutter	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating shock Operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight *	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% 110 G 0.66 G 356.8 mm 251.9 mm 1.57 cm
Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Privacy camera Privacy type Network	MaxxAudio Pro 2 Waves 2 W 2 2 2 2.07 MP 1920 x 1080 pixels Full HD 30 fps	Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating shock Operating vibration Weight & dimensions Width Depth Height (front) Height (rear)	2.0 0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% 110 G 0.66 G 356.8 mm 251.9 mm 1.57 cm 1.79 cm



5397184780237

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.